

ENVIRONMENTAL DYNAMICS INC.

Natural Resource Consultants

1995 AND 1996 FISH AND FISH HABITAT INVENTORY

WITHIN THE STUART LAKE AND BABINE LAKE

WATERSHED GROUPS

Volume 2 of 3

Prepared for:

Canadian Forest Products Ltd.

Fort St. James Division Box 254 Fort St. James, BC V0J 1P0

Prepared by:

N. Hamel-Pendergast and J.J. Melnik **EDI ENVIRONMENTAL DYNAMICS INC.**

9031 North Nechako Road Prince George, BC V2K 4Z8

EDI Project No. 500-04

August, 1997

EDI Environmental Dynamics Inc.

IMPORTANT NOTE RE: USE OF THE FOLLOWING INFORMATION

Please note that the printed version of the DFO/MoELP Stream Survey Form is not true to the data present in the digital database. Discrepancies between the digital database and the printed forms have been noted for the following categories:

Header Information (Reach Length)
Channel Characteristics (% Debris Area, Avg Max Pool Depth Method)
Bed Material (Compaction)
Banks (Height)

Please consult the digital database prior to using any of the following data to ensure its accuracy.

RE: DATABASE

This report consists of inventory data collected in both 1995 and 1996. Only the 1996 inventory was funded through the Forest Renewal BC Resources Inventory Program and therefore only the 1996 data was reviewed and audited accordingly.

Lynn Blouw Regional Fish/ Habitat Inventory Specialist Ministry of Environment May 1998

'4.1.9 Hyman Creek Watershed (182-6976-879-131)

This watershed is located within in BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), and covers the eastern portion of the Stuart Lake Watershed Group (Fig. 10). Hyman Creek flows northwest into Tsilcoh River which empties into Pinchi Lake. This drainage is bordered by Carrier Lake to the southeast, Tsilcoh River to the north and northwest and the Ocock River flows around the basin covering part of the west, south and east border of the Hyman Creek Watershed. Occupying 9,860 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 730 m at the confluence of Hyman Creek and Tsilcoh River, to approximately 910 m at the basin's headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).


According to the biogeoclimatic units of the Prince George Forest Region, this watershed is dominated by sub-zone/variant the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in the Hyman Creek Watershed (BC Environment 1995). The absence of fish is presumably due to the 4 m Tsilcoh Falls, which is located approximately 5 km downstream of the Hyman Creek and Tsilcoh River confluence (Department of Energy, Mines and Resources 1977).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. WMC's are not located within Hyman Creek Watershed (Canfor 1996).

Since this watershed lies within a portion of Canfor's Ocock Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Germansen Landing North Road and the Pinch Lake Road, as well as the adjoining sideroads (Canfor 1996).

Figure 10. Location of Hyman Creek Watershed (182-6976-879-131) within the Stuart Lake Watershed Group



4.1.9.1 Stream 182-6976-879-131-609

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		182-6976-879-131-609
EDI-Code		Not Applicable
Nearest Downstream Watershed Code		Not Applicable
NTS Map (1:50,000)		93J/12
TRIM Map		93J051
Cutting Permit		025
Cutblock Number		105
Operating Area		Ocock
Development Type		Right-of-Way and Cutblock
Survey Date		17-May-95
Reach Number		A
Site Number		Not Applicable
Water Temperature (°C)		Not Recorded
Stream Width (m)		1.3
Length Surveyed (m)		100
Habifat Type		Stream
Stream Order (1:20,000)		1
Forest Practices Code Stream Classifica	tion	S-6
Fish Species Identified		None

Description:

This mid-gradient (7.0%) site is located along the northeastern boundary of the cutblock. A total cover of 60% was comprised of 65% overhanging vegetation, 20% large organic debris, and 15% undercut bank. Bed materials of this entrenched site were composed mainly of fines (90%).

Fish sampling was not conducted and no fish were observed.

Since this reach has low quality fish habitat and no fish were observed, it was classified as S-6 under the Forest Practices Code.

24-Feb-98

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-879-131-609-000-000-000-000-000-000

Header Information				.	FΥ
Stream Name: Unnamed	Stream "Local": N/A	N 131	000	Access: Reach Length (km): 1.20000 Method:	11
Watershed Code: 182-6976-879-131-609-000-000-000-000-000-000		Reach No.:	999 0	Length surveyed (m): 100.0 Method:	мw
Location: 025-105 Ocock	Map #: 93J/12	Site No.:	N	Field: Yes Historical:	No
	U.T.M.: 10.436560.6049350	Fish Card:	1:14	Air Photos:	
Date: 95/05/17 Time: 15:30 Agency: EDI Survey Cre	ew: RV\EL\RJR\ \ \ \ \	Photos:	1:14	All Filotos.	
Channel Characteristics	Specific Data	Bed Material			
Av. Chan. Width (m): 1.3 Method Av. Chan. Width (m): TF		% Fines (<2mm):	90	% Fines (<2mm):	90
Av. Wet. Width (m): 0.6 Method Av. Wet. Width (m): TF		% Gravels:	0	Small (2-16mm):	0
Av. Max. Rif. Depth (cm): Av. Max. Riffle Depth (cm): TF				Large (16-64mm):	0
Av. Max. Pool Depth (cm): 10 Av. Max. Pool Depth (cm):		A/ Y awas n	10	Small cobble (64-128mm):	0
Gradient (%): 7.0 Method Gradient: CL		% Larges:	10	Large cobble (128-256mm):	5
% Pool: 90 % Riffle: 10 % Run: 0 % Other: 0	Method: GE			Boulder cobble (>256mm):	5
% Side Channel: 0 Method Side Channel: GE				•	0
% Debris Area: 10-40 Method Debris Area: GE		% Bedrock:	0	% Bedrock:	١
Cover		D90 (cm):		Compaction:	High
Cover Total %: 60 Method Cover Total %: GE Dp Pool: 0 L.O.D.: 20 Boulder: 0 In Veg.: 0	Over Veg: 65 Cutbank: 15	Banks			
Crown Closure %: 10 Method Crown Closure: GE	Aspect: N Method Aspect: C	Height (m):	0.3	% Unstable:	0
		Textures Fines:	Yes	Gravel: No Larges: No Bedrock:	No
Discharge	Specific Data	Confinement:	1		
	эресус жи	Valley: Chan. Ratio:			
Wetted Width (m): Method Wetted Width (m):		Stage:	M		
Mean Depth (m): Method Mean Depth (m):		Flood Signs Ht(m):	0.35	Method Flood Signs:	
Mean Velocity (m/s): Method Mean Velocity (m/s		Braided:	N	Method Braided:	
Discharge (m3/s): Method Discharge (m3/s):		Bars (%):		Method Bars:	
Reach Symbol (Fieb)		рН:		Method pH:	
Reach Symbol (Fish)		02 (ppm):		Method Dissolved Oxygen:	
		Water Temp. (°C):		Method Temperature:	
		Turb. (cm):		Method Turbidity:	
(Width, Valley: Channel, Slope) (Bo	ed Material)	Cond. (µmhos):		Method Conductivity:	
•					

DFO/MoELP Stream Survey Form 24-Feb-98 Stream: Unnamed Watershed Code: 182-6976-879-131-609-000-000-000-000-000 Obstructions Comments

Film 1: 14 d/s

Note: Reach '999' should read Reach A.

Fish sampling was not conducted. No fish were observed.

This site has been assigned a S-6 classification under the Forest Practices Code.

C1



Photo 95. Downstream view of Stream 182-6976-879-131-609 at Reach A.

4.1.9.2 Stream 182-6976-879-131-807

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-131-807
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	071
Operating Area	Ocock
Development Type	Right-of-Way and Cutblock
Survey Date	18-May-95
Reach Number	4
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	1.8
Length Surveyed (m)	100
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (2.5%) site flows in a southerly direction along the northwestern corner of the cutblock. Total cover was minimal at 10% and bed materials were comprised entirely of fines (100%). The potential rearing and spawning habitat was, therefore, severely limited.

Fish sampling was not conducted at this site, and no fish were observed.

Since this site provides low quality fish habitat and no fish were observed, it was classified as S-6 under the Forest Practices Code.

24-Feb-98

Stream: Unnamed

Watershed Code:

Stream Survey Report 182-6976-879-131-807-000-000-000-000-000-000-000

Header Information				rom.
Stream Name: Unnamed	Stream "Local": N/A		Access:	FT
Watershed Code: 182-6976-879-131-807-000-000-000-000-000-000		Reach No.:	4 Reach Length (km): 0.10000 Method: 0 Length surveyed (m): 100.0 Method:	MW MW
Location: 025-075 Ocock	Map #: 93J/12	Site No.:		No
	U.T.M.: 10.438330.6045500	Fish Card:		140
Date: 95/05/10 Time: 10:30 Agency: EDI Survey Cr	ew: RV \ \ \ \ \ \ \	Photos: 1:	18 Air Photos:	
Channel Characteristics	Specific Data	Bed Material		
Av. Chan. Width (m): 1.8 Method Av. Chan. Width (m): TF		% Fines (<2mm):	00 % Fines (<2mm):	100
Av. Wet. Width (m): 0.6 Method Av. Wet. Width (m): TF		% Gravels:	0 Small (2-16mm):	0
Av. Max. Rif. Depth (cm): Av. Max. Riffle Depth (cm):			Large (16-64mm):	0
Av. Max. Pool Depth (cm): Av. Max. Pool Depth (cm):		% Larges:	0 Small cobble (64-128mm):	0
Gradient (%): 2.5 Method Gradient: CL		/a Larges.	Large cobble (128-256mm):	0
% Pool: 5 % Riffle: 5 % Run: 90 % Other: 0	Method: GE		Boulder cobble (>256mm):	0
% Side Channel: 0 Method Side Channel: GE		ac value also	0 % Bedrock:	0
% Debris Area: 10-40 Method Debris Area: GE		% Bedrock:		Ū
Cover		D90 (cm):	Compaction:	
Cover Total %: 10 Method Cover Total %: GE	Over Veg: Cutbank:	Banks		
Dp Pool: L.O.D.: Boulder: In Veg.: Crown Closure % . 5 Method Crown Closure: GE	Over Veg: Cutbank: Aspect: S Method Aspect: C	Height (m):	0.5 % Unstable:	10
Crown Closure %: 5 Method Crown Closure: GE	Aspect :	1 * ` '	Yes Gravel: No Larges: No Bedrock:	No
		Confinement:	2	
Discharge	Specific Data	Valley: Chan. Ratio:		
Wetted Width (m): Method Wetted Width (m):		Stage:	М	•
Mean Depth (m): Method Mean Depth (m):		Flood Signs Ht(m):	Method Flood Signs:	
Mean Velocity (m/s): Method Mean Velocity (m/s		Braided:	N Method Braided:	
Discharge (m3/s): 0.10 Method Discharge (m3/s): GE		Bars (%):	Method Bars:	
		рН:	Method pH:	
Reach Symbol (Fish)		02 (ppm):	Method Dissolved Oxygen:	
		Water Temp. (°C):	Method Temperature:	
		Turb. (cm):	Method Turbidity:	
(Width, Valley: Channel, Slope) (E	sed Material)	Cond. (µmhos):	Method Conductivity:	
(11,1111)	•			

DFO/N 24-Feb-98	IoELP Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Report
Fish Su	ummary	Obstructions	
Comme	nts		
Cl	Film 1: 18 d/s		
	Film 1: 18 d/s Fish sampling was not conducted at this site. No fish were observed. This site was given a S-6 classification under the Forest Practices Code.		



Photo 96. Downstream view of Stream 182-6976-879-131-807 at Reach 4.

4.1.9.3. Stream 182-6976-879-131-820

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-131-820
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	075
Operating Area	Ocock
Development Type	Cutblock
Survey Date	04-Oct-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	900
Habitat Type	Wetland
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetalnd is located along the southern boundary of the cutblock, and flows west. This mossy area contained section of pooled water, but no flow or definable channel was found. Vegetation consisted of spruce, black cottonwood, and some red-oiser dogwood.

Fish sampling was not conducted in this wetland, and no fish were observed.

Wetlands do not require stream classification under the Forest Practices Code. This area should be classified as a wetland, and protected accordingly.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-131-820
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	071
Operating Area	Ocock
Development Type	Right-of-Way
Survey Date	18-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	3.0
Length Surveyed (m)	100
Habitat Type	Wetland
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This low gradient (1.0%) survey site was located approximately 300 m north of the cutblock. The area contained a defined channel with very little flow. Bed materials of the unconfined site were comprised entirely of fines (100%). No spawning or rearing habitat was present at this site.

Fish sampling was not conducted at this site area, and no fish were observed.

Since this site is a wetland and not a stream, no stream classification is required under the Forest Practices Code.

4.1.9.4 Stream EDI-530

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	530
Nearest Downstream Watershed Code	182-6976-879-131
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	075
Operating Area	Ocock
Development Type	Right-of-Way and Cutblock
Survey Date	04-Oct-95
Reach Number	A
Site Number	Not Applicable
Water Temperature (°C)	3.0
Stream Width (m)	0.84
Length Surveyed (m)	600
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This small, low gradient (1.5%) reach flows in a southeasterly direction along the northwestern portion of the cutblock. Total cover of 10% was comprised of 70% overhanging vegetation, and 30% large organic debris. The bed material of this occasionally confined reach were made up entirely of fines. This reach contained some pools of standing water, but no flow was found. The upper and lower limits of this reach were composed of seepage and wetland areas.

Fish sampling was conducted, however, no fish were captured or observed.

Since this reach provides low quality fish habitat, and no regionally significant fish were captured, it was classified as S-6 under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

(Width, Valley: Channel, Slope) | (Bed Material)

Watershed Code:

Cond. (µmhos):

Method Conductivity:

Stream Survey Report

182-6976-879-131-999-000-000-000-000-000-000 Header Information Stream Name: Unnamed Stream "Local": EDI-530 Access: FT Watershed Code: 182-6976-879-131-999-000-000-000-000-000-000 Reach No.: Reach Length (km): 0.60000 Method: MW Location: ND/WSC: 182-6976-879-131; 025-075 Ocock Map #: 93J/12 Site No.: Length surveyed (m): 600.0 Method: мw U.T.M.: 10.437620.6046610 Fish Card: Field: Yes Historical: Date: 04/10/95 No Time: 09:15 Agency: EDI Survey Crew: TW \BR \EL \ \ \ \ \ Photos: 18: 9 Air Photos: **Channel Characteristics Bed Material** Specific Data Av. Chan. Width (m): Method Av. Chan. Width (m): MS 0.8 0.9 0.8 0.6 0.8 1.1 % Fines (<2mm): Av. Wet. Width (m): % Fines (<2mm); Method Av. Wet. Width (m): 0.8 MS 98 Av. Max. Rif. Depth (cm): % Gravels: Av. Max. Riffle Depth (cm); Small (2-16mm): 0 Av. Max. Pool Depth (cm): Av. Max. Pool Depth (cm): 0 Large (16-64mm): 0 Gradient (%): 1.5 Method Gradient: CI. % Larges: Small cobble (64-128mm): O % Pool: % Riffle: % Run-% Other: 0 Method: Large cobble (128-256mm): 2 % Side Channel: Method Side Channel: GE Boulder cobble (>256mm): 0 % Debris Area: 0-10 Method Debris Area: GE % Bedrock: % Bedrock: Cover D90 (cm): Compaction: Low Cover Total % : Method Cover Total %: GE Banks Dp Pool : 0 L.O.D.: Boulder: n 0 Over Veg: 70 Cutbank: Crown Closure %: Method Crown Closure: GE Aspect: SE Method Aspect: C Height (m): % Unstable: Textures Fines: Yes Gravel: No Discharge Larges: No Bedrock: No Confinement: Specific Data Wetted Width (m): Valley: Chan. Ratio: Method Wetted Width (m): Mean Depth (m): Stage: Method Mean Depth (m) : L, Mean Velocity (m/s): Flood Signs Ht(m): Method Mean Velocity (m/s Method Flood Signs: Discharge (m3/s): Braided: Method Discharge (m3/s): Method Braided: Bars (%): Method Bars: Reach Symbol pH: Method pH: (Fish) 02 (ppm): Method Dissolved Oxygen: Water Temp. (°C): Method Temperature: HT Turb. (cm): Method Turbidity:

DFO/Mo] 20-Aug-97	ELP Stream Survey Form Stream: Unnamed	, Watershed Code:	Stream Survey Repor
Fish Sumn	nary	Obstructions	
Comments			
C2	Note: riffle depth, pool depth and pool % etc. were not recorded in the field.		
C1	Film 18: 9 u/s		
	Note: Reach '999' should read Reach 'A'.		
	Fish sampling (electroshocking) was conducted in this reach. No fish were captured or	observed.	
	This section of stream has been given a S-6 classification under the Forest Practices Cou	de	



Photo 97. Upstream view of Stream EDI-530 at Reach A.

4.1.9.5 Stream 182-6976-879-131-821

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-131-821
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	075
Operating Area	Ocock
Development Type	Cutblock
Survey Date	04-Oct-95
Reach Number	4
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	1.78
Length Surveyed (m)	100
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	None

Description:

This mid-gradient (9.0%) reach flows in a southwesterly direction approximately 100 m northwest of the northwest corner of the cutblock. Cover consisted of 60% overhanging vegetation, 30% large organic debris, and 5% boulder and undercut bank/ The bed material of this confined site was dominated by larges (60%) and gravels (35%).

Fish sampling (electroshocking) was conducted, however, no fish were captured or observed.

This reach provided good potential rearing and spawning habitat. It was, therefore, defaulted to S-3* classification under the Forest Practices Code.

Recommendation: Further survey is recommended to determine fish presence and to find the upper limit of fish distribution.

24-Feb-98

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-879-131-821-000-000-000-000-000-000

Header Information Stream Name: Unnamed		Stream "Loc	al":	N/A						Access:	FT MW
	31-821-000-000-000-000-000-000							Reach No.:	4	Reach Length (km): 0.10000 Method:	MW
Location: 025-075 Ocock		Map #: 9	3J/12					Site No.:	0	and the second s	No
		•		9.6046891	l			Fish Card:	N	1000	110
Date: 95/10/04 Time: 10:0	O Agency: EDI Survey Cre	w: TW \BR \E	L	111				Photos:	18: 10	Air Photos:	
Channel Characteristic	2S		S	pecific Da	ıta			Bed Material			
Ay, Chan, Width (m): 1.8	Method Av. Chan. Width (m): MS	1.9	1.8	1.7	1.5	1.8	2.1	% Fines (<2mm):	5	% Fines (<2mm):	5
Av. Wet. Width (m): 0.0	Method Av. Wet. Width (m):							% Graveis:	35	Small (2-16mm):	5
Av. Max. Rif. Depth (cm):	Av. Max. Riffle Depth (cm):									Large (16-64mm):	30
Av. Max. Pool Depth (cm): 0	Av. Max. Pool Depth (cm):							% Larges:	60	Small cobble (64-128mm):	50
Gradient (%): 9.0	Method Gradient: CL									Large cobble (128-256mm):	10
% Pool: 0 % Riffle: 0	% Run: 0 % Other: 0	Method:								Boulder cobble (>256mm):	0
% Side Channel: 0	Method Side Channel: GE							% Bedrock:	0	% Bedrock:	0
% Debris Area: 10-40	Method Debris Area: GE							D90 (cm):	25	Compaction:	High
Cover								D90 (cm):		Compaction	
Cover Total %:	Method Cover Total %:						_	Banks			
Dp Pool: 0 L.O.D.: 30	Boulder: 5 In Veg.: 0	Over Veg:	60	Cutba			5				
Crown Closure %:	Method Crown Closure:	Aspect:	SW	Metho	d Aspect	:	С	Height (m):	0.3	% Unstable:	N7-
								Textures Fines:	Yes	Gravel: Yes Larges: No Bedrock:	No
Discharge				pecific Da	ıta			Confinement:	2		
-	Method Wetted Width (m):							Valley: Chan. Ratio:	D		••
Wetted Width (m):	Method Mean Depth (m):							Stage:	Dry	Method Flood Signs:	
Mean Depth (m):	Method Mean Velocity (m/s							Flood Signs Ht(m):	N	Method Braided:	
Mean Velocity (m/s):	Method Discharge (m3/s):							Braided:	N	Method Bars:	
Discharge (m3/s):		L						Bars (%): pH:		Method pH:	
Reach Symbol	(Fish)							02 (ppm):		Method Dissolved Oxygen:	
	(1-1511)							Water Temp. (°C):		Method Temperature:	
			····					Turb. (cm):		Method Turbidity:	
	Character (Paris)	ed Material)						Cond. (µmhos):		Method Conductivity:	
1	(Width, Valley: Channel, Slope) (Be	en iatricinal)						V /			

Stream Survey Report DFO/MoELP Stream Survey Form 182-6976-879-131-821-000-000-000-000-000-000 Watershed Code: Stream: Unnamed Obstructions Fish Summary Comments Note: Wet width, riffle depth, pool depth, and pool % etc. were not recorded in the field. C2 Film 18: 10 C1 Fish sampling (electroshocking) was conducted. No fish were captured or observed. This site has been given a defaulted S-3 classification under the Forest Practices Code.



Photo 98. Upstream view of Stream 182-6976-879-131-821 at Reach 4.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-131-821
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	105
Operating Area	Ocock
Development Type	Right-of-Way
Survey Date	17-May-95
Reach Number	Not Applicable
Site Number	Personal Confession of the Con
Water Temperature (°C)	Not Recorded
Stream Width (m)	2.7
Length Surveyed (m)	100
Habitat Type	Stream
Stream Order (1:20,000)	1~
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This low gradient (1%) survey site is located approximately 500 m east of the cutblock. The rearing habitat found in this site was comprised of 65% large organic debris, and 20% instream vegetation. Bed materials of this frequently confined reach were made up entirely of fines. This was a relatively flat section of stream with a low flow velocity. Approximately 20 m downstream of this site, a swampy area exists.

Fish sampling was not conducted and no fish were observed.

This site contained low quality fish habitat, and no fish were observed. This site was not assigned a stream classification under the Forest Practices Code, however the data gathered will be used for right-of-way design.

Note: ~ means that the stream was not indicated on the TRIM based map.

27-Feb-98

Stream: Unnamed

Watershed Code:

Stream Survey Report 182-6976-879-131-821-000-000-000-000-000-000-000

Header Information									
Stream Name: Unnamed		Stream "Local":	N/A				Access:		FT
Vatershed Code: 182-6976-879-131-	821-000-000-000-000-000-000			R	each No.:	0	Reach Length (km):	Method:	
ocation: 025-105 Ocock		Map #: 93J/12		Si	te No.:	1		100.0 Method:	MW
		U.T.M.: 10.4370	20.6049180	F	ish Card:	N	Field: Yes	Historical:	No
Date: 95/05/17 Time: 15:05	Agency: EDI Survey Cr	ew: RV\ EL\RJR\ \\	111	P	hotos:	1: 15	Air Photos:		
Channel Characteristics			Specific Data		Bed Material				
Av. Chan. Width (m); 2.7 M	Method Av. Chan. Width (m): TF			9/	6 Fines (<2mm):	100	% Fines (<2mm):		100
Av. Wet. Width (m): 1.4 N	Method Av. Wet. Width (m): TF			1 9	6 Gravels:	0	Small (2-16mm):		0
Av. Max. Rif. Depth (cm):	v. Max. Riffle Depth (cm): TF						Large (16-64mm):		0
Av. Max. Pool Depth (cm): 9 A	v. Max. Pool Depth (cm):				6 Larges:	0	Small cobble (64-128mm):		0
Gradient (%): 1.0 N	Method Gradient: CL			7	a Larges:	V	Large cobble (128-256mm):		0
% Pool: 50 % Riffle: 0 %	% Run: 50 % Other: 0	Method: GE					Boulder cobble (>256mm):		0
% Side Channel: 0-10 N	Method Side Channel: GE						•		_
% Debris Area: 10-40 N	Method Debris Area: GE			9	% Bedrock:	0	% Bedrock:		0
Cover				r	990 (cm):		Compaction:		High
Cover Total %:	Method Cover Total %:				Banks				
Dp Pool: 5 L.O.D.: 65 I	Soulder: 0 In Veg.: 20	Over Veg: 5	Cutbank:	5					
Crown Closure %: 20	Method Crown Closure: GE	Aspect: N	Method Aspect:	С	Height (m):	0.1	% Unstable:		5
					Textures Fines:	Yes	Gravel: No Larges:	No Bedrock:	No
Discharge			Specific Data		Confinement:	3			
0			programme and a second		Valley: Chan. Ratio:				
(11)	lethod Wetted Width (m):				Stage:	М			
	lethod Mean Depth (m):				Flood Signs Ht(m):		Method Flood Signs:		
,	lethod Mean Velocity (m/s				Braided:		Method Braided:		
Discharge (m3/s):	lethod Discharge (m3/s):	<u> </u>			Bars (%):		Method Bars:		
Reach Symbol					pH:		Method pH:		
Reach Symbol	(Fish)			- 1	02 (ppm):		Method Dissolved Oxygen:		
					Water Temp. (°C):		Method Temperature:		
					Turb. (cm):		Method Turbidity:		
1	(Width, Valley: Channel, Slope) (B	ed Material)			Cond. (µmhos):		Method Conductivity:		

DFO/MoE 27-Feb-98	CLP Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Report
Fish Summ	ary	Obstructions	
Comments			
CI	Film 1: 15 u/s Fish samplling was not conducted. No fish were observed.		

This site was assigned a S-6 classification under the Forest Practices Code.




Photo 99. Upstream view of Stream 182-6976-879-131-821 at Site 1.

	Unnamed
Gazetted Stream Name	
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-131-821
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	028
Cutblock Number	104
Operating Area	Ocock
Development Type	Cutblock
Survey Date	04-Oct-95
Reach Number	A
Site Number	Not Applicable
Water Temperature (°C)	3.5
Stream Width (m)	1.1
Length Surveyed (m)	700
Habitat Type	Wetland/Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This small, low gradient (0.5%) reach is located in a wetland along the southeastern boundary of the cutblock. It flows in an easterly direction and its substrates are 100% fines. A high total cover of 60% is comprised mainly of overhanging vegetation (90%). The channel at this point, wa filled with water, but flow was minimal.

Fish sampling was conducted in this channel within the wetland, however, no fish were captured or observed.

This reach contained low quality fish habitat, and since no fish were captured, it was classified as S-6 under the Forest Practices Code. Due to the fact that this reach is surrounded by a wetland, a wetland classification should be applied to this area.

27-Feb-98

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-879-131-821-000-000-000-000-000-000

Header Info	rmation								
Stream Name:	Unnamed		Stream "Local":	N/A				Access:	FT
Watershed Code:	182-6976-879-	131-821-000-000-000-000-000-000				Reach No.:	999	Reach Length (km): 0.7 Metho	d: MW
Location:	028-104 Ocock		Map #: 93J/12	2		Site No.:	0	Length surveyed (m): 700.0 Metho	d: MW
			U.T.M.: 10.43	7521.6048203		Fish Card:	N	Field: Yes Historical:	No
Date: 95/10/04	Time: 12:	20 Agency: EDI Survey Ci	ew: PW\BR\EL\ \	1111		Photos:	18: 11	Air Photos:	
Channel Ch	aracteristi	cs		Specific Data		Bed Material			
Av. Chan. Width (m		Method Av. Chan. Width (m): MS	1.0 1.2	1.1 1.0	1.1 1.0	% Fines (<2mm):	100	% Fines (<2mm):	100
Av. Wet. Width (m):	0.8	* *				% Gravels:	0	Small (2-16mm):	0
Av. Max. Rif. Depth	(cm):	Av. Max. Riffle Depth (cm):						Large (16-64mm):	0
Av. Max. Pool Depth		Av. Max. Pool Depth (cm):				│	0	Small cobble (64-128mm):	0
Gradient (%):	0.5					,,,	-	Large cobble (128-256mm):	0
% Pool: 0	% Riffle: 0		Method: GE					Boulder cobble (>256mm):	0
% Side Channel:	0					% Bedrock:	0	% Bedrock:	0
% Debris Area:	0-10	Method Debris Area: GE				% Bedrock:	U		-
Cover						D90 (cm):	0	Compaction:	High
Cover Total % :	60	Method Cover Total %: GE				Banks			
Dp Pool: 0 1	O.D.: 10	Boulder: 0 In Veg.: 0	Over Veg: 9	0 Cutbank:	(0			
Crown Closure %:		Method Crown Closure:	Aspect:	E Method Asper	et: C	Height (m):	0.3	% Unstable:	
						Textures Fines:	Yes	Gravel: No Larges: No Bedroc	k: No
Discharge				6iG- D-4-		Confinement:	5		
Ü				Specific Data		Valley: Chan. Ratio:			
Wetted Width (m):		Method Wetted Width (m):				Stage:	М		
Mean Depth (m):		Method Mean Depth (m):				Flood Signs Ht(m):		Method Flood Signs:	
Mean Velocity (m/s)	1:	Method Mean Velocity (m/s				Braided:	N	Method Braided:	
Discharge (m3/s) :		Method Discharge (m3/s):				Bars (%):		Method Bars:	
Reach Symb	al.					pH:		Method pH:	
Keach Symu	ivi	(Fish)				02 (ppm):		Method Dissolved Oxygen:	
						Water Temp. (°C):	3.5	Method Temperature:	НТ
						Turb. (cm):		Method Turbidity:	
		(Width, Valley: Channel, Slope) (B	ed Material)			Cond. (µmhos):		Method Conductivity:	

Stream Survey Report DFO/MoELP Stream Survey Form 182-6976-879-131-821-000-000-000-000-000-000 Watershed Code: Stream: Unnamed **Obstructions** Fish Summary Comments Film 18: 11 C1 Note: Reach '999' should read Reach 'A'.

Fish sampling (electrofishing) was conducted. No fish were captured or observed.

This reach was assigned a S-6 classification under the Forest Practices Code.



Photo 100. Upstream view of Stream 182-6976-879-131-821 at Reach A.

4.1.10 Watershed 182-6976-879-779

Watershed 182-6976-879-779 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), and covers a small portion of the east border of the Stuart Lake Watershed Group (Fig. 11). This system flows directly into Tsilcoh River which drains into Pinchi Lake. Occupying 1,546 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 840 m at the confluence of the main system and Tsilcoh River to approximately 1,130 m at its headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977). Only a small section in the western section of this watershed was surveyed by *Environmental Dynamic* in 1996.


According to the biogeoclimatic units of the Prince George Forest Region, this watershed is dominated by sub-zone/variant the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-6976-879-779 (BC Environment 1995). As this system drains into Pinchi Lake, it has high potential to contain the following fish species: kokanee, lake whitefish, mountain whitefish, raindow trout, redside shiner, peamouth chub, northern squawfish, longnose sucker and largescale sucker (BC Environment 1997b).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. WMC's are not located within Watershed 182-6976-879-779 (Canfor 1996).

Since this watershed lies within a portion of Canfor's North Salmon Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel road located in this watershed is the Germansen-Tsilcoh FSR and its adjoining sideroads (Canfor 1996).

Figure 11. Location of Watershed 182-6976-879-779 within the Stuart Lake Watershed Group



4.1.10.1 Stream 182-6976-879-779-112

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-779-112
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/13
TRIM Map	93J071
Cutting Permit	Sal
Cutblock Number	030
Operating Area	North Salmon
Development Type	Cutblock
Survey Date	18-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream-Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This seepage is located north of the cutblock and flows in a northerly direction into an unnamed lake. The seepage was vegetated with black spruce, mosses, bunchberry and horsetail.

Fish sampling was not conducted. No fish were observed.

As this is a seepage, stream classification is not required under the Forest Practices Code.

4.1.10.2 Stream 182-6976-879-779-227

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-879-779-227
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/13
TRIM Map	93J071
Cutting Permit	Sal
Cutblock Number	030
Operating Area	North Salmon
Development Type	Cutblock
Survey Date	18-Jun-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	15
Stream Width (m)	1.9
Length Surveyed (m)	100
-Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	RSC - Redside Shiner

Description:

This low gradient (1%) reach flows in a northerly direction along the northeastern boundary of the proposed cutblock. Total cover was 30%, with the majority being overhanging vegetation (55%). Bed materials were dominated by fines (40%) and larges (40%). A 75 m wide by 2 m high beaver dam was present at the upper limit of this reach, 400 m upstream of the confluence with the lake, and is a barrier to fish passage.

Fish sampling (electroshocking) was conducted for 104 sec. One redside shiner was caught and several fish were observed.

Since this reach provides some potential fish habitat and contains redside shiner, it has been classified by default as a S-3* under the Forest Practices Code.

Recommendation: Should the presence of regionally significant fish need to be confirmed, further sampling would be required.

02-Sep-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-879-779-227-000-000-000-000-000-000

Header Informa	iion				2711					Access:	FT
	amed		Stream "L	ocal":	N/A			Reach No.:	1	Reach Length (km): 0.10000 Method:	MW
Vatershed Code: 182-	-6976-879-7	79-227-000-000-000-000-000-000-000						Site No.:	n	Length surveyed (m): 100.0 Method:	MW
Location: Sal 3	30		Map #:	93J/13				Fish Card:	N	Field: Yes Historical:	No
			U.T.M. :		0,6070810				17, 18, 19	Air Photos:	
Date: 6/18/96	Time: 14:3	5 Agency: EDI Survey (rew: LL \RVS\	1111	1 1		wiii		.,,		
Channel Charac	cteristic	2 S		S	pecific Data			Bed Material			
Ay, Chan, Width (m):	1.9	Method Av. Chan. Width (m): MS	1.9	2.0	2.1 2.2	1.8	1.6	% Fines (<2mm):	40	% Fines (<2mm):	40
Av. Wet. Width (m):	1.6	Method Av. Wet. Width (m): MS						% Gravels:	20	Small (2-16mm):	10
Av. Max. Rif. Depth (cm):	10	Av. Max. Riffle Depth (cm): MS						1		Large (16-64mm):	10
Av. Max. Pool Depth (cm):	: 20	Av. Max. Pool Depth (cm):	L					% Larges:	40	Small cobble (64-128mm):	30
Gradient (%):	1.0	Method Gradient: CI						,		Large cobble (128-256mm):	10
% Pool: 15 %	Riffle: 45	% Run: 40 % Other: (GE						Boulder cobble (>256mm):	0
% Side Channel:	0	Method Side Channel: GI						% Bedrock:	0	% Bedrock:	0
% Debris Area:	10-40	Method Debris Area: Gi						1	12	Compaction:	High
Cover								D90 (cm):	12	Compactor	
Cover Total % :	30	Method Cover Total %: Gi	3					Banks			
Dp Pool: 10 L.O.D	.: 15	Boulder: 0 In Veg.: 10	Over Veg	55	Cutbank:		10				
Crown Closure %:	10	Method Crown Closure: G	E Aspect:	N	Method Aspe	ect:	C	Height (m):	0.4	% Unstable:	5
								Textures Fines:	Yes	Gravel: No Larges: No Bedrock:	No
Discharge				C:	pecific Data			Confinement:	4		
Discharge					pecific Dais			Valley: Chan. Ratio:			
Wetted Width (m):	2.0	Method Wetted Width (m): M						Stage:	M		
Mean Depth (m):	0.1	Method Mean Depth (m): M						Flood Signs Ht(m):	0,25	Method Flood Signs:	MS
Mean Velocity (m/s):	0.75		F					Braided:	N	Method Braided:	
Discharge (m3/s):	0.15	Method Discharge (m3/s):	F L					Bars (%):		Method Bars:	
Reach Symbol								рН:		Method pH:	
Reach Symbol		(Fish)					02 (ppm):		Method Dissolved Oxygen:	нт
								Water Temp. (°C):	15.0	Method Temperature:	t11
								Turb. (cm):		Method Turbidity:	
ł		(Width, Valley: Channel, Slope)	Bed Material)					Cond. (µmhos):		Method Conductivity:	

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-879-779-227-000-000-000-000-000-000

Fish Summary

nco i			

Obstructions

om mandani sijini	. TOUS.	្រាស់ស្វេងស្វែ
2	BD	1.0

Comments

C1 Film 5: 19 d/s, 18 u/s, 16&17--beaver dam @ upper limit of stream A (obstruction).

Fish sampling (electroshocking) was conducted for 104 seconds and one RSC was caught. Unidentified observations were made on dozens of other fish.

This stream contains good rearing and spawning habitat and flows into a lake. As a result, it has been defaulted to an S-3 stream under the Forest Practices Code.

C2 Location 1: There is a 75 m wide 2 m high beaver dam present at the upper limit of this reach, 400 m upstream of the confluence with the lake, which is likely an obstruction to fish

passage.



Photo 101. Upstream view of Stream 182-6976-879-779-227 at Reach 1.



Photo 102. Downstream view of Stream 182-6976-879-779-227 at Reach 1.

4.1.11 Ocock River Watershed 182-6976-928

Ocock River Watershed is located BC Environment management units 7-25 and 7-14 (BC Recreational Atlas 1993), and covers part of the eastern portion of the Stuart Lake Watershed Group, east of Pinchi Lake (Fig. 12). Within the Stuart Lake Watershed Group, the Ocock River flows south into Ocock Lake and Carrier Lake before flowing east into Pinchi Lake. The Ocock River Watershed is the second largest basin in the Stuart Lake Watershed Group, occupying 23,770 ha of the Stuart Lake Provincial Forest. The geographical relief ranges from approximately 710 m at the Pinch Lake inlet to approximately 1,400 m at the headwaters on Murray Ridge (BC Environment 1995; Department of Energy, Mines and Resources 1977).


The Ocock River Watershed is dominated by two sub-zones/variants according to the biogeoclimatic units of the Prince George Forest Region. These units include the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3), and the Nechako Moist Very Cold Engelmann Spruce-Subalpine Fir (ESSFmv1) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in the Ocock River Watershed (BC Environment 1995). BC Environment lake inventories have indicated the presence of rainbow trout, peamouth chub, prickly sculpin, redside shiner, large scale sucker, longnose sucker, northern squawfish and mountain whitefish in Carrier Lake. Ocock Lake was found to contain rainbow trout, peamouth chub, burbot, redside shiner, mountain whitefish, large scale suckers, longnose suckers, and northern squawfish (BC Environment 1997b). Also, rainbow trout and suckers have been noted at the Ocock South Main road crossing (Hickey Pers. Comm.1997). The Ocock River drains into Pinchi Lake, and, therefore, has the potential to contain several fish species including mountain whitefish, rainbow trout, and kokanee (BC Environment 1997b).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. There is a WMC that surrounds the riparian area of the Ocock River, and extends throughout the watershed (Canfor 1996).

Since this watershed lies within a portion of Canfor's Ocock, Zap-Carrier, North Salmon and Squawfish operating areas, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Germansen Landing North Road, the Teardrop-Carrier Forest FSR, the Ocock FSR, the Ocock South Main, and the Ocock West FSR and its adjoining sideroads (Canfor 1996).

Figure 12. Location of Ocock River Watershed (182-6976-928) within the Stuart Lake Watershed Group



4.1.11.1. Stream EDI-532

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	532
Nearest Downstream Watershed Code	182-6976-928-489
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	071
Operating Area	Ocock
Development Type	Right-of-Way
Survey Date	18-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	0.40
Length Surveyed (m)	100
Habitat Type	Stream
Stream Order (1:20,000)	1~
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This small, low gradient (4.0%) site drains in a southerly direction towards the northeastern corner of cutblock 025-071. The area contained a definable channel with minimal flow. The bed materials of the confined site were comprised entirely of fines, eliminating the possibility of salmonid spawning. Logging had previously occurred at the site and the old road came up to the channel

Fish sampling was not conducted at this site area, and no fish were observed.

Since this site contained low quality fish habitat and no fish were observed, it was classified as a S-6 under the Forest Practices Code.

Note: ~ means that this stream was not indicated on TRIM base map.



Photo 103. Upstream view of Stream EDI-532 at Right-of-Way (at previously logged cutblock).

4.1.11.2 Stream 182-6976-928-520

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-520
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	031
Cutblock Number	225B
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	02-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Dry Gully
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

At the time of survey, 182-6976-928-520 was not a stream, but a dry gully. It was located along the southwestern boundary of the cutblock and contained no evidence of water. This gully does have potential to channel spring runoff.

Fish sampling was not conducted and no fish were observed.

Since this was a dry gully and not a stream, classification is not required under the Forest Practices Code.

Note: Cutblock 031-225A was located approximately 400 m west of this area and no stream could be found in the cutblock.

4.1.11.3 Stream 182-6976-928-527

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Gode	182-6976-928-527
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	031
Cutblock Number	225B
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	02-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Dry Gully
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This area was not a stream, but a dry gully. It was located along the northern boundary of the cutblock and was completely dry at the time of survey. A defined channel with moss covered substrate were apparent. This gully is most likely a spring run-off channel.

Fish sampling was not conducted. No fish were observed.

Since this was a dry gully, stream classification is not required under the Forest Practices Code.

4.1.11.4 Stream EDI-793

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	793
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Car Car
Cutblock Number	087
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-96
Reach Number	A
Site Number	Not Applicable
Water Temperature (°C)	8.0
Stream Width (m)	0.95
Length Surveyed (m)	200
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	None

Description:

This unnamed tributary flows in a southwesterly direction along the southeastern edge of the cutblock. It is a small, low gradient (4.0%) reach dominated by run. The substrate consists of fairly equal portions of fines (40%) and gravels (55%). A total cover of 25% is provided by 40% large organic debris, 20% deep pools and overhanging vegetation.

Fish sampling (electroshocking) was conducted for 85 sec. No fish were caught or observed.

Although there no fish were caught or observed, this reach contains potentially good spawning and rearing habitat, and this stream is a direct tributary to the Ocock River. It was, therefore, defaulted to S-4* classification under the Forest Practices Code.

Recommendation: Further surveying is recommended to determine fish presence, and to fish the upper limit of distribution.

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-999-000-000-000-000-000-000-000

Header Infor	mation	t										1		FT
tream Name:	Unnamed				Stream "Lo	cal":	EDI 793				200	Access:	0.20000 Method:	MW
Vatershed Code:	182-6976-	928-99	9-000-000-000-000-000-000-000-00)						Reach No.:	999	Reach Length (km):	200.0 Method:	
_ocation:	87 Carrier				•	93J/12				Site No.:	n	Length surveyed (m): Field: Yes	Historical:	No
							0.6046300			Fish Card:		Air Photos:	gggtot teas.	
Date: 5/25/96	Time:	12:00) Agency: EDI S	irvey Cre	w: WC\NHP	. 1 1 1	111			Photos:	#56: 10,11	Air r notos.		····
Channel Cha	aracter	istic	S			S	pecific Data			Bed Material				
Av. Chan. Width (m)	:	0.9	Method Av. Chan. Width (m):	MS	1.0	0.8	0.8 1.1	0.9	1.2	% Fines (<2mm):	40	% Fines (<2mm):		40
Av. Wet. Width (m):		0.8	Method Av. Wet. Width (m):	MS						% Gravels:	55	Small (2-16mm):		35
Av. Max. Rif. Depth	(cm):	10	Av. Max. Riffle Depth (cm):	MS								Large (16-64mm):		20
Av. Max. Pool Depth	(cm):	40	Av. Max. Pool Depth (cm):	10						% Larges:	5	Small cobble (64-128m	m):	
Gradient (%):		4.0	Method Gradient:	CL						/e Laiges.	-	Large cobble (128-256)		(
% Pool: 25	% Riffle	: 10	% Run: 65 % Othe	r: 0	Method:	GE						Boulder cobble (>256n		
% Side Channel:		0-10	Method Side Channel:	GE							0	% Bedrock:	ŕ	{
% Debris Area:		0-40	Method Debris Area:	GE						% Bedrock:	0			
Cover					*****					D90 (cm):	10	Compaction:		High
Cover Total % :		25	Method Cover Total %:	GE						Banks				
Dp Pool: 20 L	O.D.:	40	Boulder: 0 In Veg.:	5	Over Veg:	20	Cutbank:		15					
Crown Closure %:		10	Method Crown Closure:	GE	Aspect:	sw	Method Asp	ect:	С	Height (m):	0.2	% Unstable:		1
										Textures Fines:	Yes	Gravel: No Lar	ges: No Bedrock:	N
Discharge							pecific Data			Confinement:	3			
•							pecijie 2 a.a.			Valley: Chan. Ratio:				
Wetted Width (m):		0.9	Method Wetted Width (m):	MS MS						Stage:	Н			
Mean Depth (m):		0.1	Method Mean Depth (m):	MS F						Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s)		0.50	Method Mean Velocity (m/s	r f						Braided:	N	Method Braided:		
Discharge (m3/s):		0.70	Method Discharge (m3/s):	i	<u> </u>					Bars (%):		Method Bars:		
Reach Symb	ol									pH:		Method pH:		
Acuen Dymo	~ •			(Fish)						02 (ppm):		Method Dissolved Oxy	_	н
			<u></u>							Water Temp. (°C):	8.0	Method Temperature	i	п
										Turb. (cm):		Method Turbidity:		
i			(Width, Valley: Channel, Slo	pe) (B	ed Material)					Cond. (µmhos):		Method Conductivity:		

17-Dec-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-999-000-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

C1 Film # 56: 10 U/S, 11 D/S.

Note: Reach '999' should read Reach 'A'.

Fish sampling (electroshocking) was conducted for 85 seconds. No fish were captured or observed.

This reach has been defaulted to a S-4 classification under the Forest Practices Code.



Photo 104. Upstream view of Stream EDI-793 at Reach A.



Photo 105. Downstream view of Stream EDI-793 at Reach A.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	793
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Car
Cutblock Number	087
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-96
Reach Number	B B
Site Number	Not Applicable
Water Temperature (°C)	9.0
Stream Width (m)	0.73
Length Surveyed (m)	550
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	None

Description:

This unnamed tributary flows in a southwesterly direction along the southeastern edge of the cutblock. It is a small, low gradient (4.0%) reach which flows directly across the proposed road crossing. This reach is dominated by run and large cobbles. The area surrounding the proposed road crossing consists of good gravels and cover (50%) for rearing and spawning.

Fish sampling (electroshocking) was conducted on two separate surveys, May 25,1996 for 50 sec, and May 26, 1996 for 126 sec. No fish were caught or observed.

Although there no fish were caught or observed, this reach contains potentially good spawning and rearing habitat, and this stream is a direct tributary to the Ocock River. It was, therefore, defaulted to a S-4* classification under the Forest Practices Code.

Recommendation: Further surveying is recommended to determine fish presence, and to fish the upper limit of distribution.

Stream: Unnamed 20-Aug-97

Watershed Code:

Stream Survey Report
182-6976-928-999-000-000-000-000-000-000-000

Header Informat													
Stream Name: Unnar				Stream "Loc	:al":	EDI 793					Access:		FT
		999-000-000-000-000-000-000-000							Reach No.:	998	Reach Length (km):	0.55000 Method	
Location: 87 Ca	mer			•	93J/12				Site No.:	0	Length surveyed (m):	550.0 Method	
						10.6046550			Fish Card:	N	Field: Yes	Historical:	No
Date: 25/05/96 Ti	me: 13:	15 Agency: EDI Surv	ey Cre	w: WC\NHP\	111	111			Photos:	56: 12, 13	Alr Photos:		
Channel Characi	teristi	cs			S	pecific Data			Bed Material				
Av. Chan. Width (m):	0.7	Method Av. Chan. Width (m):	MS	0.7	0.7	0.8 0.7	7 0	0.7 0.8	% Fines (<2mm):	35	% Fines (<2mm):		35
Av. Wet. Width (m):	0.7	Method Av. Wet. Width (m):	MS						% Gravels:	35	Small (2-16mm):		5
Av. Max. Rif. Depth (cm):	7	Av. Max. Riffle Depth (cm):							/• Graveis.	33	Large (16-64mm):		30
Av. Max. Pool Depth (cm):	30	Av. Max. Pool Depth (cm):	7										
Gradient (%):	4.0	Method Gradient:	CL						% Larges:	30	Small cobble (64-128mm	•	30
% Pool: 15 % R	iffle: 20	% Run: 65 % Other:	0	Method:	GE						Large cobble (128-256m		0
% Side Channel:	0-10	Method Side Channel:	GE								Boulder cobble (>256m	m):	0
% Debris Area:	>40	Method Debris Area:	GE						% Bedrock:	0	% Bedrock:		0
Cover								***************************************	D90 (cm):	20	Compaction:		Medium
Cover Total %:	35	Method Cover Total %:	GE						Banks				
Dp Pool: 10 L.O.D.:	30	Boulder: 5 In Veg.:	0	Over Veg:	50	Cutbank:		4					
Crown Closure %:	5	Method Crown Closure:	GE	Aspect:	s	Method Asp	ect:	С	Height (m):	20.0	% Unstable:		5
									Textures Fines:	Yes	Gravel: No Large	es: No Bedrock	k: No
Discharge		·				ecific Data			Confinement:	4			
					- Sp	есую Даш			Valley: Chan. Ratio:				
Wetted Width (m):	0.7	Method Wetted Width (m):	MS						Stage:	Н			
Mean Depth (m):	0.1	Method Mean Depth (m):	MS						Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	0.23	Method Mean Velocity (m/s	F f						Braided:	N	Method Braided:		
Discharge (m3/s):	0.02	Method Discharge (m3/s):	1	<u> </u>	*******				Bars (%):		Method Bars:		
Reach Symbol									рН:		Method pH:		
		(F	ish)						02 (ppm):		Method Dissolved Oxyg	en:	
		**************************************							Water Temp. (°C):	9.0	Method Temperature:		HT
			1						Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Be	d Material)					Cond. (µmhos):		Method Conductivity:		

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-999-000-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

C1 Film 56: 12 d/s, 13 u/s,

Note: Reach '998' should read Reach 'B'.

Fish sampling (electroshocking) was conducted on two separate occasions (25-May-96 for 50 seconds and 26-May-96 for 126 seconds). No fish were captured or observed.

This section of stream has been defaulted to a S-4 classification under the Forest Practices Code.



Photo 106. Upstream view of Stream EDI-793 at Reach B.



Photo 107. Downstream view of Stream EDI-793 at Reach B.

4.1.11.5 Stream 182-6976-928-613

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-613
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Car
Cutblock Number	图 087
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	16-May-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	11.0
Stream Width (m)	2.65
Length Surveyed (m)	300
Habitat Type	Stream
Stream Order (1:20,000)	3
Forest Practices Code Stream Classification	S-3
Fish Species Identified	RB-Rainbow Trout

Description:

The low gradient (4%) reach flows in a southerly direction along the northwestern side of the cutblock and into the Ocock River. The substrate is dominated by fines (70%) with a smaller component of gravels, (30%). The downstream end of the reach contains decent gravels and potential spawning habitat for fish. Good rearing habitat is provided by overhanging vegetation, deep pools and large organic debris.

This reach was originally surveyed on May 16, 1996 and one rainbow trout was observed jumping at the mouth of the Ocock River. It was resurveyed on May 26, 1996, and fish sampling (electroshocking) was conducted for 62 sec and revealed the presence of rainbow trout. Additionally, adult rainbow trout were observed spawning in this reach on May 26, 1996.

This reach contains good spawning and rearing habitat, and since regionally significant fish were captured, it was classified S-3 under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-000-000-000-000-000-000-000

Header Information														
Stream Name: Unname				Stream "Loc	cal":	N/A						Access:		FT
	76-928-0	513-000-000-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.30000 Method:	MW
Location: Car 87				•	93J/12					Site No.:	0	Length surveyed (m):	300.0 Method:	MW
						10.6047120	0			Fish Card:	N	Field: Yes	Historical:	No
Date: 16/05/96 Tim	ie: 11:	40 Agency: EDI Surv	ey Cre	w: BR \NHP\ 1	NC/ / ,	1111				Photos:	#56: 1,2	Air Photos:		
Channel Characte	risti	cs				Specific Da	ıta			Bed Material				
Av. Chan. Width (m):	2.7	Method Av. Chan. Width (m):	MS	2.7	2.4	1.9	2.8	3.4	2.9	% Flues (≪mm):	70	% Fines (<2mm):		70
Av. Wet. Width (m):	2.4	Method Av. Wet. Width (m):	MS							1		,		
Av. Max. Rif. Depth (cm):	15	Av. Max. Riffle Depth (cm):	MS							% Gravels:	30	Small (2-16mm):		20
Av. Max. Pool Depth (cm):	65	Av. Max. Pool Depth (cm):	15									Large (16-64mm):	·	10
Gradient (%):	4.0	Method Gradient:	CL	L		***************************************				% Larges:	0	Small cobble (64-128mm)	:	0
% Pool: 20 % Riff	le: 20	% Run: 60 % Other:	0	Method:	GE							Large cobble (128-256mm	ı):	0
% Side Channel:	0-10	Method Side Channel:	GE									Boulder cobble (>256mm):	0
% Debris Area:	>40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):	2	Compaction:		High
Cover Total % :	60	Method Cover Total %:	GE							Banks				
Dp Pool: 10 L.O.D.:	30	Boulder: 0 In Veg.:	5	Over Veg:	50	Cutban	ık:		5	Dunns				
Crown Closure %:	5	Method Crown Closure:	GE	Aspect:	sw	Method	d Aspect:		¢	Height (m):	0.5	% Unstable:		15
	*******									Textures Fines:	Yes	Gravel: No Larges	: No Bedrock:	No
Discharge					C.	pecific Dat	**			Confinement:	3			
NAT					- J	veryic Dai				Valley: Chan. Ratio:				
Wetted Width (m):	2.4	Method Wetted Width (m):	MS							Stage:	н			
Mean Depth (m):	0.1	Method Mean Depth (m):	MS							Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	1.00	Method Mean Velocity (m/s	F							Braided:	Y	Method Braided:		
Discharge (m3/s):	0.35	Method Discharge (m3/s):	F	L						Bars (%):		Method Bars:		
Reach Symbol										рН:		Method pH:		
and wy		(F	ish)							02 (ppm):		Method Dissolved Oxyge	1:	
										Water Temp. (°C):	11.0	Method Temperature:		нт
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bec	i Material)						Cond. (µmhos):		Method Conductivity:		

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-000-000-000-000-000-000-000

Fish Summary

Obstructions

3004R	i dimen i	Six sense (mm)	16 (C) 10 13C	WX II	pinos ipinos	A CANADA KALAKATA
RB	2	300-320	A	s		EL
RB	1	100.0	J	R		EL

Comments

C1 Film 56: 1 u/s (at Ocock River mouth), 2 d/s (at card site).

Stream was originally surveyed on May.16, 1996 and one rainbow was observed jumping at the mouth of the Ocock River. It was re-surveyed on May. 26, 1996. Fish sampling (electroshocking) was conducted for 62 seconds and the presence of rainbow trout was revealed. This stream is used by RB for spawning.

This stream was classed as a S-3 fish bearing classification under the Forest Practices Code due to the presence of regionally significant fish.

- C2 Temperature was taken at a later date (May 25/96).
- C3 These fish were captured at a later date (May 26/96). Temperature was taken at this time as well.




Photo 108. Upstream view of marshland on Stream 182-6976-928-613 at Reach 1.



Photo 109. Downstream view of Stream 182-6976-928-613 at Reach 1.

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		182-6976-928-613
EDI-Code		Not Applicable
Nearest Downstream Watershed Code		Not Applicable
NTS Map (1:50,000)		93J/12
TRIM Map		93J051
Cutting Permit		Car
Cutblock Number		087
Operating Area		Zap Carrier
Development Type		Cutblock
Survey Date		16-May-96
Reach Number		2
Site Number		Not Applicable
Water Temperature (°C)		12.0
Stream-Width (m)		2.40
Length Surveyed (m)		100
Habitat Type		Stream
Stream Order (1:20,000)		2
Forest Practices Code Stream Classifica	tion	S-3*
Fish Species Identified		None

Description:

This reach flows in a southwesterly direction along the northwestern edge of the cutblock. It is a moderately sized, low gradient (1.0%) reach which is dominated by fine substrates. The total cover of 70% was provided by large organic debris (40%), deep pool (25%) and undercut bank (25%).

Fish sampling (electroshocking) was conducted on two separate surveys, May 16, 1996 for 91 sec, and May 26, 1996 for 50 sec. No fish were caught or observed.

This reach contains good rearing habitat and there are no obstructions to fish movement. As regionally significant fish were captured in the lower reach, it was classified by default as S-3* under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-000-000-000-000-000-000-000

Header Informa	ttion													
Stream Name: Uni	amed		St	tream "Lo	cal":	N/A						Access:		FT
Watershed Code: 182	-6976-928-6	13-000-000-000-000-000-000-000								Reach No.:	2	Reach Length (km):	0.10000 Method:	MW
Location: Car	87		M	lap#:	93J/12					Site No.:	0	Length surveyed (m):	100.0 Method:	MW
			U	.T.M. :	10.44397	70.6047330	ı			Fish Card:	N	Field: Yes	Historical:	No
Date: 16/05/96	Time: 13:0	OO Agency: EDI Surve	y Crew: 1	NC \NHP\ I	BR\ \ \	111				Photos:	#56:3,4	Air Photos:		
Channel Chara	cteristi	cs			S	Specific Da	ta			Bed Material				
Av. Chan. Width (m):	2.1	Method Av. Chan. Width (m):	MS	1.8	1.4	2.0	1.6	2.6	3.4	% Fines (<2mm):	95	% Fines (<2mm):		95
Av. Wet. Width (m):	1.9	Method Av. Wet. Width (m):	MS							% Gravels:	5	Small (2-16mm):		5
Av. Max. Rif. Depth (cm):	0	Av. Max. Riffle Depth (cm):	MS							76 ((270))	Ü	Large (16-64mm):		0
Av. Max. Pool Depth (cm)	: 85	Av. Max. Pool Depth (cm):	0							g ()	0	- '		0
Gradient (%):	1.0	Method Gradient:	CL							% Larges:	0	Small cobble (64-128m)	•	0
% Pool: 20 %	Riffle: 0	% Run: 80 % Other:	0	Method:	GE							Large cobble (128-256x	•	0
% Side Channel:	10-40	Method Side Channel:	GE									Boulder cobble (>256m	m):	v
% Debris Area:	>40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):	0	Compaction:		High
Cover Total % :	70	Method Cover Total %:	GE							Banks				
Dp Pool: 25 L.O.D	.: 40	Boulder: 0 In Veg.:	5 C	Over Veg:	5	Cutban	k:		25					
Crown Closure %:	0	Method Crown Closure:	GE A	Aspect :	SW	Method	Aspect:	:	С	Height (m):	0.5	% Unstable:		5
										Textures Fines:	Yes	Gravel: No Larg	es: No Bedrock:	No
Discharge						15 D				Confinement:	5			
Ū					رد	pecific Date	<i>a</i>			Valley: Chan. Ratio:				
Wetted Width (m):	1.4	· · · · · · · · · · · · · · · · · · ·	MS							Stage:	Н			
Mean Depth (m):	0.4	• • • • • • • • • • • • • • • • • • • •	MS							Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	0.25	Method Mean Velocity (m/s	F							Braided:	Y	Method Braided:		
Discharge (m3/s):	0.14	Method Discharge (m3/s):	F							Bars (%):		Method Bars:		
Reach Symbol										рН:		Method pH:		
Reach Symbol		(Fi	ish)							02 (ppm):		Method Dissolved Oxy	gen:	
										Water Temp. (°C):	12.0	Method Temperature:		НТ
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bed M	faterial)						Cond. (µmhos):		Method Conductivity:		

Stream Survey Report DFO/MoELP Stream Survey Form 20-Aug-97 Stream: Unnamed 182-6976-928-613-000-000-000-000-000-000-000 Watershed Code: Fish Summary **Obstructions** Comments CI Film 56: 3 (pond with beaver dam and lodge), 4 u/s. Fish sampling (electroshocking) was conducted on two separate occasions (16-May-96 and 26-May-96) and both times fish were neither caught nor observed. Stream was defaulted to an S-3 under the Forest Practices Code due to good habitat and the presence of regionally significant fish downstream.

C2

Temperature was recorded at a later date (May 25/96)




Photo 110. Upstream view of Stream 182-6976-928-613 at Reach 2.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-613
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50;000)	93J/12
TRIM Map	93J051
Cutting Permit	031
Cutblock Number	084
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	1-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream-Width (m)	0.98
Length Surveyed (m)	1000
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This section of stream flows in a westerly direction along the southwestern border of the cutblock. It was examined earlier in the season and the channel contained ample flow. Only isolated pockets of water and a dry stream bed were present during the June, 1995 survey. Reach cards were not completed in either survey.

Fish sampling was not conducted. No fish were observed.

Due to the lack of fisheries habitat, this section of stream was classified as S-6 under the Forest Practice Code.

4.1.11.6 Stream EDI-576

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	576
Nearest Downstream Watershed Code	182-6976-928-613
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	018
Cutblock Number	082
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	16-May-95
Reach Number	A
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	2.3
Length Surveyed (m)	850
Habitat Type	Stream
Stream Order (1:20,000)	1~
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This stream is located on the northern border of the cutblock, and flows in a westerly direction. It has a low gradient (1%), and it is characterized by run (50%) and shallow pools (50%). The substrate is dominated by fines.

Fish sampling (minnow trapping) was conducted and no fish were captured or observed.

Thie reach was given a S-6 classification under the Forest Practices Code, due to the presence of low quality fish habitat and the absence of fish.

Note: ~ means that this stream was not indicated on the TRIM base map.

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-999-000-000-000-000-000-000

Header Info	rmation		-							
Stream Name:	Unnamed		Stream "Local":	EDI 576				Access:		FT
Watershed Code:	182-6976-928-613-	999-000-000-000-000-000-000				Reach No.:	999	Reach Length (km):	0.08500 Method:	MW
Location:	ND/WSC: 182-697	6-928-613; 18-082 Carrier	Map #: 93J/12			Site No.:	0	Length surveyed (m):	85.0 Method:	MW
			U.T.M.: 10.446	110.6047060		Fish Card:	N	Field: Yes	Historical:	No
Date: 5/16/95	Time: 13:15	Agency: EDI Surve	y Crew: EL\SC\BR\ \ '	. 1 1 1		Photos:	1: 8	Air Photos:		
Channel Ch	aracteristics			Specific Data		Bed Material				
Av. Chan. Width (m	i): 2.3 N	, ,	TF			% Fines (<2mm):	95	% Fines (<2mm):		95
Av. Wet. Width (m)	: 0.6 N	• • • • • • • • • • • • • • • • • • • •	TF			% Gravels:	0	Small (2-16mm):		0
Av. Max. Rif. Depth	` '	• , ,	as					Large (16-64mm):		0
Av. Max. Pool Dept	• •	Av. Max. Pool Depth (cm):				% Larges:	5	Small cobble (64-128m	m):	0
Gradient (%):			CL		ļ	Pan.	,	Large cobble (128-256r	•	5
% Pool: 50		6 Run: 50 % Other:	0 Method: GE		Ī			Boulder cobble (>256m	•	0
% Side Channel:	·	Method Side Channel:	GE			% Bedrock:	0	% Bedrock:	•	0
% Debris Area:	10-40 N	1ethod Debris Area:	JE				v			v
Cover						D90 (cm):		Compaction:		
Cover Total % :	15 N	Aethod Cover Total %:	GE			Banks				
Dp Pool:	L.O.D.: B	Soulder: In Veg.:	Over Veg:	Cutbank:						
Crown Closure %:	10 N	Method Crown Closure:	GE Aspect: W	Method Aspect:	С	Height (m):	0.5	% Unstable:		
						Textures Fines:	Yes	Gravel: No Larg	es: No Bedrock:	No
Discharge				Specific Data		Confinement:	5			
J	0.4		TF			Valley: Chan. Ratio:	5			
Wetted Width (m):		ethod Wetted Width (m):	TF			Stage:	M			
Mean Velocity (m):		ethod Mean Depth (m) : ethod Mean Velocity (m/s	F			Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s Discharge (m3/s):	•	ethod Discharge (m3/s):	f			Braided:	Y	Method Braided:		
miscuarde (mrs/2):	0.01 141	rmon program &c (moss) .	-	· · · · · · · · · · · · · · · · · · ·		Bars (%):		Method Bars:		
Reach Symi	bol		• •			pH:		Method pH:		
	-	(Fi	sn)			02 (ppm):		Method Dissolved Oxy	gen:	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Water Temp. (°C):		Method Temperature:		
		· ·				Turb. (cm):		Method Turbidity:		

17-Dec-97	DELP Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Report
Fish Sun	ımary	Obstructions	
Comment	is a second seco		
C2	Note: Side Channel (%) was not recorded in the field notes.		
Cı	Film 1: 8		
	Note: Reach '999' should read Reach 'A'.		
	Fish sampling (minnow trapping) was conducted. No fish were captured or observed.		



Photo 111. Upstream view of Stream EDI-576 at Reach A.

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		Not Available
EDI-Code		576
Nearest Downstream Watershed Code		182-6976-928-613
NTS Map (1:50,000)		93J/12
TRIM Map		93J051
Cutting Permit		018
Cutblock Number		082
Operating Area		Zap Carrier
Development Type		Cutblock
Survey Date		16-May-95
Reach Number		В
Site Number		Not Applicable
Water Temperature (°C)		Not Recorded
Stream Width (m)		0.70
Length Surveyed (m)		850
Habitat Type		Stream
Stream Order (1:20,000)		1~
Forest Practices Code Stream Classifica	tio n	S-6
Fish Species Identified		None

Description:

This stream is located within the cutblock flowing in a westerly direction. It is characterized by riffle habitat (60%) and shallow pools (40%). The substrate is dominated by fines (85%) with minor components of large gravels and large cobbles.

Fish sampling was not conducted in this reach and no fish were observed. Fish sampling (minnow trapping) was conducted in reaches just downstream of this reach, however no fish were captured.

This reach was given a S-6 classification under the Forest Practices Code, due to the presence of low quality fish habitat. The knowledge that the reaches downstream had low quality fish habitat contributed to the decision to the classification of this reach.

Note: ~ means that this stream wasn't indicated on the TRIM base map.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-999-000-000-000-000-000-000

Header Info													
Stream Name:	Unnamed			_	Stream "Lo	cal":	EDI 576				Access:		FT
Watershed Code:			3-999-000-000-000-000-000-000)					Reach No.:	998	Reach Length (km):	0.08500 Method:	
Location:	ND/WSC:	182-6	976-928-613; 18-082 Carrier		•	933/12			Site No.:	0	Length surveyed (m):	85.0 Method:	
				_			70.6047060		Fish Card:	N	Field: Yes	Historical:	No
Date: 16/05/95	Time:	12:30) Agency: EDI Su	rvey Cr	ew: EL\SC\B	R\ \ \	111		Photos:	1:9	Air Photos:		
Channel Ch	aracteri	stic	S				Specific Data		Bed Material				
Av. Chan. Width (m	•	0.7	Method Av. Chan. Width (m):	TF					% Fines (<2mm):	85	% Fines (<2mm):		85
Av. Wet. Width (m):		0.3	Method Av. Wet. Width (m):	TF					% Gravels:	5	Small (2-16mm):		0
Av. Max. Rif. Depth	` '	3	Av. Max. Riffle Depth (cm):	TF 3							Large (16-64mm):		5
Av. Max. Pool Depti Gradient (%):	ı (cm):	10 3.0	Av. Max. Pool Depth (cm): Method Gradient:	CL					% Larges:	10	Small cobble (64-128mm):	0
% Pool: 40	% Riffle:		% Run: 0 % Othe		Method:	GE					Large cobble (128-256m)	-	10
% Side Channel:	/ Raine.	0	Method Side Channel:	GE	Michou.	O.L					Boulder cobble (>256mm	n):	0
% Debris Area:	(⊢10	Method Debris Area:	GE					% Bedrock:	0	% Bedrock:		0
									D90 (cm):		Compaction:		Medium
Cover													
Cover Total %:		10	Method Cover Total %:	GE					Banks				
Dp Pool: 0 I	O.D.:	50	Boulder: 0 In Veg.:	0	Over Veg:	50	Cutbank:	0					
Crown Closure %:		5	Method Crown Closure:	GE	Aspect:	w	Method Aspect:	С	Height (m):	15.0	% Unstable:		0
									Textures Fines:	Yes	Gravel: No Large	s: No Bedrock:	: No
Discharge						S	pecific Data		Confinement:	2			
Wetted Width (m):	·		Method Wetted Width (m):	MS					Valley: Chan. Ratio:	5			
Mean Depth (m):			Method Mean Depth (m):	MS					Stage:	М			
Mean Velocity (m/s)		.10	Method Mean Velocity (m/s	F					Flood Signs Ht(m):	0.4	Method Flood Signs:		
Discharge (m3/s):			Method Discharge (m3/s):	f					Braided:	N	Method Braided:		
niscust Re (mm/s):			referred pasengr &c (more) .		1				Bars (%):		Method Bars:		
Reach Symb	ol			/EU 1.					рН:		Method pH:		
,				(Fish)					02 (ppm):		Method Dissolved Oxyge	en:	
									Water Temp. (°C):		Method Temperature:		
									Turb. (cm):		Method Turbidity:		
			(Width, Valley: Channel, Slop	ю) (В	ed Material)				Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form **Stream Survey Report** 20-Aug-97 182-6976-928-613-999-000-000-000-000-000-000 Stream: Unnamed Watershed Code: **Obstructions** Fish Summary Comments C1 Film 1: 8 Note: Reach '998' should read Reach 'B'. Fish sampling was not conducted in this reach. No fish were observed. This section of stream was assigned a S-6 classification under the Forest Practices Code.



Photo 112. Upstream view of Stream EDI-576 at Reach B.

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		Not Available
EDI-Code		576
Nearest Downstream Watershed Code		182-6976-928-613
NTS Map (1:50,000)		93J/12
TRIM Map		93J051
Cutting Permit		018
Cutblock Number		082
Operating Area		Zap Carrier
Development Type		Cutblock
Survey Date		16-May-95
Reach Number		Not Applicable
Site Number		Not Applicable
Water Temperature (°C)		Not Applicable
Stream Width (m)		Not Applicable
Length Surveyed (m)		200
Habitat Type		Wetland
Stream Order (1:20,000)		Not Applicable
Forest Practices Code Stream Classifica	tion	Not Applicable
Fish Species Identified		None

Description:

This section of the drainage did not contain a definable channel. This area was a treed wetland, with some water flowing in the depression formed by the terrain.

Fish sampling was not conducted. No fish or observed.

Since this is a wetland, stream classification is not required under the Forest Practices Code.

4.1.11.7 Stream 182-6976-928-613-110

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-613-110
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS-Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Car
Cutblock Number	085
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	26-May-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	7
Stream Width (m)	1.05
Length Surveyed (m)	700
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This small stream is located along the western boundary of the cutblock and flows south. This mid-gradient reach (11%) was frequently confined and was dominated by 60% run habitat. The 25% total cover was evenly distributed between deep pools, LOD, boulders and overhanging vegetation. There was also a small percentage of instream vegetation and undercut banks (5% each). This stream began as a seepage area at the northern boundary of the cutblock, and ended as a seepage area at the road crossing. Since there is not a culvert at the road, water flowed in the ditch along the roadside. The area south of the road was surveyed, and no definable channel or water was found.

Fish sampling was not conducted since fish access to this reach is impossible. No fish were observed.

This stream contains low quality fish habitat and is inaccessible to fish. It has, therefore, been classified as S-6 under the Forest Practices Code.

Recommendation: At the road crossing, a culvert may be needed to prevent the road from eroding.

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-110-000-000-000-000-000-000

Header Inform	ation													
Stream Name: Un	mamed			Stream "Loc	al":	N/A						Access:		FT
Watershed Code: 18	2-6976-928-	513-110-000-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.7 Method	
Location: Ca	r 85			Map #: 9	3J/12					Site No.:	0	Length surveyed (m):	700.0 Method	
				U.T.M.: 1	10.44405	0.6047900				Fish Card:	N	Field: Yes	Historical:	No
Date: 5/26/96	Time: 17:	00 Agency: EDI Surve	ey Crew	v: NHP\WC \	111	1 1 1				Photos:	#56:17,18	Air Photos:		
Channel Chara	icteristi	cs			S	pecific Data				Bed Material				
Av. Chan. Width (m):	1.0	, ,	MS	1.1	1.4	1.0	1.1	0.7	1.0	% Fines (<2mm):	30	% Fines (<2mm):		30
Av. Wet. Width (m):	0.7		MS							% Gravels:	35	Small (2-16mm):		20
Av. Max. Rif. Depth (cm)			MS									Large (16-64mm):		15
Av. Max. Pool Depth (cm	=	. ,	10							% Larges:	35	Small cobble (64-128mm)	;	10
Gradient (%):	11.0		CL	****	or							Large cobble (128-256mn		20
	Riffle: 25		0	Method: (JE							Boulder cobble (>256mm):	5
% Side Channel:	0-10		GE GE							% Bedrock:	0	% Bedrock:		0
% Debris Area:	>40	Method Debris Area:	UE									,		-
Cover										D90 (cm):	30	Compaction:		Medium
Cover Total % :	25	Method Cover Total %:	GE							Banks				
Dp Pool: 20 L.O.I	D.: 25	Boulder: 15 In Veg.:	5	Over Veg:	30	Cutbank:			5					
Crown Closure %:	5	Method Crown Closure:	GE	Aspect:	S	Method A	spect:		C	Height (m):	0.3	% Unstable:		5
				····						Textures Fines:	Yes	Gravel: No Larges	No Bedrock	k: No
Discharge			Γ		C.	ecific Data				Confinement:	3			
•		W	-			ecijic Daia				Valley: Chan. Ratio:				
Wetted Width (m):	0.7	Method Wetted Width (m):								Stage:	M			
Mean Depth (m):	0.1	Method Mean Depth (m):	1							Flood Signs Ht(m):	0.2	Method Flood Signs:		
Mean Velocity (m/s):	0.28	Method Mean Velocity (m/s								Braided:		Method Braided:		
Discharge (m3/s):	0.01	Method Discharge (m3/s):	L		v.n					Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
		(F	ish)							02 (ppm):		Method Dissolved Oxyge	n:	
			т							Water Temp. (°C):	7.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bed	Material)						Cond. (µmhos):		Method Conductivity:		

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-110-000-000-000-000-000-000

Fish Summary

17-Dec-97

Obstructions

Comments

Cl

Film 56: 15 w/s and 16 d/s

This stream begins as a seepage area and ends abruptly at the road crossing due to a lack of culvert. Instead the water flows along the road in a ditch. On the south side (downstream) of the right-of-way crossing there wasn't any water or defineable channel.

Due to its size and substrate quality this stream was classified as a S-6 for Forest Practices Code.

Fish sampling (electroshocking) was not conducted as fish access to this reach is impossible. No fish were visually observed.

C2 Stream flow appears to be impeded by absence of culvert.



Photo 113. Upstream view of Stream 182-6976-928-613-110 at Reach 1.



Photo 114. Downstream view of Stream 182-6976-928-613-110 at Reach 1.

4.1.11.8 Stream EDI-794

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	794
Nearest Downstream Watershed Code	182-6976-928-613-110
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Car
Cutblock Number	085
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	26-May-96 95
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	11
Stream Width (m)	0.62
Length Surveyed (m)	500
Habitat Type	Stream
Stream Order (1:20,000)	① 1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This small stream is located west of the cutblock and flows south. This low gradient reach (2%) was occasionally confined and was characterized by 60% run, 30% pool and 10% riffle habitat. The 50% total cover was dominated by overhanging vegetation (40%), deep pools (20%) and LOD (20%). The bed material was evenly distributed between fines, gravels and larges. This reach flowed subsurface for approximately 60% of its length. This stream ends in a seepage approximately 10 m above the road crossing. The headwaters of this stream begin as seepage in an old cutblock. It should be noted that the stream goes sub-terrainian at the road crossing and does not connect via a channel with any other waterbody.

Fish sampling was not conducted as fish would be unable access this stream reach. No fish were observed.

This stream has low quality fish habitat and is inaccessible due to subsurface flow. This stream has been classified as S-6 under the Forest Practices Code.

Recommendation: The culvert at the lower reach break is damaged and should be repaired to negate potential damage to the road subgrade.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-613-110-999-000-000-000-000-000

Header Informati	on													
tream Name: Unnam	ed		Stre	am "Local"	':	ED 794						Access:		F
Vatershed Code: 182-69	76-928-6	13-110-999-000-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.5 Method:	M
ocation: ND/WS	SC: 182-6	976-928-613-110; 85 Carrier	Ma	p #: 93J/	/12					Site No.:	0	Length surveyed (m):	100.0 Method:	MV
			Ų.T	.м.: 10.4	443686	0.6047830				Fish Card:	N	Field: Yes	Historical:	N
Date: 26/05/95 Tir	ne: 15:0	O Agency: EDI Survey	Crew: W	CNHP\ \	111	111				Photos:	56: 15, 16	Air Photos:		
Channel Charact	eristi	es			Sį	pecific Data	1			Bed Material				
Av. Chan. Width (m):	0.6	Method Av. Chan. Width (m):	18	0.5 0.	.3	0.8	0.6	0.6	0.9	% Fines (<2mm):	40	% Fines (<2mm):		4
Av. Wet. Width (m):	0.6	Method Av. Wet. Width (m):	15							% Gravels:	30	Small (2-16mm):		t
Av. Max. Rif. Depth (cm):	10	Av. Max. Riffle Depth (cm):								7. Grates.	50	Large (16-64mm):		2
Av. Max. Pool Depth (cm):	20	Av. Max. Pool Depth (cm):	10								**			
Gradient (%):	2.0	Method Gradient:	CL							% Larges:	30	Small cobble (64-128mm	-	20
% Pool: 30 % Ri	file: 10	% Run: 60 % Other:	0 N	lethod: GE								Large cobble (128-256m	•	1.
% Side Channel:	0	Method Side Channel:	3E									Boulder cobble (>256mr	n):	
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		(
Cover										D90 (cm):		Compaction:		Hig
Cover Total % :	50	Method Cover Total %:	GE .							Banks				
Dp Pool: 20 L.O.D.:	20	Boulder: 0 In Veg.:	10 Ov	er Veg:	40	Cutbank	:		10					
Crown Closure %:	15	Method Crown Closure:	GE As	pect:	s	Method	Aspect:		С	Height (m):	0.3	% Unstable:		
										Textures Fines:	Yes	Gravel: No Large	s: No Bedrock:	N
Discharge						ecific Data				Confinement:	4			
o .		3	-		Sp.	telyle Dain				Valley: Chan. Ratio:				
Wetted Width (m):	0.6		MS							Stage:	M			
Mean Depth (m):	0.1		MS F							Flood Signs Ht(m):	0.1	Method Flood Signs:		
Mean Velocity (m/s):	0.13	Method Mean Velocity (m/s	f							Braided:	N	Method Braided:		
Discharge (m3/s):	0.01	Method Discharge (m3/s):	<u> </u>							Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
ALLMOIT DYNIOUT		(Fis	sh)							02 (ppm):		Method Dissolved Oxyg	en:	
					_					Water Temp. (°C):	11.0	Method Temperature:		H
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bed Ma	terial)						Cond. (µmhos):		Method Conductivity:		

DFO/Mol 20-Aug-97	ELP Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Repor
Fish Sumn	nary	Obstructions	
Comments			
СІ	Film 56: 15 u/s, 16 d/s		
	Fish sampling was not conducted. No fish were observed. This stream was assigned a S-6 classification under the Forest Practices Code.		



Photo 115. Upstream view of Stream EDI-794 at Reach 1.



Photo 116. Downstream view of Stream EDI-794 at Reach 1.

4.1.11.9 Stream 182-6976-928-613-380

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-613-380
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Car
Cutblock Number	087
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	24-May-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	8.0
Stream Width (m)	0.70
Length Surveyed (m)	400
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This unnamed tributary flows in a southwesterly direction along the northeastern side of the cutblock. It is a small, low gradient (3.0%) reach which is possibly ephemeral. The reach is dominated by run and fine substrate. A seepage begins just upstream of the upper limit of this reach.

Fish sampling (electroshocking) was conducted. No fish were captured or observed.

This stream was given a S-6 classification under the Forest Practices Code due to the absence of fish and lack of good quality fish habitat.

20-Aug-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-380-000-000-000-000-000-000

Stream Name:	Unnamed				Stream "Loc	:a[":	N/A						Access:			FT
	182-6976-9	28-61	3-380-000-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.40000 N	lethod:	MW
Location:	Car 87				Map #: 9	93J/12					Site No.:	0	Length surveyed (m):	400.0 N	lethod:	MW
					U.T.M.:	10.44453	30,604732	0			Fish Card:	N	Field: Yes	Historica	al:	No
Date: 24/05/96	Time:	12:45	Agency: EDI Survey	y Cre	w: BR \NHP\	111	111				Photos:	#12:9,10	Air Photos:			
Channel Cha	racteri	stic	S			S	pecific D	ata			Bed Material					
Av. Chan. Width (m):		0.7	Method Av. Chan. Width (m):	us	0.7	0.8	0.9	0.6	0.8	0.6	% Fines (⊄mm):	100	% Fines (<2mm):			100
Av. Wet. Width (m):		0.6	Method Av. Wet. Width (m):	vis							% Gravels:	0	Small (2-16mm):			0
Av. Max. Rif. Depth (c	m):	5	Av. Max. Riffle Depth (cm):	us									Large (16-64mm):			0
Av. Max. Pool Depth (cm):	20	Av. Max. Pool Depth (cm):	5							% Larges:	0	Small cobble (64-128m)	m).		o
Gradient (%):		3.0		CL							/# Larges.	· ·	Large cobble (128-256r	•		0
% Pool: 10	% Riffle:		% Run: 80 % Other:	0	Method:	GE							Boulder cobble (>256m	•		0
% Side Channel:		0	*	GE							% Bedrock:	0	% Bedrock:	,		0
% Debris Area:		>40	Method Debris Area:	GE					·····			-				-
Cover											D90 (cm):	0	Compaction:		M	iedium
Cover Total %:		75	Method Cover Total %:	GE							Banks					
Dp Pool: 10 L.0).D.:	15	Boulder: 0 In Veg.:	0	Over Veg:	70	Cutba	nk:		5						
Crown Closure %:		15	Method Crown Closure:	GE	Aspect:	W	Metho	d Aspect		С	Height (m):	0.1	% Unstable:			95
											Textures Fines:	Yes	Gravel: No Larg	es: No Be	edrock:	No
Discharge						S	pecific Da	ula			Confinement:	5				
			Method Wetted Width (m):	MS		~	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Valley: Chan. Ratio:					
Wetted Width (m):		0.8		MS							Stage:	Н				
Mean Depth (m): Mean Velocity (m/s):	,	0.1).11	Method Mean Velocity (m/s	F							Flood Signs Ht(m):		Method Flood Signs:			
Discharge (m3/s):		.00	Method Discharge (m3/s):	F							Braided:	N	Method Braided:			
Discust &e (mors) :			memor status go (mo.s)		L						Bars (%):		Method Bars:			
Reach Symbo	ol .										pH:		Method pH:			
_			(Fi	saj							02 (ppm):		Method Dissolved Oxy	_		.
											Water Temp. (°C):	8.0	Method Temperature:			HT
											Turb. (cm):		Method Turbidity:			
			(Width, Valley: Channel, Slope)	(Be	d Material)						Cond. (µmhes):		Method Conductivity:			

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-613-380-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

Cı

Film 12: 9 d/s, 10 u/s.

Fish sampling (electroshocking) was conducted. No fish were captured or observed.

This stream was given an S-6 classification under the Forest Practices Code.



Photo 117. Downstream view of Stream 182-6976-928-613-380 at Reach 1.

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		182-6976-928-613-380
EDI-Code		Not Applicable
Nearest Downstream Watershed Code		Not Applicable
NTS Map (1:50,000)		93J/12
TRIM Map		93J051
Cutting Permit		031
Cutblock Number		084
Operating Area		Zap Carrier
Development Type		Cutblock
Survey Date		01-Jun-95
Reach Number		Not Applicable
Site Number		Not Applicable
Water Temperature (°C)		Not Recorded
Stream Width (m)		0.50
Length Surveyed (m)		1000
Habitat Type		Stream
Stream Order (1:20,000)		1
Forest Practices Code Stream Classifica	ition	S-6
Fish Species Identified		None

Description:

This low gradient (2%) reach flows in a westerly direction along the northern boundary of the cutblock. At the time of survey, only isolated pockets of standing water were present within the stream channel. The lower limits of this reach is a seepage area. A stream card was not completed at the sample site.

Fish sampling was not conducted. No fish were observed.

Due to the lack of fisheries habitat, this reach was classified as S-6 under the Forest Practices Code.

4.1.11.10 Stream 182-6976-928-704

Gazetted Stream Name	Unnamed		
Local Stream Name	Not Applicable		
Watershed Code	182-6976-928-704		
EDI-Code	Not Applicable		
Nearest Downstream Watershed Code	Not Applicable		
NTS Map (1:50,000)	93J/12		
TRIM Map	93J061		
Cutting Permit	Oco		
Cutblock Number	167		
Operating Area	Ocock		
Development Type	None		
Survey Date	15-May-96		
Reach Number	1		
Site Number	Not Applicable		
Water Temperature (°C)	3		
Stream Width (m)	3.7		
Length Surveyed (m)	500		
Habitat Type	Stream		
Stream Order (1:20,000)	2		
Forest Practices Code Stream Classification	S-3		
Fish Species Identified	RB - Rainbow Trout		

Description:

This low gradient (2.5%) reach located northeast of the cutblock, flows in a northeasterly direction into the Ocock River. A total cover of 30% was comprised of 40% LOD and overhanging vegetation. Bed materials of this confined reach were made up of fines (60%), gravels (30%) and larges (10%). This reach flows directly into the Ocock River which is a known fish-bearing system.

Fish sampling (electroshocking) was conducted for 415 sec. One rainbow trout was captured and one was observed.

This reach provides decent rearing habitat and potentially good spawning habitat. Since it flows directly into Ocock River, and regionally significant fish were captured, it was classified as S-3 under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-704-000-000-000-000-000-000-000

Header Info	rmation											
tream Name:	Unnamed			Stream "I	ocal":	N/A				Access:		FT
Vatershed Code:	182-6976-9	28-70	04-000-000-000-000-000-000-000					Reach No.:	1	Reach Length (km): 0.5	Method:	MW
Location:	Oco 167			Map #:	93J/12			Site No.:	0	Length surveyed (m): 500.0	Method:	MW
				U.T.M. :	10.4410	70.6051550		Fish Card:	N	Field: Yes Histori	cal:	No
Date: 15/05/96	Time:	10:15	Agency: EDI Survey Cr	ew: EDI\ \	1111	\ \		Photos:	#A: 11	Air Photos:		
Channel Ch	aracteri	stic	es s		۵	Specific Data		Bed Material				
Av. Chan. Width (m)):	3.8	Method Av. Chan. Width (m):	3.0	4.0	3.4 4.1	4.6 3.4	% Fines (<2mm):	60	% Fines (<2mm):		60
Av. Wet. Width (m):		3.0	Method Av. Wet. Width (m): TF					% Gravels:	30	Small (2-16mm):		10
Av. Max. Rif. Depth	(cm):	20	Av. Max. Riffle Depth (cm): MS						50	Large (16-64mm):		20
Av. Max. Pool Depth	(cm):	57	Av. Max. Pool Depth (cm): 20					1	10			5
Gradient (%):		2.5	Method Gradient: CL					% Larges:	10	Small cobble (64-128mm):		0
% Pool: 20	% Riffle:	20	% Run: 60 % Other: 0	Method	: GE					Large cobble (128-256mm): Boulder cobble (>256mm):		5
% Side Channel:		0	Method Side Channel: GE									
% Debris Area:	10) -4 0	Method Debris Area: GE					% Bedrock:	0	% Bedrock:		C
Cover								D90 (cm):	11	Compaction:		High
Cover Total % :		30	Method Cover Total %: GE					Banks				
Dp Pool: 5 L	O.D.:	40	Boulder: 5 In Veg.: 5	Over Veg	;: 40	Cutbank:		5				
Crown Closure %:		10	Method Crown Closure: GE	Aspect:	NE	Method Aspect:	: (Height (m):	0.8	% Unstable:		:
	·····							Textures Fines:	Yes	Gravel: No Larges: No l	Bedrock:	N
Discharge			·			pecific Data		Confinement:	2			
J					رد	pecijie Daia		Valley: Chan. Ratio:				
Wetted Width (m):			Method Wetted Width (m): TF	ŀ				Stage:	H			
Mean Depth (m):			Method Mean Depth (m): MS					Flood Signs Ht(m):	0.5	Method Flood Signs:		MS
Mean Velocity (m/s)			Method Mean Velocity (m/s F					Braided:		Method Braided:		
Discharge (m3/s):	0	.36	Method Discharge (m3/s): f					Bars (%):		Method Bars:		
Reach Symb								рН:		Method pH:		
женен Буто			(Fish)					02 (ppm):		Method Dissolved Oxygen:		
								Water Temp. (°C):	3.0	Method Temperature:		нт
								Turb. (cm):		Method Turbidity:		
			(Width, Valley: Channel, Slope) (B	ed Material)				Cond. (µmhos):		Method Conductivity:		

20-Aug-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-704-000-000-000-000-000-000-000

Fish Summary

Obstructions

300,4843	(Ammerica) Sizzalining (min)		1.48.G.A. Î	1904	an Gala	wiging/ttogenge
RB	2 200-240	Α	S			EL

Comments

C1 Film A: 11 w/s

Fish sampling (electroshocking) was conducted for 415 seconds. One rainbow trout (adult) was captured.

This stream is classified a S-3 stream under the Forest Practices Code.

C2 One of the rainbow trout was visually observed and not captured.



Photo 118. Upstream view of Stream 182-6976-928-704 at Reach 1.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-704
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Осо
Cutblock Number	167
Operating Area	Ocock
Development Type	None
Survey Date	15-May-96
Reach Number	2
Site Number	Not Applicable
Water Temperature (°C)	4
Stream Width (m)	2.3
Length Surveyed (m)	700
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	None

Description:

This low gradient (1.5%) reach is located northeast of the cutblock and flows in a northeasterly direction. Total cover of 30% is comprised of 45% LOD, 30% overhanging vegetation, and 10% deep pool. Bed materials of this confined reach are made up of fines (75%), larges (15%) and gravels (10%). The upper limit of this reach is a large beaver dam (40 cm high), however, it is not likely an impass to fish migration. The culvert situated at the Ocock Main road appears to be too small for the stream channel. The CSP is 600 mm in diameter. This results in a large amount of pooled water on both sides of the road.

Fish sampling (electroshocking) was conducted for 82 sec, however, no fish were captured or observed. The Forestry supervisor for this operating area stated that BC Environment staff had captured rainbow trout within this reach in the summer of 1995.

This reach provides good rearing and potentially good spawning habitat. Although no fish were captured at the time of the survey, this stream flows directly into Ocock River. It was, therefore, defaulted to S-3* under the Forest Practices Code.

Recommendation: The culvert at Ocock Main road will need to be replaced with a larger culvert as the present culvert is too small. There are large pools on either side of the culvert, and the high velocity of the flow confirmed the insufficient size. At the time of the survey, this culvert was an impediment to fish movement.

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-704-000-000-000-000-000-000-000

Header Informatio	าท												
Stream Name: Unname				Stream "Lo	cal":	N/A					Access:		F.
		04-000-000-000-000-000-000-000							Reach No.:	2	Reach Length (km):	0.7 Method:	M
ocation: Oco 167	7			Map #:	93J/12				Site No.:	0	Length surveyed (m):	700.0 Method:	M
				U.T.M. :	10.44016	50.6051170			Fish Card:	N	Field: Yes	Historical:	N
Date: 5/15/96 Tim	ne: 13:4	5 Agency: EDI Surve	ey Cre	w: RV \RM \	1.1.1.	\ \ \			Photos:	#WT: 9	Air Photos:		
Channel Characte	risti	3 S			S	Specific Data			Bed Material				
Av. Chan. Width (m):	2.3	Method Av. Chan. Width (m):	TF	2.3	2.7	1.8 1.9	2.2 2	2.8	% Fines (<2mm):	75	% Fines (<2mm):		7
Av. Wet. Width (m):	3.1	Method Av. Wet. Width (m):	TF						% Gravels:	10	Small (2-16mm):		
Av. Max. Rif. Depth (cm):	20	Av. Max. Riffle Depth (cm):	MS						% Graveis:	10	Large (16-64mm):		
Av. Max. Pool Depth (cm):	60	Av. Max. Pool Depth (cm):	20								- ·		
Gradient (%):	1.5	Method Gradient:	CL						% Larges:	15	Small cobble (64-128mm)		
% Pool: 20 % Rif	fle: 10	% Run: 70 % Other:	0	Method:	GE						Large cobble (128-256mn Boulder cobble (>256mm	-	
% Side Channel:	0-10	Method Side Channel:	GE								•)-	
% Debris Are2:	>40	Method Debris Area:	GE						% Bedrock:	0	% Bedrock:		
Cover									D90 (cm):	11	Compaction:		Hig
Cover Total %:	30	Method Cover Total %:	GE						Banks				
Dp Pool: 10 L.O.D.:	45	Boulder: 5 In Veg.:	5	Over Veg:	30	Cutbank:		5					
Crown Closure %:	5	Method Crown Closure:	GE	Aspect:	N	Method Aspect:		C	Height (m):	0.1	% Unstable:		
									Textures Fines:	Yes	Gravel: No Larges	: No Bedrock:	N
Discharge					.2.	pecific Data	************		Confinement:	2			
0	2.5	N. S. A 3 N 44 - 3 N. J.	776			<i>pecyse</i> 2			Valley: Chan. Ratio:				
Wetted Width (m):	2.5	Method Wetted Width (m):	TF MS						Stage:	H			
Mean Depth (m):	0.4	Method Mean Depth (m): Method Mean Velocity (m/s	MS F	1					Flood Signs Ht(m):	0.2	Method Flood Signs:		MS
Mean Velocity (m/s):	0.60	Method Mean Velocity (m/s Method Discharge (m3/s):	r f						Braided:		Method Braided:		
Discharge (m3/s):	0.53	Mernon Discharge (m2/3):		<u>L</u>					Bars (%):		Method Bars:		
Reach Symbol									рН:		Method pH:		
		(F	ish)						02 (ppm):		Method Dissolved Oxyge	n:	
			- 	·					Water Temp. (°C):	9.0	Method Temperature:		H
			1						Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bec	l Material)					Cond. (µmhos):		Method Conductivity:		

DFO/MoF	ELP Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Report 182-6976-928-704-000-000-000-000-000-000-000-000-		
Fish Sumn	nary	Obstructions			
Comments					
C1	Film WT: 9 Stream A, Reach 2. Fish sampling (electroshocking) was conducted for 82 seconds. No fish were captured to the conducted for 82 seconds.	red.			
	This stream has been assigned a defaulted S-3 classification under the Forest Practic		ige.		

The culvert at the Ocock Main road appear to be too small for the stream channel. There were pools formed on either side of the culvert. At the time of survey, the water velocity through the culvert was too fast for fish passage.

C2




Photo 119. Upstream view of Stream 182-6976-928-704 at Reach 2.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-704
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Oco
Cutblock Number	167
Operating Area	Ocock
Development Type	Right-of-Way
Survey Date	15-May-96
Reach Number	3
Site Number	Not Applicable
Water Temperature (°C)	4.5
Stream Width (m)	2.0
Length Surveyed (m)	900
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	None

Description:

This frequently confined low gradient (1%) reach is located west of the cutblock and flows in an easterly direction. It is characterized by a high component of run habitat (75%) and a high amount of instream debris (>15%). The total cover (40%) was primarily due to L.O.D. (50%) and overhanging vegetation (30%) and the bed material was dominated by fines (70%), with a smaller percentage of gravels and larges (15% each). This reach began upstream of a wetland which contained a number of beaver dams. None of these beaver dams, however, posed an impass to fish movement. The upper section of the wetland was approximately 400 m wide, contained a defined channel and was vegetated with aspen, alder, spruce, salix and grasses. The site at the proposed crossing was confined within a deep gully.

Fish sampling (electroshocking) was conducted for 119 sec. No fish were caught or observed.

This reach has defaulted to a S-3* stream classification under the Forest Practices Code. It contains good rearing potential and is free of barriers to fish passage.

20-Aug-97

Stream: Unnamed

(Width, Valley: Channel, Slope) (Bed Material)

Watershed Code:

Cond. (µmhos):

Stream Survey Report

182-6976-928-704-000-000-000-000-000-000-000

Method Conductivity:

Header Information FT Stream "Local": N/A Access: Stream Name: Reach Length (km): 0.9 Method: MW Reach No .: Watershed Code: 182-6976-928-704-000-000-000-000-000-000-000 мw 900.0 Method: 93J/12 Site No.: Length surveyed (m): Man #: Location: Oco 167 N Field: Yes Historical: No U.T.M.: 10.439410.6050920 Fish Card: Survey Crew: LL \BC\ \ \ \ \ \ Photos: Air Photos: Agency: EDI no photos Date: 15/05/96 Time: 15:10 **Red Material** Channel Characteristics Specific Data 2.0 2.8 2.0 1.3 2.7 2.0 Av. Chan. Width (m): 2.1 Method Av. Chan. Width (m): TF % Fines (<2mm): % Fines (<2mm): 70 TF Av. Wet. Width (m): Method Av. Wet. Width (m): % Gravels: Small (2-16mm): 5 Av. Max. Rif. Depth (cm): Av. Max. Riffle Depth (cm): MS Large (16-64mm): 10 10 Av. Max. Pool Depth (cm): Av. Max. Pool Depth (cm): Small cobble (64-128mm): 5 % Larges: CLGradient (%): 1.0 Method Gradient: Large cobble (128-256mm): Method: GE 75 % Other: 0 % Pool: 15 % Riffle: 10 Boulder cobble (>256mm): 5 GE Method Side Channel: % Side Channel: 0 % Bedrock: % Bedrock: Method Debris Area: GE % Debris Area: >40 D90 (cm): Compaction: High Cover GE Cover Total %: Method Cover Total %: Ranks 5 In Veg.: 5 Over Veg: 30 Cutbank: 5 L.O.D.: Boulder: Dp Pool: 50 С Method Crown Closure: Method Aspect: GE Aspect: Crown Closure %: Height (m): % Unstable: 5 Textures Fines: Yes Gravel: No Larges: No Bedrock: No Confinement: 3 Discharge Specific Data Valley: Chan. Ratio: Method Wetted Width (m): Wetted Width (m): Н Stage: Method Mean Depth (m): Mean Depth (m): Method Flood Signs: MS Flood Signs Ht(m): Mean Velocity (m/s): 0.50 Method Mean Velocity (m/s Braided: Method Braided: Method Discharge (m3/s): Discharge (m3/s): 0.30 Method Bars: Bars (%): pH: Method pH: Reach Symbol (Fish) Method Dissolved Oxygen: 02 (ppm): Water Temp. (°C): Method Temperature: HT Method Turbidity: Turb. (cm):

DFO/MoEL	P Stream Survey Form	•	Stream Survey Repor
20-Aug-97	Stream: Unnamed	Watershed Code:	182-6976-928-704-000-000-000-000-000-000-000-0
Fish Summar	״	Obstructions	
C			
Comments			
			AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
CI F	rish sampling (electroshocking) was conducted for 119 seconds. No fish were captu	ured.	

This reach has been assigned a defaulted S-3 classification under the Forsest Practices Code because it has fisheries potential and fish were caught in its lower reach.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-704
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Oco
Cutblock Number	167
Operating Area	Ocock
Development Type	Cutblock
Survey Date	16-May-96
Reach Number	4
Site Number	Not Applicable
Water Temperature (°C)	4.5
Stream Width (m)	0.9
Length Surveyed (m)	500
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	None

Description:

This low gradient (1%) reach flows in a northeasterly direction along the northwest edge of the cutblock. It is characterized by primarily run habitat (80%), and a moderate amount of instream debris (5-15%). The total cover (65%) is primarily due to overhanging vegetation (65%), and L.O.D. (15%). The substrate is dominated by fines (75%), and gravels (25%). This reach is bordered on either end by two wetlands. Both wetlands contain beaver dams which do not pose as impasses to fish migration. The lower wetland contains a small pond and the upper one a small lake created by the beaver dam. Both bodies of water contain a high potential for fish.

Fish sampling (electroshocking) was conducted for 93 sec. No fish were captured or observed.

This reach was defaulted to a S-4* stream classification under the Forest Practices Code due to its good quality rearing habitat. The absence of barriers between Reach 1 and Reach 4 and the capture of regionally significant fish further downstream leave no reason to believe fish would not utilize this reach for rearing purposes.

Note: Should the presence or absence of fish need to be confirmed, further sampling may be required.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-704-000-000-000-000-000-000-000

Header Info	mation												-
itream Name:	Unnamed		Stream "L	ocal":	N/A				Donah Ma	4	Access:	0.5 Method:	FT MW
Watershed Code:		-704-000-000-000-000-000-000-000-000	"						Reach No.: Site No.:	4	Reach Length (km): Length surveyed (m):	500.0 Method:	
Location:	Oco 167		Map #:	93J/12	20. (050000				Fish Card:	N	Field: Yes	Historical:	No
		The Samuel	U.T.M. : rew: LL \RV \		30,6050880				Photos:	#WT:10,11	Air Photos:	matorical.	140
Date: 16/05/96	Time: 1	:30 Agency: EDI Survey C	rew: LL WV	KM 1 1 1						# W 1.10,11	All I hotos.		
Channel Ch	aracterisi	ics			Specific Data				Bed Material				
Av. Chan. Width (m)	: 1.	Method Av. Chan. Width (m): MS	1.4	0.9	0.8	0.8	0.9	1.3	% Fines (<2mm):	75	% Fines (<2mm):		75
Av. Wet. Width (m):	1.	Method Av. Wet. Width (m): MS							% Gravels:	25	Small (2-16mm):		20
Av. Max. Rif. Depth	(cm):	Av. Max. Riffle Depth (cm): MS									Large (16-64mm):		5
Av. Max. Pool Depth	(cm): 2	O Av. Max. Pool Depth (cm):	<u></u>]	% Larges:	0	Small cobble (64-128mm):	0
Gradient (%):	1								75 25.	Ť	Large cobble (128-256m)		0
% Pool: 20	• •	0 % Run: 80 % Other: (: GE							Boulder cobble (>256mn	•	0
% Side Channel:	0-1								% Bedrock:	0	% Bedrock:		0
% Debris Area:	10-4	0 Method Debris Area: GE								v			
Cover									D90 (cm):		Compaction:		High
Cover Total %:	·	5 Method Cover Total %: GI	i						Banks				
	O.D.:	5 Boulder: 0 In Veg.: 10	Over Veg	: 65	Cutbank	:		5					
Crown Closure %:		5 Method Crown Closure: Gi	Aspect:	NE	Method A	Aspect:		С	Height (m):	0.1	% Unstable:		5
				·····					Textures Fines:	Yes	Gravel: No Large	s: No Bedrock:	No
Discharge					Specific Data			***********	Confinement:	3			
				د	pecyte Data				Valley: Chan. Ratio:				
Wetted Width (m):	0.9	, .							Stage:	Н			
Mean Depth (m):	0.	• • •							Flood Signs Ht(m):	0.35	Method Flood Signs:		MS
Mean Velocity (m/s)		• •							Braided:		Method Braided:		
Discharge (m3/s):	0.1	Method Discharge (m3/s):							Bars (%):		Method Bars:		
Reach Symb	ol								pH:		Method pH:		
		(Fish)						02 (ppm):		Method Dissolved Oxyg	en:	
									Water Temp. (°C):	4.5	Method Temperature:		HT
									Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	Bed Material)						Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form 20-Aug-97 Stream: Unnamed		Watershed Code:	Stream Survey Repor
Fish Summary		Obstructions	
Comments			

This reach has been defaulted to a S-4 classification under the Forest Practices Code beause fish were caught in the lower reach and there are no barriers to fish passage.

C1

Film white tag: 10 and 11- view not specified.

Fish sampling (electroshocking) was conducted for 93 seconds.



Photo 120. Upstream view of Stream 182-6976-928-704 at Reach 4.



Photo 121. Downstream view of Stream 182-6976-928-704 at Reach 4.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-704
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Oco
Cutblock Number	108
Operating Area	Ocock
Development Type	Cutblock
Survey Date	1-May-96
Reach Number	5
Site Number	Not Applicable
Water Temperature (°C)	0.0
Stream Width (m)	1.10
Length Surveyed (m)	800
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	None

Description:

This reach is located upstream of a small lake and north of the cutblock. It contains a low gradient (4.5%), and is characterized mainly by run (80%). The total cover was high (80%), and was primarily due to overhanging vegetation (80%). The bed material was comprised of 85% fines, 10% gravels and 5% small cobbles. The upper limit of this reach is a seepage.

Fish sampling (electroshocking) was conducted for 85 sec. No fish were captured or observed.

This reach has been defaulted to a S-4* stream classification under the Forest Practices Code. This classification is due to the good rearing habitat and its close proximity to a small lake that contains a high potential for fish presence.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-704-000-000-000-000-000-000-000

Header Info	rmatio	1															
Stream Name:	Unnamed						Stream "Lo	cal":	N/A						Access:		FT
Watershed Code:	182-6976	928-70	04-000-000 - 00	0-000-000	-000-000-000)							Reach No.:	5	Reach Length (km):	0.80000 Method:	MW
Location:	Oco 108						Map #:	93J/12					Site No.:	0	Length surveyed (m):	800.0 Method:	MW
							U.T.M.:	10.43718	80.605034	10			Fish Card:	N	Field: Yes	Historical:	No
Date: 16/05/96	Time:	11:30	,	Agency:	EDI Su	rvey Cr	ew: LL \RV \R	M\ \ \	1.1.1				Photos:	#WT:13,14	Air Photos:		
Channel Ch	aracter	istic	S						Specific D	ata	***************************************		Bed Material				
Av. Chan. Width (m	ı):	1.1	Method Av.	Chan. W	idth (m):	MS	1.3	1.2	0.8	1.0	1.0	1.4	% Fines (<2mm):	85	% Fines (<2mm):		85
Av. Wet. Width (m)		1.3	Method Av.		` '	MS							% Gravels:	10	Small (2-16mm):		5
Av. Max. Rif. Depth		10	Av. Max. Ri	_		MS						-			Large (16-64mm):		5
Av. Max. Pool Dept	h (cm):	30	Av. Max. Po	-	(cm):	10							% Larges:	5	Small cobble (64-128m	\	5
Gradient (%):		4.5	Method Gra			CL							% Darges:	,	Large cobble (128-256)	•	0
% Pool: 10	% Riffle		% Run:	80	% Other		Method:	GE							Boulder cobble (>256m	•	0
% Side Channel:		0	Method Side			GE								_	•		•
% Debris Area:		>40	Method Deb	ris Area:		GE							% Bedrock:	0	% Bedrock:		0
Cover													D90 (cm):		Compaction:		High
Cover Total % :		80	Method Cov	er Total 9	% :	GE							Banks				
Dp Pool: 5	L.O.D.:	10	Boulder:	0	In Veg.:	0	Over Veg:	80	Cutba	nk:		5	During				
Crown Closure %:		10	Method Cro	wn Closu	ıre:	GE	Aspect:	NE	Metho	od Aspect	:	С	Height (m):	0.1	% Unstable:		5
				·····						·			Textures Fines:	Yes		es: No Bedrock:	No
Discharge													Confinement:	3	•		
•								رد	pecific De	ila			Valley: Chan. Ratio:				
Wetted Width (m):			Method Wett		• •								Stage:	Н			
Mean Depth (m):			Method Mea		•								Flood Signs Ht(m):	0.15	Method Flood Signs:		
Mean Velocity (m/s) :		Method Meas	•	,								Braided:		Method Braided:		
Discharge (m3/s):			Method Discl	barge (m3	3/s) :		L						Bars (%):		Method Bars:		
Reach Symi	hal												рН:		Method pH:		
менен Бут	JUI					(Fish)							02 (ppm):		Method Dissolved Oxy	gen:	
													Water Temp. (°C):	4.5	Method Temperature:		HT
													Turb. (cm):		Method Turbidity:		
							d Material)						Cond. (µmhos):		Method Conductivity:		

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-704-300-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

CI

Film white tag: 13 and 14-view not specified.

Fish sampling was not recorded.

This reach has been defaulted to a S-4 classification under the Forest Practices Code because fish were caught in the lower reach and there are no barriers to fish passage.




Photo 122. Upstream view of Stream 182-6976-928-704 at Reach 5.



Photo 123. Downstream view of Stream 182-6976-928-704 at Reach 5.

4.1.11.11 Stream EDI-696

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	696
Nearest Downstream Watershed Code	182-6976-928-704
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Oco
Cutblock Number	167
Operating Area	Ocock
Development Type	Cutblock
Survey Date	27-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary is not a stream, it is a seepage. It is located east of the cutblock, and drains in a easterly direction into stream 182-6976-928-704. The first 20 m of this seepage has definable channel. Upstream of this point, there is no definable bank or continuous channel. The water flows through an alder patch, and over mossy sections.

Fish sampling was not conducted. No fish were observed.

This seepage does not require a stream classification under the Forest Practices Code.

4.1.11.12 Stream EDI-695

Gazetted Stream Name	Unnamed					
Local Stream Name	Not Applicable					
Watershed Code	Not Available					
EDI-Code	695					
Nearest Downstream Watershed Code	182-6976-928-704					
NTS Map (1:50,000)	93J/12					
TRIM Map	93J061					
Cutting Permit	Oco					
Cutblock Number	167					
Operating Area	Ocock					
Development Type	Cutblock					
Survey Date	27-May-96					
Reach Number	Not Applicable					
Site Number	Not Applicable					
Water Temperature (°C)	Not Applicable					
Stream Width (m)	Not Applicable					
Length Surveyed (m)	300					
Habitat Type	Seepage Seepage					
Stream Order (1:20;000)	Not Applicable					
Forest Practices Code Stream Classification	Not Applicable					
Fish Species Identified	None					

Description:

This tributary is not a stream, it is a seepage. It is located east of the cutblock, and drains in a easterly direction into stream 182-6976-928-704. The first 20 m of this seepage has definable channel. Upstream of this point, there is no definable bank or continuous channel. The water flows through an alder patch, and over mossy sections.

Fish sampling was not conducted. No fish were observed.

This seepage does not require a stream classification under the Forest Practices Code.

4.1.11.13 Stream EDI-692

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	692
Nearest Downstream Watershed Code	182-6976-928-704
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Oco
Cutblock Number	167
Operating Area	Ocock
Development Type	Cutblock
Survey Date	27-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary is not a stream, it is a seepage. It consisted of a network of pooled water within a gully, with no definable channel. The substrate was mainly organic fines and moss. The entire area was overgrown with alder.

Fish sampling was not conducted. No fish were observed.

This seepage does not require a stream classification under the Forest Practices Code.

4.1.11.14 Stream EDI-693

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	693
Nearest Downstream Watershed Code	182-6976-928-704
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Oco
Cutblock Number	167
Operating Area	Ocock
Development Type	Cutblock
Survey Date	27-May-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	10.5
Stream Width (m)	0.9
Length Surveyed (m)	200
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This small stream flows in an easterly direction into stream 182-6976-928-704. It contained a low gradient (1%) and was characterized by run (40%) and pool habitat (40%). The total cover (20%) was mainly provided by overhanging vegetation, large organic debris and deep pools. The bed material consisted of 75% fines, 10% gravels and 15% larges. This reach contained a few small beaver dams and was bordered on either end by a wetland. These wetlands consisted mostly of grasses.

Fish sampling (electroshocking) was conducted for 34 sec. No fish were captured or observed.

This stream reach was assigned a S-6 classification under the Forest Practices Code due to the low quality fish habitat.

20-Aug-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-704-999-000-000-000-000-000-000

Header Info	rmation								
Stream Name:	Unnamed		Stream "Local":	EDI 693				Access:	FT
Watershed Code:	182-6976-928	-704-999-000-000-000-000-000-000				Reach No.:	1	Reach Length (km): 0.20000 Method:	MW
Location:	ND/WSC: 182	-6979-928-704; 167 Ocock	Map #: 93J/1	2		Site No.:	0	Length surveyed (m): 200.0 Method:	MW
			U.T.M.: 10.43	8390.6051080		Fish Card:	N	Field: Yes Historical:	No
Date: 27/05/96	Time: 15	:05 Agency: EDI Survey C	rew: BC \RM \RV \	1111		Photos:	3: 16, 17	Air Photos:	······································
Channel Ch	aracterist	ics		Specific Data		Bed Material			
Av. Chan. Width (m	i): 0.	Method Av. Chan. Width (m): MS	0.9 1.0	0.7 1.1	1.0 0.5	% Fines (<2mm):	75	% Fines (<zmm):< td=""><td>75</td></zmm):<>	75
Av. Wet. Width (m):	: 0.	` '				% Gravels:	10	Small (2-16mm):	10
Av. Max. Rif. Depth	(cm):	5 Av. Max. Riffle Depth (cm): MS						Large (16-64mm):	0
Av. Max. Pool Deptl	•	0 Av. Max. Pool Depth (cm): 5	L			% Larges:	15	Small cobble (64-128mm):	5
Gradient (%):	1.					A Dar ges.		Large cobble (128-256mm):	5
% Pool: 40	% Riffle: 1		Method: GE					Boulder cobble (>256mm):	5
% Side Channel:		Method Side Channel: GE				% Bedrock:	0	% Bedrock:	0
% Debris Area:	10-4	0 Method Debris Area: GE				4	U		•
Cover						D90 (cm):		Compaction:	High
Cover Total % :	2	0 Method Cover Total %: GE				Banks			
Dp Pool: 15 1	L.O.D.: 2	0 Boulder: 5 In Veg.: 0	Over Veg:	50 Cutbank:	10				
Crown Closure %:	1	0 Method Crown Closure: GE	Aspect :	E Method Aspect:	С	Height (m):	0.2	% Unstable:	5
					··· · · · · · · · · · · · · · · · · ·	Textures Fines:	Yes	Gravel: No Larges: No Bedrock:	No
Discharge				Specific Data		Confinement:	2		
•				Specific Data		Valley: Chan. Ratio:			
Wetted Width (m):	0.8	` '				Stage:	M		
Mean Depth (m):		Method Mean Depth (m):				Flood Signs Ht(m):		Method Flood Signs:	
Mean Velocity (m/s)):	Method Mean Velocity (m/s				Braided:	N	Method Braided:	
Discharge (m3/s):		Method Discharge (m3/s):				Bars (%):	0	Method Bars:	
Reach Syml	bol					рН:		Method pH:	
212.00.0 29.000		(Fish)				02 (ppm):		Method Dissolved Oxygen:	
						Water Temp. (°C):	10.5	Method Temperature:	HT
						Turb. (cm):		Method Turbidity:	
		(Width, Valley: Channel, Slope) (I	sed Material)			Cond. (µmhos):		Method Conductivity:	

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-704-999-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

C1 Film 3: 16 d/s, 17 w/s.

Fish sampling (electroshocking) was conducted for 34 seconds. No fish were captured or observed.

This stream has been assigned a S-6 classification under the Forest Practices Code.



Photo 124. Upstream view of Stream EDI-693 at Reach 1.



Photo 125. Downstream view of Stream EDI-693 at Reach 1.

4.1.11.15 Stream EDI-694

Gazetted Stream Name		Unnamed		
		Not Applicable		
Local Stream Name				
Watershed Code		Not Available		
EDI-Code		694		
Nearest Downstream Watershed Code		182-6976-928-704		
NTS Map (1:50,000)		93J/12		
TRIM Map		93J061		
Cutting Permit		Oco		
Cutblock Number		167		
Operating Area		Ocock		
Development Type		Cutblock		
Survey Date		27-May-96		
Reach Number		1		
Site Number		Not Applicable		
Water Temperature (°C)		4.0		
Stream Width (m)		0.90		
Length Surveyed (m)		800		
Habitat Type		Stream		
Stream Order (1:20,000)		1		
Forest Practices Code Stream Classifica	tion	S-6		
Fish Species Identified		None		

Description:

This small stream flows in an northeasterly direction into stream 182-6976-928-704. It contained a low gradient (1.5%) and the reach was characterized by run (55%) and riffle habitat (30%). The total cover (25%) was mainly provided by overhanging vegetation and large organic debris. The bed material consisted of 70% fines, 20% gravels and 10% larges. The high banks present at the time of survey indicated that the stream has a high volume of water at peak flow periods.

Fish sampling was not conducted. No fish were captured or observed.

This stream reach was assigned a S-6 classification under the Forest Practices Code due to the low quality fish habitat.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-704-999-000-000-000-000-000-000

											·····			
Header Info	mation													
Stream Name:	Unnamed			Stream "Loc	al":	EDI 69	4					Access:		FT
Watershed Code:	182-6976-928-	704-999-000-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.80000 Method:	MW
Location:	ND/WSC: 182-	6979-928-704; 167 Ocock		Map #: 9	ЭЗЈ/12					Site No.:	0	Length surveyed (m):	800.0 Method:	MW
				U.T.M. :	0.4380	80.605061	0			Fish Card:	N	Field: Yes	Historical:	No
Date: 27/05/96	Time: 11:	30 Agency: EDI Surv	ey Cre	ew: BC \RM \R	V \ \ \	1.1.1				Photos:	3: 14, 15	Air Photos:		
Channel Cha	ıracteristi	cs				Specific De	ita			Bed Material				
Av. Chan. Width (m)	: 0.9	Method Av. Chan. Width (m):	MS	0.9	0.8	0.9	0.8	1.4	0.7	% Fines (<2mm):	70	% Fines (<2mm):		70
Av. Wet. Width (m):	0.8	Method Av. Wet. Width (m):	MS							% Gravels:	20	Small (2-16mm):		15
Av. Max. Rif. Depth	(cm): 8	Av. Max. Riffle Depth (cm):	MS							,, ,		Large (16-64mm):		5
Av. Max. Pool Depth	(cm): 20	Av. Max. Pool Depth (cm):	8	<u></u>						% Larges:	10	Small cobbie (64-128mr	m\.	10
Gradient (%):	1.5		CL							% Larges:	10	Large cobble (128-256n		0
% Pool: 15	% Riffle: 30	• •	0	Method: (GE							Boulder cobble (>256m.		0
% Side Channel:	0		GE									·	,.	•
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):		Compaction:		High
Cover Total % :	25	Method Cover Total %:	GE							Banks				
Dp Pool: 10 L	.O.D.: 20	Boulder: 0 In Veg.:	0	Over Veg:	60	Cutba	ık:		10	Dunies				
Crown Closure %:	10	Method Crown Closure:	GE	Aspect :	NE	Metho	d Aspect:	:	C	Height (m):	0.3	% Unstable:		5
										Textures Fines:	Yes	Gravel: No Large	es: No Bedrock:	No
Discharge					S	pecific Da	 ta			Confinement:	3			
Wetted Width (m) :	0.8	Method Wetted Width (m):	MS			progre 2 m				Valley: Chan. Ratio:				
Mean Depth (m):	0.8	Method Mean Depth (m):	MS							Stage:	M			
Mean Velocity (m/s)		Method Mean Velocity (m/s								Flood Signs Ht(m):	0.6	Method Flood Signs:		
Discharge (m3/s):	•	Method Discharge (m3/s):								Braided:	N	Method Braided:		
Discussife (195/3).		wence viena & (mos).								Bars (%):	0	Method Bars:		
Reach Symb	ol									pH:		Method pH:		
		(1	Fish)							02 (ppm):		Method Dissolved Oxyg	en:	
										Water Temp. (°C):	4.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Be	d Material)						Cond. (µmhos):		Method Conductivity:		

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-704-999-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

CI

Film 3: 14 u/s, 15 d/s.

Fish sampling was not conducted. No fish were observed.

This stream has been assigned a S-6 classification under the Forest Practices Code.



Photo 126. Upstream view of Stream EDI-694 at Reach 1.



Photo 127. Downstream view of Stream EDI-694 at Reach 1.

4.1.11.16 Stream EDI-540

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	540
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting-Permit	028
Cutblock Number	144
Operating Area	Ocock
Development Type	Cutblock
Survey Date	06-Oct-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	200
Habitat-Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This treed wetland is located along the southern boundary of the cublock, and drains in a northeasterly direction. At the time of survey, the area contained plenty of deadfall and brush, but a definable channel was not found. The dominant vegetation included alder and twinberry.

Fish sampling was not conducted in this wetland, and no fish were observed.

Since this is a wetland, it does not require a stream classification under the Forest Practices Code. This wetland should be protected accordingly.

4.1.11.17 Stream EDI-690

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	690
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	011
Cutblock Number	131
Operating Area	Ocock
Development Type	Cutblock
Survey Date	25-May-95
Reach Number	Not Applicable
Site Number	1
Water Temperature (°C)	12.0
Stream Width (m)	1.2
Length Surveyed (m)	100
Habifat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (2.0%) section of stream flows in an easterly direction along the northern side of the cutblock. The substrate was comprised almost entirely of fines (90%), limiting any spawning potential for salmonids. A moderate amount (15%) of cover was available but was low quality, mainly consisting of overhanging vegetation and large organic debris over the stream channel.

Two minnow traps were baited with roe and left to fish overnight. No fish were captured or observed.

This section of stream was classified as S-6 under the Forest Practices Code because it contained very poor fish habitat and no fish were captured.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-999-000-000-000-000-000-000

Header Information									
Stream Name: Unnamed	Stream "Local":	EDI 690					Access:		FT
Watershed Code: 182-6976-928-999-000-000-000-000-000-000-000					Reach No.:	0	Reach Length (km):	Method:	
Location: ND/WSC: 182-6976-928; 011-131 Ocock	Map #: 93J/12				Site No.:	1	Length surveyed (m):	0.0 Method:	MW
	U.T.M.: 10.440	160.6052660			Fish Card:	N	Field: Yes H	istorical:	No
Date: 25/05/95 Time: 16:00 Agency: EDI Survey Co	ew: RV\ \ \ \ \	\ \			Photos:	2: 6	Air Photos:		
Channel Characteristics		Specific Data	*************************************		Bed Material				
Av. Chan. Width (m): 1.2 Method Av. Chan. Width (m): TF	1.5 1.0	0.9 1.3	1.0	1.4	% Fines (<2mm):	90	% Fines (<2mm):		90
Av. Wet. Width (m): 0.9 Method Av. Wet. Width (m): TF	1.5 0.6	0.5 1.0	0.7	1.0	% Gravels:	10	Small (2-16mm):		5
Av. Max. Rif. Depth (cm): 10 Av. Max. Riffle Depth (cm): MS					% Graveis:	10	, ,		5
Av. Max. Pool Depth (cm): 40 Av. Max. Pool Depth (cm): 10							Large (16-64mm):		
Gradient (%): 2.0 Method Gradient: CL			***************************************	***************************************	% Larges:	0	Small cobble (64-128mm):		0
% Pool: 80 % Riffle: 5 % Run: 15 % Other: 0	Method: GE						Large cobble (128-256mm):		0
% Side Channel: 0-10 Method Side Channel: GE							Boulder cobble (>256mm):		0
% Debris Area: 0-10 Method Debris Area: GE					% Bedrock:	0	% Bedrock:		0
Cover					D90 (cm):		Compaction:	N	Medium
Cover Total %: 15 Method Cover Total %: GE					Banks				
Dp Pool : L.O.D.: Boulder: In Veg.:	Over Veg:	Cutbank:			Dunns				
Crown Closure %: 10 Method Crown Closure: GE	Aspect:	Method Aspec	t:		Height (m):	0.3	% Unstable:		0
					Textures Fines:	Yes		o Bedrock:	No
Discharge					Confinement:	3	•		
		Specific Data			Valley: Chan. Ratio:				
Wetted Width (m): Method Wetted Width (m):					Stage:	М			
Mean Depth (m): Method Mean Depth (m):					Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s): Method Mean Velocity (m/s					Braided:	N	Method Braided:		
Discharge (m3/s): Method Discharge (m3/s):					Bars (%):		Method Bars:		
Donat Court of					pH:		Method pH:		
Reach Symbol (Fish)					02 (ppm):		Method Dissolved Oxygen:		
					Water Temp. (°C):	12.0	Method Temperature:		НТ
***************************************					Turb. (cm):		Method Turbidity:		
(Width, Valley: Channel, Slope) (B	ed Material)				Cond. (µmhos):		Method Conductivity:		
(Q,.				

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-999-000-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

C1 Film 2: 6 w/s.

Fish samping (minnow traps) was conducted. No fish were captured or observed.

This section of stream has been assigned a S-6 classification under the Forest Practices Code.



Photo 128. Upstream view of Stream EDI-690 at Site 1.

4.1.11.18 Stream EDI-691

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	691
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	011
Cutblock Number	131
Operating Area	Ocock
Development Type	Cutblock
Survey Date	26-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	Not Recorded
Length Surveyed (m)	1000
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This section of stream flows in an easterly direction along the southern side of the cutblock. Its channel was braided and contained very little flow at the time of survey.

Fish sampling was not conducted. No fish were observed.

This stream was classified as S-6 under the Forest Practices Code because it contained poor fish habitat and several potential barriers to fish passage.

4.1.11.19 Stream 182-6976-928-740

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-740
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	011
Cutblock Number	131
Operating Area	Ocock
Development Type	Cutblock
Survey Date	15-Jul-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	12.5
Stream Width (m)	1.53
Length Surveyed (m)	600
Habitat Type	Stream
Stream Order (1:20,000)	3
Forest Practices Code Stream Classification	S-3
Fish Species Identified	RB-Rainbow Trout

Description:

This low gradient reach (2.5%) is located approximately 400 m north of cutblock 011-131 and flowed east into a wetland where the stream enters the Ocock River. Bed material was dominated by fines (55%), and gravels (30%). Total cover (35%) consisted mainly of overhanging vegetation (50%), undercut bank (20%) and large woody debris (15%). A few side channels were also present.

Fish sampling (electroshocking) was conducted for 670 sec. Three juvenile rainbow trout were caught.

This reach contains good spawning substrate and good cover for rearing. As regionally significant fish were caught, the reach was classified as S-3 under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-000-000-000-000-000-000-000

Header Informa	ion													
Stream Name: Unna	med			Stream "Loc	al":	N/A						Access:		FT
Watershed Code: 182-	976-928-	740-000-000-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.7 Method:	MW
Location: 011-1	31 Ocock			Map #: 9	93J/12					Site No.:	0	Length surveyed (m):	700.0 Method:	MW
				U.T.M. :	10.43970	0.6053280)			Fish Card:	N	Field: Yes	Historical:	No
Date: 15/07/96 T	ime: 14:	30 Agency: EDI Surve	y Cre	w:PT\RD\\	. 1 1 1	١ ١				Photos:	#11:4,5	Air Photos:		
Channel Charac	teristi	cs	ſ		S	pecific Da	ta			Bed Material				
Av. Chan. Width (m):	1.5	Method Av. Chan. Width (m):	мs	1.4	1.5	1.8	1.2	1.3	2.1	% Fines (<2mm):	55	% Fines (<2mm):		55
Av. Wet. Width (m):	0.9	Method Av. Wet. Width (m):	MS							% Gravels:	30	Small (2-16mm):		20
Av. Max. Rif. Depth (cm):	10	Av. Max. Riffle Depth (cm):	MS						İ	70 G127013.	50	Large (16-64mm):		10
Av. Max. Pool Depth (cm):	20	Av. Max. Pool Depth (cm):	10									• •		
Gradient (%):	2.5	Method Gradient:	CL							% Larges:	15	Small cobble (64-128mm):		5
	iffle: 25	% Run: 60 % Other:	0	Method:	GE							Large cobble (128-256mm	•	5
% Side Channel:	0-10		GE									Boulder cobble (>256mm)) :	5
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):	12	Compaction:		High
Cover Total % :	35	Method Cover Total %:	GE							Banks				
Dp Pool: 10 L.O.D.:	15	Boulder: 0 In Veg.:	5	Over Veg:	50	Cutban	k:		20	During				
Crown Closure %:	20	Method Crown Closure:	GE	Aspect:	Е	Method	l Aspect:	:	С	Height (m):	0.7	% Unstable:		20
				***************************************	*********					Textures Fines:	Yes	Gravel: No Larges:	No Bedrock:	No
Discharge		•	1		.2.	ecific Dat	<u></u>			Confinement:	4			
Wetted Width (m):	1.2	Method Wetted Width (m):			·**	ecyle Dua				Valley: Chan. Ratio:				
Mean Depth (m):	0.1	Method Mean Depth (m):								Stage:	M			
Mean Velocity (m/s):	0.20	Method Mean Velocity (m/s								Flood Signs Ht(m):	0.8	Method Flood Signs:		MS
Discharge (m3/s):	0.20	Method Discharge (m3/s):								Braided:		Method Braided:		
Discuri Se (IID/3) .		method Discharge (moss).								Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
		(Fig	sh)							02 (ppm):		Method Dissolved Oxygen	ı:	
										Water Temp. (°C):	12.5	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Red	l Material)						Cond. (µmhos):		Method Conductivity:		

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-000-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

RB	6 30-100	J	R	X 25 5 5 (1.22.) 3 5 5 7 (2.23.)	EL
Sec. 25.	COUNTRY SURPLEMENTALD)	Wife Photo	r (DAPAC)	arante di Gran	TO CHARLETTER TRANSPORTED TO

Comments

C1 Film 11: 4 d/s, 5 u/s.

Fish sampling (electroshocking) was conducted for 671 seconds. Three juvenile rainbow trout were captured.

This stream is classified as a S-3 stream under the Forest Practices Code.

C2 Fifteen juvenile rainbow trout were visually observed.



Photo 129. Upstream view of Stream 182-6976-928-740 at Reach 1.



Photo 130. Downstream view of Stream 182-6976-928-740 at Reach 1.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-740
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	011
Cutblock Number	131
Operating Area	Ocock
Development Type	Cutblock
Survey Date	15-Jul-96
Reach Number	2
Site Number	Not Applicable
Water Temperature (°C)	12.5
Stream Width (m)	2.1
Length Surveyed (m)	1400
Habitat Type	Stream
Stream Order (1:20,000)	3
Forest Practices Code Stream Classification	S-3
Fish Species Identified	RB-Rainbow Trout

Description:

This low gradient reach (1.0%) is located approximately 600 m northwest of cutblock 011-131 and flows in a easterly direction into the Ocock River. It was characterized by minimal flow, and a few side channels. The substrate was composed of a mixture of fines (45%), gravels (30%) and larges (25%) and the cover was dominated by deep pools (15%) and overhanging vegetation (55%). A 2 m high beaver dam located approximately 400 m upstream of the lower reach boundary may act as an impass to fish movement during low flow. No rainbow trout were captured upstream of this point. This reach is located between two wetlands. The lower wetland is approximately 800 m in length. It contains a large pond which may be used as overwintering habitat. Regionally significant fish were captured at both ends of this wetland, suggesting the absence of barriers. The upper wetland surrounds a lake and extends south for approximately 800 m. It also contains good wildlife habitat and should be protected accordingly.

Fish sampling (electroshocking) was conducted for 656 secs. One juvenile rainbow trout was caught.

This reach contains good spawning substrate, and regionally significant fish were caught. Therefore, the reach was classified as S-3 under the Forest Practices Code.

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-740-000-000-000-000-000-000-000

Header Informati	on													
Stream Name: Unnam	ned			Stream "Lo	cal":	N/A						Access:		FT
Vatershed Code: 182-69	176-928-7	740-000-000-000-000-000-000-000-000								Reach No.:	2	Reach Length (km):	1.4 Method:	
ocation: 028-14	4 Ocock			Map #:	93J/12					Site No.:	0	Length surveyed (m):	1400.0 Method:	
						85.6052525				Fish Card:	N	Field: Yes	Historical:	No
Date: 7/16/96 Ti	me: 15:1	13 Agency: EDI Sur	vey Cre	ew: ST \LL\\	1.1.1	1 1				Photos:	#42: 12,13	Air Photos:		
Channel Charact	eristi	cs .			Sį	Specific Date	'a			Bed Material				
Av. Chan. Width (m):	2.1	Method Av. Chan. Width (m):	TF	2.0	1.8	2.3	1.7	2.5	2.4	% Fines (<2mm):	45	% Fines (<2mm):		45
Av. Wet. Width (m):	1.3	Method Av. Wet. Width (m):	MS							% Gravels:	30	Small (2-16mm):		15
Av. Max. Rif. Depth (cm):	3	Av. Max. Riffle Depth (cm):	MS								+ -	Large (16-64mm):		15
Av. Max. Pool Depth (cm):	28	Av. Max. Pool Depth (cm):	3				**************************************			0/ 1 25	36	• ,	A.	10
Gradient (%):	1.0	Method Gradient:	CL					<u></u>		% Larges:	25	Small cobble (64-128mm Large cobble (128-256m	·	10
% Pool: 50 % Ri	ffle: 50	% Run: 0 % Other:		Method:	GE							Boulder cobble (>256mr	·	5
% Side Channel:	0-10	Method Side Channel:	GE									•		_
% Debris Area:	0-10	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):	6	Compaction:		Medium
Cover Total % :	20	Method Cover Total %:	GE							Banks				
Op Pool: 15 L.O.D.:	10	Boulder: 5 In Veg.:	10	Over Veg:	55	Cutbank	k:		5					
Crown Closure % :	25	Method Crown Closure:	GE	Aspect:	sw	Method	l Aspect:		C	Height (m):	0.2	% Unstable:		20
										Textures Fines:	Yes	Gravel: No Large	es: No Bedrock:	: No
Discharge						naife P-			 1	Confinement:	3			
Ü					3)	pecific Data				Valley: Chan. Ratio:				
Wetted Width (m):		Method Wetted Width (m):								Stage:	L			
Mean Depth (m) :		Method Mean Depth (m):								Flood Signs Ht(m):	0.2	Method Flood Signs:		MS
Mean Velocity (m/s):		Method Mean Velocity (m/s								Braided:		Method Braided:		
Discharge (m3/s) :	_	Method Discharge (m3/s):			***************************************				<u>i</u>	Bars (%):		Method Bars:		
Reach Symbol				·····						pH:		Method pH:		
Keach Symbol (Fish)								02 (ppm):		Method Dissolved Oxyg	en:			
					***************************************					Water Temp. (°C):	12.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope) Be	ed Material)						Cond. (µmhos):		Method Conductivity:		

17-Dec-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-000-000-000-000-000-000-000

Fish Summary

Species	Number	SzeRenge (mm)	I le Plase	Usc 1	Use 2	Use 3	Method/Reference
RB	1	110.0	J	R			EL

Obstructions

Objectedos (film)	Type	Location	
2	BD	1.0	

Comments

C1 Film 42: 12 u/s, 13 d/s.

Fish sampling (electroshocking) was conducted for 656 seconds. One juvenile rainbow trout was captured.

This stream was classified as a S-3 stream under the Forest Practices Code.

C2 Crown closure was due to alder.

Beaver dam was located 2 km u/s of the confluence with 182-6976-928. It is not likely that this is a barrier but it is an impediment to fish passage.

C3 Discharge was not recorded because there was insufficient flow.



Photo 131. Upstream view of Stream 182-6976-928-740 at Reach 2.



Photo 132. Downstream view of Stream 182-6976-928-740 at Reach 2.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-740
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	028
Cutblock Number	143
Operating Area	Ocock Ocock
Development Type	Cutblock
Survey Date	06-Oct-95
Reach Number	A
Site Number	Not Applicable
Water Temperature (°C)	5.0
Stream Width (m)	1.03
Length Surveyed (m)	100 400
Habitat Type	Stream
Stream Order (1:20,000)	3
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	None

Description:

This low gradient reach (3.0%) is located along the northern boundary of the cutblock and flows in an easterly direction. Total cover (65%) was provided by 45% overhanging vegetation, 35% large organic debris, and 15% undercut bank. Bed materials of this confined reach were composed of fines (90%) and larges (10%).

Fish sampling (electroshocking) was conducted for 120 sec on October 6, 1995) and 206 sec on May 15, 1996. Fish were not captured and no fish were observed.

Although no fish were captured or observed, this reach contained good potential rearing habitat for salmonids. It was, therefore, defaulted to a S-4 * stream classification under the Forest Practices Code.

Recommendation: In order to confirm fish distribution in this system, further inventory should be conducted downstream of this reach.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-000-000-000-000-000-000-000

Header Infoi	mation													
Stream Name:	Unnamed			Stream "Lo	cal":	N/A						Access:		F
Watershed Code:	182-6976-928-	740-000-000-000-000-000-000-000								Reach No.:	999	Reach Length (km):	0.40000 Method:	MW
Location:	028-143 Ocock			Map #:	93J/12					Site No.:	0	Length surveyed (m):	400.0 Method:	MW
				U.T.M.:	10.4370	60.6051453				Fish Card:	N	Field: Yes	Historical:	No
Date: 06/10/95	Time: 13:	32 Agency: EDI Sur	vey Cre	:w: PW\BR\I	EL/ / /	111		********		Photos:	18: 16	Air Photos:		
Channel Cha	ıracteristi	cs		[Specific Data	r			Bed Material				
Av. Chan. Width (121)	: 1.0	Method Av. Chan. Width (m):	MS	1.0	0.9	0.9	1.2	1.1	1.1	% Fines (<2mm):	90	% Fines (⊄mm):		90
Av. Wet. Width (m):	1.0	Method Av. Wet. Width (m):	MS							% Gravels:	0	Small (2-16mm):		(
Av. Max. Rif. Depth	•	• ` '	MS								•	Large (16-64mm):		c
Av. Max. Pool Depth	• •	• ` `	9		****					% Larges:	10	Small cobble (64-128mm	~ }•	C
Gradient (%):	3.0		CL							% Larges:	10	Large cobble (128-256m		10
% Pool: 10	% Riffle: 35		0	Method:	GE							Boulder cobble (>256m	•	
% Side Channel:	0	Method Side Channel:	GE									·		
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):		Compaction:		High
Cover Total %:	65	Method Cover Total %:	GE							Banks				
Dp Pool: 5 L	.O.D.: 35	Boulder: 0 In Veg.:	0	Over Veg:	45	Cutbank	:		15	Duning				
Crown Closure %:	10	Method Crown Closure:	GE	Aspect:	E	Method A	Aspect:		С	Height (m):	0.4	% Unstable:		:
									-	Textures Fines:	Yes	Gravel: No Large	es: No Bedrock:	No
Discharge					.9.	pecific Data		·		Confinement:	2			
3Y1.44.3 \$17134L () .	0.0	Mark of Ward Wilde (-)	MS		٠,	pecajie Dana	·			Valley: Chan. Ratio:				
Wetted Width (m):	0.9	Method Wetted Width (m):	MS							Stage:	M			
Mean Depth (m): Mean Velocity (m/s)		Method Mean Depth (m): Method Mean Velocity (m/s	MS							Flood Signs Ht(m):		Method Flood Signs:		
Discharge (m3/s):	•	Method Discharge (m3/s):								Braided:	N	Method Braided:		
Discusi ge (m5/s) :		Metaod Discharge (m. 73).		<u></u>						Bars (%):		Method Bars:		
Reach Symb	ol									pH:		Method pH:		
.		(Fish)							02 (ppm):		Method Dissolved Oxyg	en:	
			_							Water Temp. (°C):	5.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bje	d Material)						Cond. (µmhos):		Method Conductivity:		

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-000-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

C1 Film 18: 16 d/s.

Note: Reach '999' should read Reach 'A'.

Fish sampling (electroshocking) was conducted for 120 seconds on Oct. 6 '95 and 206 seconds on May 15, '96. No fish were captured or observed on either occasion.

This reach was defaulted to a S-4 classification under the Forest Practices Code.



Photo 133. Upstream view of Stream 182-6976-928-740 at Reach A.

4.1.11.20 Stream EDI-539

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		Not Available
EDI-Code		539
Nearest Downstream Watershed Code		182-6976-928-740
NTS Map (1:50,000)		93J/12
TRIM Map		93J061
Cutting Permit		028
Cutblock Number		144
Operating Area		Ocock
Development Type		Cutblock
Survey Date		06-Oct-95
Reach Number		Not Applicable
Site Number		1
Water Temperature (°C)		Not Recorded
Stream Width (m)		Not Recorded
Length Surveyed (m)		100
Habitat Type		Stream
Stream Order (1:20;000)		<u> </u>
Forest Practices Code Stream Classifica	ition	S-6
Fish Species Identified		None

Description:

This site is located in the northeastern portion of the cutblock, and drains in a northerly direction. At the time of survey, a definable channel was found, however, little flow was present. The water which was present within the channel was turbid and brown in colour.

Fish sampling (electroshocking) was conducted in this survey area, however, no fish were captured or observed.

This survey section contained low quality fish habitat, and no fish were captured. It was, therefore, classified as S-6 under the Forest Practices Code.

21-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report 182-6976-928-740-999-000-000-000-000-000-000

Header Info	rmation '													
Stream Name:	Unnamed		Str	ream "Lo	cal":	EDI 539	•					Access:		FT
Watershed Code:	182-6976-928	740-999-000-000-000-000-000-000								Reach No.:	0	Reach Length (km):	Method:	
Location:	ND/WSC: 182	-6976-928-740; 028-143 Ocock	Ma	2p #:	93J/12					Site No.:	1	Length surveyed (m):	100.0 Method:	MW
			U.	T.M. :	10.4381	20.6052295	5			Fish Card:	N	Field: Yes	Historical:	No
Date: 06/10/95	Time: 15	:00 Agency: EDI Surv	vey Crew: I	PW\ BR\	EL\ \ \	111				Photos:	18: 15	Air Photos:		
Channel Ch	aracterist	ics			s	Specific Da	ta			Bed Material		-		
Av. Chan. Width (m)): 0.:	Method Av. Chan. Width (m):	MS	0.5	0.9	0.1	0.6	0.5	0.5	#/ Fig. (2000)		At the second		
Av. Wet. Width (m):	0,	Method Av. Wet. Width (m):	MS							% Fines (<2mm):	90	% Fines (<2mm):		90
Av. Max. Rif. Depth	(cm):	Av. Max. Riffle Depth (cm):	MS							% Gravels:	0	Small (2-16mm):		0
Av. Max. Pool Depth	ı (cm): 1	Av. Max. Pool Depth (cm):	5									Large (16-64mm):		0
Gradient (%):	18.	Method Gradient:	CL							% Larges:	10	Small cobble (64-128mm)	:	0
% Pool: 25	% Riffie: 5	% Run: 25 % Other:	0 1	Method:	GE							Large cobble (128-256mr	3):	10
% Side Channel:	(Method Side Channel:	GE									Boulder cobble (>256mm):	0
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover			~~~~~					*****		D90 (cm):		Compaction:		High
Cover Total %:	70	Method Cover Total %:	GE							Banks				
•	O.D.: 35	Boulder: 0 In Veg.:	0 Ov	ver Veg:	45	Cuthan	k:		10					
Crown Closure %:	74	Method Crown Closure:	GE As	pect:	W	Method	Aspect:		С	Height (m):	25.0	% Unstable:		
					***************************************					Textures Fines:	Yes	Gravel: No Larges	No Bedrock:	No
Discharge			Γ		Se	ecific Data	······································			Confinement:	2			
Wetted Width (m):	0.3	Method Wetted Width (m) :	MS			,				Valley: Chan. Ratio:				
Mean Depth (m):	0.1	Method Mean Depth (m):	MS							Stage:	L			
Mean Velocity (m/s)		Method Mean Velocity (m/s	F						İ	Flood Signs Ht(m):		Method Flood Signs:		
Discharge (m3/s):		Method Discharge (m3/s) :	•							Braided:	N	Method Braided:		
										Bars (%):		Method Bars:		
Reach Symb	ol	a.	78_L.Y							рН:		Method pH:		
•		(1)	ish)							02 (ppm):		Method Dissolved Oxyger	ı:	
		***************************************	1							Water Temp. (°C):	5.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bed Ma	terial)						Cond. (µmhos):		Method Conductivity:		

21-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-999-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

C1

Film 18: 15 u/s.

Fish sampling (electroshocking) was conducted. No fish were captured or observed.

This section of stream was given a S-6 classification under the Forest Practices Code.




Photo 134. Upstream view of Stream EDI-539 at Site 1.

4.11.21 Stream EDI-755

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	755
Nearest Downstream Watershed Code	182-6976-928-740
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	028
Cutblock Number	144
Operating Area	Ocock
Development Type	Cutblock
Survey Date	06-Oct-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	100
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This seepage drains in a northeasterly direction into stream EDI-539. A continuous defined channel or flowing water was not found. The surrounding area was vegetated with alder, Devil's club and spruce.

Fish sampling was not conducted. No fish were observed.

As this is a seepage, stream classification is not required under the Forest Practices Code.

4.1.11.22 Stream EDI-537

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		Not Available
EDI-Code		537
Nearest Downstream Watershed Code		182-6976-928-740
NTS Map (1:50,000)		93J/12
TRIM Map		93J061
Cutting Permit		028
Cutblock Number		144
Operating Area		Ocock
Development Type	Harris (1944), 1966. Notes to the state of the	Cutblock
Survey Date		06-Oct-95
Reach Number		Not Applicable
Site Number		Not Applicable
Water Temperature (°C)		Not Applicable
Stream Width (m)		Not Applicable
Length Surveyed (m)		100
Habitat Type		Not Applicable
Stream Order (1:20,000)		Not Applicable
Forest Practices Code Stream Classification	n	Not Applicable
Fish Species Identified		None

Description:

According to the 1:20,000 TRIM base map, there is a stream in this area. However, the ground survey indicated that this stream does not exist.

4.1.11.23 Stream EDI-538

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	538
Nearest Downstream Watershed Code	182-6976-928-740
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Oco
Cutblock Number	126
Operating Area	Ocock
Development Type	Cutblock
Survey Date	09-Jun-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	 6.0
Stream Width (m)	1.0
Length Surveyed (m)	600
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (5%) reach is located on the east side of the cutblock and flows in a northerly direction into a wetland. It is dominated by 60% run and the substrate is comprised mainly of fines (70%) and larges (25%). This reach contains very little cover for rearing and no suitable spawning habitat.

Fish sampling was not conducted in this reach, and no fish were observed.

This stream contains poor quality fish habitat and is, therefore, classified as a S-6 under the Forest Practices Code.

02-Sep-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-999-000-000-000-000-000-000

Header Informatio	n													
tream Name: Unname				Stream "Lo	cal":	EDI 538						Access:		FT
	u 6-928-740-999-000-000	-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.40000 Method:	MW
Location: 025-075				Map#:	93J/12					Site No.:	0	Length surveyed (m):	400.0 Method:	MW
_0C#H0H: 025-075	OLOCK			U.T.M. :	10,43671	0.6050910				Fish Card:	N	Field: Yes	Historical:	No
Date: 6/9/96 Tim	e: 09:00 A	gency: EDI Surv	ey Crev	*: NC \RV \	1111	1.1				Photos:	5: 8, 9	Air Photos:		
Channel Characte	ristics				Sį	pecific Date	7			Bed Material				
Av. Chan. Width (m):	1.0 Method Av. C	Chan. Width (m):	MS	1.4	1.1	0.8	0.7	1.1	1.1	% Fines (<2mm):	70	% Fines (<2mm):		70
Av. Wet. Width (m):	1.0 Method Av.	Wet. Width (m):	MS						ļ	% Gravels:	5	Small (2-16mm):		0
Av. Max. Rif. Depth (cm):	5 Av. Max. Rif	fle Depth (cm):	MS									Large (16-64mm):		5
Av. Max. Pool Depth (cm):	10 Av. Max. Poo	ol Depth (cm):	5							% Larges:	25	Small cobble (64-128m	m):	10
Gradient (%):	5.0 Method Grad	dient:	CL							76 Larges.	13	Large cobble (128-256		15
% Pool: 10 % Riff	le: 30 % Run:	60 % Other:	0	Method:	GE							Boulder cobble (>256n		0
% Side Channel:	0-10 Method Side	Channel:	GE								0	% Bedrock:	,	0
% Debris Area:	10-40 Method Debi	rís Area:	GE							% Bedrock:	0			_
Cover										D90 (cm):		Compaction:		High
Cover Total % :	10 Method Cov	er Total %:	GE							Banks				
Dp Pool: 10 L.O.D.:	20 Boulder:	0 In Veg.:	0	Over Veg:	65	Cutbank	c :		5					
Crown Closure %:	Method Cro	wn Closure:		Aspect :	NW	Method	Aspect:		С	Height (m):	0.1	% Unstable:		
										Textures Fines:	Yes	Gravel: No Lar	ges: No Bedrock:	: No
Disabayaa						`C P				Confinement:	3			
Discharge					Sp	ecific Data				Valley: Chan. Ratio:				
Wetted Width (m):	Method Wette	ed Width (m) :								Stage:	M			
Mean Depth (m):	Method Mear	Depth (m) :								Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	Method Mear	1 Velocity (π/s								Braided:	N	Method Braided:		
Discharge (m3/s):	Method Disch	narge (m3/s):								Bars (%):		Method Bars:		
D 1 C 1 1			·····							pH:		Method pH:		
Reach Symbol		(Fish)							02 (ppm):		Method Dissolved Ox	ygen:	
										Water Temp. (°C):	6.0	Method Temperature	:	
		*************************************								Turb. (cm):		Method Turbidity:		
	(Width.	Valley: Channel, Slope	(Bed	d Material)						Cond. (µmhos):		Method Conductivity	:	

DFO/MoELP Stream Survey Form 02-Sep-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-740-999-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

Film 5: 8 u/s, 9 d/s. CI

Fish sampling was not conducted in this reach. No fish were observed.

This site has been assigned a S-6 classification under the Forest Practices Code.



Photo 135. Upstream view of Stream EDI-538 at Reach 1.



Photo 136. Downstream view of Stream EDI-538 at Reach 1.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	538
Nearest Downstream Watershed Code	182-6976-928-740
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	028
Cutblock Number	143
Operating Area	Ocock
Development Type	Cutblock
Survey Date	06-Oct-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	200
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This treed wetland was located along the northwestern boundary of the cutblock. It drains in a northeasterly direction into a defaulted S-4* stream. Vegetation found in this area was primarily alder.

Fish sampling was not conducted in this wetland. No fish were observed.

Since this is a wetland, stream classification is not required under the Forest Practices Code. However, this area should be protected accordingly.

4.1.11.24 Stream EDI-550

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	550
Nearest Downstream Watershed Code	182-6976-928-740
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Oco
Cutblock Number	126
Operating Area	Ocock
Development Type	Cutblock
Survey Date	09-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Seepage
Sfream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This seepage area is located on the northern boundary of the cutblock and drains in a northerly direction into stream EDI-538. Some water was noted flowing over moss and organic debris, however, there was no definable channel. The entire area was overgrown with alder and Devil's club.

Fish sampling was not conducted in this seepage area.

As this is a seepage area and not a stream, no classification is required under the Forest Practices Code.

4.1.11.25 Stream EDI-798

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	798
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	017
Cutblock Number	176
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	31-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary is not a stream, it is a wetland. It is located on the western border, flowing in a northerly direction. There is no definable channel. This area is a low lying marsh area that contains some pooled water.

Fish sampling was not conducted. No fish were observed.

This wetland does not require a stream classification under the Forest Practices Code. It does require a wetland classification and should be protected accordingly.

4.1.11.26 Stream EDI-797

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	797
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	017
Cutblock Number	176
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	31-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	300
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary to stream EDI-798 is not a stream, it is a wetland. It is located north of the cutblock and drains in a westerly direction. This tributary has no definable channel.

Fish sampling was not conducted. No fish were observed.

Since this is a wetland, a stream classification is not required under the Forest Practices Code. It does require a wetland classification and should be protected accordingly.

4.1.11.27 Stream 182-6976-928-911

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-911
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J071
Cutting Permit	Squ
Cutblock Number	039
Operating Area	Squawfish
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	A
Site Number	Not Applicable
Water Temperature (°C)	6.5
Stream Width (m)	0.75
Length Surveyed (m)	1100
Habitat Type	Stream
Stream Order (1:20,000)	
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (2%) reach flows in a southeasterly direction between 2 black spruce bogs on the southeastern side of the cutblock. Cover is high (40%), and for a small section the stream flows through old skidder tracks for approximately 150 m before becoming a small, shallow channel. The substrate is composed mainly of fines (50%) and larges and provided poor spawning potential. At the lower limit of this reach, a stream flows into this creek. Which is not indicated on the TRIM map and was not surveyed.

Fish sampling (electroshocking) was conducted for 118 sec. No fish were captured or observed.

As there were no fish captured or observed and this reach contains low quality fish habitat, it is given a S-6 classification under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-911-000-000-000-000-000-000-000

Header Info	rmation																
Stream Name:	Unnamed						Stream "Lo	:al":	N/A						Access:		FT
Watershed Code:	182-6976-9	28-91	1-000-000-00	000-000	-000-000-000								Reach No.:	999	Reach Length (km):	1,10000 Method:	MW
Location:	Squ 88 & 3	9					Map #:	93J/12					Site No.:	0	Length surveyed (m):	1100.0 Method:	MW
	•						-	10.4413	20.606342	20			Fish Card:	N	Field: Yes	Historical:	No
Date: 28/05/96	Time:	11:00		Agency:	EDI Su	vey Cr	ew: NC \RM \M	ışı ı					Photos:	#3 :18,19	Air Photos:		
Channel Ch	aracteri	stics	S						Specific D	ata			Bed Material				
Av. Chan. Width (m	ı):	0.7	Method Av.	Chan. Wi	idth (m):	MS	0.5	0.9	0.7	0.7	0.6	1.0	% Fines (<2mm):	50	% Fines (<2mm):		50
Av. Wet. Width (m):	:	0.9	Method Av.	Wet. Wid	ith (m):	MS									, ,		
Av. Max. Rif. Depth	(cm):	15	Av. Max. R	iffle Depth	(cm):	MS							% Gravels:	25	Small (2-16mm):		15
Av. Max. Pool Depti	h (cm):	20	Av. Max. Po	ool Depth	(cm):	15									Large (16-64mm):		10
Gradient (%):		2.0	Method Gra	adient:		CL							% Larges:	25	Small cobble (64-128m)	n):	25
% Pool: 20	% Riffle:	20	% Run:	60	% Other	: 0	Method:	GE							Large cobble (128-256n	am):	0
% Side Channel:	(-10	Method Side	e Channei	:	GE									Boulder cobble (>256m	m):	0
% Debris Area:		>40	Method Deb	oris Area:		GE							% Bedrock:	0	% Bedrock:		0
Cover													D90 (cm):		Compaction:		High
Cover Total %:		40	Method Cov	ver Total ?	/ •:	GE							Banks				
Dp Pool: 10 I	L.O.D.:	30	Boulder:	0	In Veg.:	10	Over Veg:	15	Cutba	nk:		35	Builts				
Crown Closure %:			Method Cro	own Closu	re:		Aspect:	sw	Metho	d Aspect:		С	Height (m):	0.3	% Unstable:		5
											***************************************		Textures Fines:	Yes	Gravel: No Larg	es: No Bedrock:	No
Discharge									vecific Da	ta			Confinement:	3			
YY/ YY/(dall /			M. Al A 337-A	43 338.341.	(_) -				occyst Du				Valley: Chan. Ratio:				
Wetted Width (m):			Method Wet										Stage:	Н			
Mean Depth (m):	.		Method Mea	• •	•								Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s)) :		Method Mea		,								Braided:	N	Method Braided:		
Discharge (m3/s):			Method Disc	narge (m.s.	78):								Bars (%):		Method Bars:		
Reach Symb	bol												рН:		Method pH:		
					į	(Fish)							02 (ppm):		Method Dissolved Oxy	en:	
													Water Temp. (°C):	6.5	Method Temperature:		HT
													Turb. (cm):		Method Turbidity:		
			(Width,	Valley: C	hannel, Slope) (Be	d Material)						Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form
20-Aug-97 Stream: Unnamed Watershed Code: 182-6976-922-911-000-000-000-000-000
Fish Summary Obstructions

Comments

This stream begins as an old skidder track before making its own channel. Fish habitat is void in this area and was classified as an S-6 under the Forest Practices Code.

CI

Film 3: 18 d/s, 19 w/s.

Note: Reach '999' is really Reach A.

Fish sampling (electroshocking) was not conducted.



Photo 137. Upstream view of Stream 182-6976-928-911 at Reach A.



Photo 138. Downstream view of Stream 182-6976-928-911 at Reach A.

4.1.11.28 Stream EDI-752

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	752
Nearest Downstream Watershed Code	182-6973-928-911
NTS Map (1:50,000)	93J/12
TRIM Map	93J071
Cutting Permit	Squ
Cutblock Number	039
Operating Area	Squawfish
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	700
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This seepage drains in southwesterly direction into a black spruce bog. It contains little flow, and no definable channel. Where water was present flowing over moss and leaf litter.

Fish sampling was not conducted. No fish were observed.

Since this is a seepage, stream classification is not required under the Forest Practices Code.

4.1.11.29 Stream 182-6976-928-932

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		182-6976-928-932
EDI-Code		Not Applicable
Nearest Downstream Watershed Code		Not Applicable
NTS Map (1:50,000)		93J/13
TRIM Map		93J071
Cutting Permit		Sal
Cuthlock Number		038
Operating Area		North Salmon
Development Type		Cutblock
Survey Date		19-Jun-96
Reach Number		A
Site Number		Not Applicable
Water Temperature (°C)		6
Stream Width (m)		1.2
Length Surveyed (m)		550
Habitat Type		Stream
Stream Order (1:20,000)		2
Forest Practices Code Stream Classifica	ıtion	S-4*
Fish Species Identified		None

Description:

This reach flows in a southwesterly direction along the southwestern corner of the cutblock. It has a low gradient (2%) and consists mainly of run (50%) and riffle (40%) habitat. The total cover (15%) is primarily due to large organic debris (40%) and overhanging vegetation (30%) and the substrate is dominated by larges (60%) and fines (35%). A few deep pools provide some potential rearing habitat.

Fish sampling (electroshocking) was conducted for 491 sec. No fish were captured or observed.

This reach has been defaulted to a S-4* stream classification under the Forest Practices Code, since it has good quality rearing habitat and flows directly into the Ocock River.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-932-000-000-000-000-000-000-000

Header Info	rmatio	n													
Stream Name:	Unnamed				Stream "Lo	cal":	N/A						Access:		F
Watershed Code:	182-6976	-928-9	32-000-000-000-000-000-000-000	0							Reach No.:	999	Reach Length (km):	0.55000 Method	: MW
Location:	Sal 38				Map #:	933/13					Site No.:	0	Length surveyed (m):	550.0 Method	i: MW
					U.T.M. :	10.43892	20.6067370				Fish Card:	N	Field: Yes	Historical:	N
Date: 19/06/96	Time	12:1	O Agency: EDI S	irvey Cre	ew: PT\NC\	1111	١١				Photos:	#9: 14,15	Air Photos:		
Channel Ch	aracter	istic	es .		************************		Specific Date	<u> </u>			Bed Material				
Av. Chan. Width (m)):	1.2	Method Av. Chan. Width (m):	MS	1.9	1.0	1.2	1.2	1.0	0.9	% Fines (<2mm):	35	% Fines (<2mm):		35
Av. Wet. Width (m):		1.0	Method Av. Wet. Width (m):	MS						İ	% Gravels:	5	Small (2-16mm):		5
Av. Max. Rif. Depth	(cm):	6	Av. Max. Riffle Depth (cm):	MS							70 31416181	-	Large (16-64mm):		0
Av. Max. Pool Depth	(cm):	35	Av. Max. Pool Depth (cm):	6							e/ I	(0	- , , ,		
Gradient (%):		2.0	Method Gradient:	CL							% Larges:	60	Small cobble (64-128m) Large cobble (128-256n)	•	10
% Pool: 10	% Riffle		% Run: 50 % Othe		Method:	GE							Boulder cobble (>256m	•	20
% Side Channel:		0-10	Method Side Channel:	GE								_	•	шу.	
% Debris Area:		10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		(
Cover											D90 (cm):	5	Compaction:		Medium
Cover Total %:		15	Method Cover Total %:	GE							Banks				
Dp Pool: 10 L	O.D.:	40	Boulder: 10 In Veg.:	0	Over Veg:	30	Cutbank	:		10	Dunies				
Crown Closure %:		4	Method Crown Closure:	GE	Aspect:	sw	Method .	Aspect:		C	Height (m):	0.5	% Unstable:		10
											Textures Fines:	Yes	Gravel: No Larg	es: No Bedrock	: No
Discharge						.2.	pecific Data				Confinement:	3			
Wetted Width (m):		1.0	Method Wetted Width (m):	MS			pecyte Dum				Valley: Chan. Ratio:				
Mean Depth (m):		1.0 0.2	Method Mean Depth (m):	MS MS							Stage:	M			
Mean Velocity (m/s)		0.33	Method Mean Velocity (m/s	F F							Flood Signs Ht(m):	0.3	Method Flood Signs:		MS
Discharge (m3/s):		0.06	Method Discharge (m3/s):	F							Braided:	N	Method Braided:		
T-12-7041 Er (179-19) .	······································	~.~~	warman macmar &r (mms) .	y.							Bars (%):		Method Bars:		
Reach Symb	ol										рН:		Method pH:		
•				(Fish)							02 (ppm);		Method Dissolved Oxy	gen:	
			*******								Water Temp. (°C):	6.0	Method Temperature:		НТ
											Turb. (cm):		Method Turbidity:		
			(Width, Valley: Channel, Slop	e) Be	d Material)						Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form 20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-932-000-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

CI Film 9: 14 u/s, 15 d/s.

Note: Reach '999' should read Reach 'A'.

Fish sampling (electroshocking) was conducted for 442 seconds. No fish were captured.

This stream has been defaulted to a S-4 classification under the Forest Practices Code, because it has good fisheries potential.



Photo 139. Upstream view of Stream 182-6976-928-932 at Reach A.



Photo 140. Downstream view of Stream 182-6976-928-932 at Reach A.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-932
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/13
TRIM Map	93J071
Cutting Permit	Sal
Cutblock Number	038
Operating Area	North Salmon
Development Type	Cutblock
Survey Date	19-Jun-96
Reach Number	В
Site Number	Not Applicable
Water Temperature (°C)	6
Stream Width (m)	1.05
Length Surveyed (m)	600
Habitat Type	Stream
Stream Order (1:20;000)	2
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	None

Description:

This reach flows in a southerly direction along the eastern corner of the cutblock. It contains a low gradient (2.5%) and is occasionally confined. The total cover (20%) is primarily due to large organic debris (40%) and overhanging vegetation (30%). The bed material is comprised of 60% fines and 35% larges.

Fish sampling (electroshocking) was conducted for 183 sec. No fish were captured or observed.

This reach has been defaulted to a S-4* stream classification under the Forest Practices Code due the presence of good quality rearing habitat.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-932-000-000-000-000-000-000-000

Header Informat				Stream "Loc	1114	N/A						Access:		FT
Stream Name: Unna				Stream "Loc	:21":	N/A				Reach No.:	998	Reach Length (km):	0.60000 Metho	
		32-000-000-000-000-000-000-000		Map #: 9	93J/13					Site No.:	0	Length surveyed (m):	600.0 Metho	
Location: Sal 38				•		62.6067612	,			Fish Card:	N	Field: Yes	Historical:	No
Date: 19/06/96 T	ime: 10:2	6 Agency: EDI Surve	у Сге	w: PT\NC\ \			-			Photos:	#9: 12, 13	Air Photos:		
Channel Charac	teristi	es .	[S	Specific Da	rta]	Bed Material				
Av. Chan. Width (m):	1.0	Method Av. Chan. Width (m):	мs	1.0	0.9	0.9	1.1	1.2	1.2	% Fines (<2mm):	60	% Fines (<2mm):		60
Av. Wet. Width (m):	1.0	Method Av. Wet. Width (m):	MS							% Gravels:	5	Small (2-16mm):		5
Av. Max. Rif. Depth (cm):	9	Av. Max. Riffle Depth (cm):	MS							7.6 Graveis.	•	Large (16-64mm):		0
Av. Max. Pool Depth (cm):	30	Av. Max. Pool Depth (cm):	9								2.7	- -		5
Gradient (%):	2.5	Method Gradient:	CL							% Larges:	35	Small cobble (64-128m	-	25
% Pool: 20 % R	iffle: 20	% Run: 60 % Other:	0	Method:	GE							Large cobble (128-256)		23
% Side Channel:	0-10	Method Side Channel:	GE									Boulder cobble (>256n	mu <i>y</i> :	_
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover							****			D90 (cm):	12	Compaction:		Medium
Cover Total % :	20	Method Cover Total %:	GE							Banks				
Dp Pool: 10 L.O.D.:	40	Boulder: 5 In Veg.:	5	Over Veg:	30	Cutba	ok:		10					
Crown Closure %:	20	Method Crown Closure:	GE	Aspect:	S	Metho	d Aspect:		C	Height (m):	0.3	% Unstable:		15
										Textures Fines:	Yes	Gravel: No Lar	ges: No Bedro	ek: No
Discharge				ſ		pecific Da	4-			Confinement:	4			
Ü					رد	ресіјіс Da				Valley: Chan. Ratio:				
Wetted Width (m):	0.9	Method Wetted Width (m):	MS							Stage:	M			
Mean Depth (m):	0.1	Method Mean Depth (m):	M\$							Flood Signs Ht(m):	0.3	Method Flood Signs:		MS
Mean Velocity (m/s):	0.31	Method Mean Velocity (m/s	F F							Braided:	N	Method Braided:		
Discharge (m3/s) :	0.04	Method Discharge (m3/s):	r							Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
Action Dynosov		(F	ish)							02 (ppm):		Method Dissolved Oxy		
										Water Temp. (°C):	6.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bee	i Material)						Cond. (µmhos):		Method Conductivity:		

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-932-000-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

C1 Film 9: 12 u/s, 13 d/s.

Note: Reach '998' should read Reach 'B'.

Fish sampling (electroshocking) was conducted for 183 seconds. No fish were captured or observed.

This stream has been defaulted to a S-4 classification under the Forest Practices Code, because it has good fisheries potential.



Photo 141. Upstream view of Stream 182-6976-928-932 at Reach B.



Photo 142. Downstream view of Stream 182-6976-928-932 at Reach B.

4.1.11.30 Stream 182-6976-928-932-660

Gazetted Stream Name		Unnamed
		Not Applicable
Watershed Code		182-6976-928-932-660
EDI-Code		Not Applicable
Nearest Downstream Watershed Code		Not Applicable
NTS Map (1:50,000)		93J/13
TRIM Map		93J071
Cutting Permit		Sal
Cutblock Number		038
Operating Area		North Salmon
Development Type		Cutblock
Survey Date		19-Jun-96
Reach Number	peymana ADC 13 NGC 1595	1
Site Number		Not Applicable
Water Temperature (°C)		6
Stream Width (m)		0.8
Length Surveyed (m)		450
Habitat Type		Stream
Stream Order (1:20,000)		1
Forest Practices Code Stream Classification		S-4*
Fish Species Identified		None

Description:

This reach is located on the southern section of the cutblock and flows south into stream 182-6976-928-932. It contains a low gradient (6.5%) and consists mainly of 75% run and 20% riffle habitat. The total cover (10%) is provided by large organic debris (45%) and overhanging vegetation (20%). The substrate consists of 80% fines and 20% larges. Upstream of the upper reach limit, the channel becomes a seepage.

Fish sampling (electroshocking) was conducted for 45 sec. No fish were captured or observed.

This reach has been defaulted to a S-4* stream classification under the Forest Practices Code, since it contains potential rearing habitat.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-932-660-000-000-000-000-000-000

Header Info	rmation											
Stream Name:	Unnamed		Stream "	Local":	N/A					Access:		F
Watershed Code:	182-6976-92	8-932-660-000-000-000-000-000-000						Reach No.:	1	Reach Length (km):	0.45 Method:	MW
Location:	Sal 38		Map #:	93J/13				Site No.:	0	Length surveyed (m): 4	50.0 Method:	MW
			U.T.M. :	10.4387	780.6067450			Fish Card:	N	Field: Yes H	istorical:	No
Date: 19/06/96	Time:	4:40 Agency: EDI Surve	y Crew: PT\NC	. 1 1 1 '	111			Photos:	#9: 16,17	Air Photos:		
Channel Ch	aracteris	tics			Specific Data			Bed Material				
Av. Chan. Width (m	-	` '	MS 0.8	1.4	0.6 0.8	0.7	0.5	% Fines (<2mm):	80	% Fines (<2mm):		80
Av. Wet. Width (m):		• •	MS					% Gravels:	0	Small (2-16mm):		0
Av. Max. Rif. Depth	, -	" ' '	MS							Large (16-64mm):		0
Av. Max. Pool Depti Gradient (%):		25 Av. Max. Pool Depth (cm): 5.0 Method Gradient:	6					% Larges:	20	Small cobble (64-128mm):		5
% Pool: 5	% Riffle:		0 Method	. GE						Large cobble (128-256mm):		10
% Side Channel:			GE WIELDO	. GE						Boulder cobble (>256mm):		5
% Debris Area:	10-		GE					% Bedrock:	0	% Bedrock:		0
Cover					,			D90 (cm):	8	Compaction:		High
Cover Total %:		10 Method Cover Total %:	GE					Banks				•••••
Dp Pool: 5 l	L.O.D.:	45 Boulder: 5 In Veg.:	0 Over Veg	: 40	Cutbank:		5	Danks				
Crown Closure %:		6 Method Crown Closure:	GE Aspect:	s	Method Aspec	t:	С	Height (m):	0.2	% Unstable:		5
								Textures Fines:	Yes	Gravel: No Larges: N	o Bedrock:	No
Discharge			[Specific Data			Confinement:	3			
Wetted Width (m):	٥	8 Method Wetted Width (m):	MS		pregu zam	*		Valley: Chan. Ratio:				
Mean Depth (m):		, ,	MS					Stage:	Н			
Mean Velocity (m/s)		• • •	F					Flood Signs Ht(m):	0.2	Method Flood Signs:		MS
Discharge (m3/s):	0.0		F					Braided:	N	Method Braided:		
								Bars (%):		Method Bars:		
Reach Symb	bol	Œ	sh)					pH:		Method pH:		
		(F)	na,					02 (ppm):		Method Dissolved Oxygen:		
								Water Temp. (°C):	6.0	Method Temperature:		HT
								Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bed Material)					Cond. (µmhos):		Method Conductivity:		

DFO/MoELP S	Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Report 182-6976-928-932-660-000-000-000-000-000-000
Fish Summary		Obstructions	
Comments			

C1

Film 9: 16 d/s, 17 u/s.

Fish sampling (electroshocking) was conducted for 45 seconds. No fish were captured or observed.

This stream been defaulted to a S-4 classification under the Forest Practices Code, because it has good fisheries potential.



Photo 143. Upstream view of Stream 182-6976-928-932-660 at Reach 1.



Photo 144. Downstream view of Stream 182-6976-928-932-660 at Reach 1.

4.1.11.31 Stream EDI-574

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		Not Available
EDI-Code		574
Nearest Downstream Watershed Code		182-6972-928-932
NTS Map (1:50,000)		93J/13
TRIM Map		93J071
Cutting Permit		Sal
Cutblock Number		038
Operating Area		North Salmon
Development Type		Cutblock
Survey Date		19-Jun-96
Reach Number		1
Site Number		Not Applicable
Water Temperature (°C)		4
Stream Width (m)		0.67
Length Surveyed (m)		100
Habitat Type		Stream
Stream Order (1:20,000)		1
Forest Practices Code Stream Classifica	ition	S-4*
Fish Species Identified		None

Description:

This reach is located on the northeastern corner of the cutblock and flows south into stream 182-6976-928-932. It contains a low gradient (2.5%) and consists mainly of 60% run and 30% riffle habitat. The total cover (15%) is provided by large organic debris (45%) and overhanging vegetation (30%). The substrate consists of 60% fines, 35% larges and 5% gravels. This reach originates as a seepage.

Fish sampling (electroshocking) was conducted for 72 sec. No fish were captured or observed.

This reach has been defaulted to a S-4* stream classification under the Forest Practices Code, since it contains potential rearing habitat.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-932-999-000-000-000-000-000-000-000

Header Informatio	on											
Stream Name: Unname	ed			Stream "Loc	al":	EDI 574					Access:	FT
Watershed Code: 182-691	76-928-93	32-999-000-000-000-000-000-000							Reach No.:	1	Reach Length (km): 0.10000 Method	ı: MW
Location: ND/WS	C: 182-6	976-928-932; 38 Salmon		Map #: 9	93J/13				Site No.:	0	Length surveyed (m): 100.0 Method	d: MW
				U.T.M. :	10.43905	0.6068300			Fish Card:	N	Field: Yes Historical:	No
Date: 19/06/96 Tim	ie: 16:1	S Agency: EDI Sur	vey Cre	:w: PT\NC\ \	111	\ \			Photos:	9: 10, 11	Air Photos:	
Channel Characte	eristic	S			S	pecific Data			Bed Material			
Av. Chan. Width (m):	0.7	Method Av. Chan. Width (m):	MS	0.4	0.5	0.5 0.8	1.0	8.0	% Fines (<2mm):	60	% Fines (<2mm):	60
Av. Wet. Width (m):	0.7	Method Av. Wet. Width (m):	MS						% Gravels:	5	Small (2-16mm):	5
Av. Max. Rif. Depth (cm):	9	Av. Max. Riffle Depth (cm):	MS					1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Large (16-64mm):	0
Av. Max. Pool Depth (cm):	15	Av. Max. Pool Depth (cm):	9						0 ×	25	- · ·	20
Gradient (%):	2.5	Method Gradient:	CL						% Larges:	35	Small cobble (64-128mm): Large cobble (128-256mm):	10
% Pool: 10 % Rif	fle: 30	% Run: 60 % Other:	0	Method:	GE						Boulder cobble (>256mm):	5
% Side Channel:	0	Method Side Channel:	GE									_
% Debris Area:	0-10	Method Debris Area:	GE						% Bedrock:	0	% Bedrock:	0
Cover					1.53,117,11				D90 (cm):	10	Compaction:	High
Cover Total % :	15	Method Cover Total %:	GE						Banks			
Dp Pool: 5 L.O.D.:	45	Boulder: 5 In Veg.:	5	Over Veg:	30	Cutbank:		10	2411113			
Crown Closure %:	5	Method Crown Closure:	GE	Aspect:	sw	Method Aspec	t:	C	Height (m):	0.3	% Unstable:	80
									Textures Fines:	Yes	Gravel: No Larges: No Bedrock	c: No
Discharge						ecific Data			Confinement:	4		
· ·					SĮ.	ecijic Data			Valley: Chan. Ratio:	4		
Wetted Width (m):		Method Wetted Width (m):							Stage:	M		
Mean Depth (m) :		Method Mean Depth (m):							Flood Signs Ht(m):		Method Flood Signs:	
Mean Velocity (m/s):		Method Mean Velocity (m/s							Braided:		Method Braided:	
Discharge (m3/s):		Method Discharge (m3/s):		<u></u>					Bars (%):		Method Bars:	
Danah Cumha!				***			_		pH:		Method pH:	
Reach Symbol		•	(Fish)						02 (ppm):		Method Dissolved Oxygen:	
									Water Temp. (°C):	4.0	Method Temperature:	HT
			T						Turb. (cm):		Method Turbidity:	
		(Width, Valley: Channel, Slope		d Material)					Cond. (µmhos):		Method Conductivity:	

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-932-999-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

C1 Film 9: 10 d/s, 11 u/s.

Fish sampling (electroshocking) was conducted for 72 seconds. No fish were captured or observed.

This reach has been given a defaulted S-4 classification under the Forest Practices Code.




Photo 145. Upstream view of Stream EDI-574 at Reach 1.



Photo 146. Downstream view of Stream EDI-574 at Reach 1.

4.1.11.32 Stream EDI-753

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	753
Nearest Downstream Watershed Code	182-6976-928
NTS Map (1:50,000)	93J/12
TRIM Map	93J071
Cutting Permit	Squ
Cutblock Number	088
Operating Area	Squawfish
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	300
Habitat Lype	Dry Depression
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This is not a stream, it is a dry gully. It is located along the southwestern corner of the cutblock. No water was present in this area at the time of survey.

Fish sampling was not conducted. No fish were observed.

Since this is a dry gully and not a stream, a stream classification is not required under the Forest Practices Code.

4.1.11.33 Stream 182-6976-928-965

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-965
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J071
Cutting Permit	Squ
Cutblock Number	088
Operating Area	Squawfish
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	The state of the s
Site Number	Not Applicable
Water Temperature (°C)	9.5
Stream Width (m)	1.05
Length Surveyed (m)	600
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-4
Fish Species Identified	RB - Rainbow Trout

Description:

This low gradient (3%) reach flows in a northerly direction along the eastern boundary of cutblock Squ-88. It contained good quality rearing habitat, as it contains large woody debris, deep pools and undercut banks. An abundance of uncompacted gravel substrate (75%) provided excellent spawning potential.

Fish sampling (electroshocking) revealed the presence of regionally significant fish. Two juvenile rainbow trout were captured and several other fish were observed.

This stream contains good quality fish habitat and a regionally significant fish species. It was, therefore, classified as S-4 under the Forest Practices Code.

21-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-965-000-000-000-000-000-000-000

Header Informa	tion												
Stream Name: Unna				Stream "Lo	cal":	N/A						Access:	FT
Watershed Code: 182-6	6976-928-9	65-000-000-000-000-000-000-000								Reach No.:	1	Reach Length (km): 0.60000 Meth	od: MW
Location: Squ 8	8 & 39			Map #:	93J/12					Site No.:	0	Length surveyed (m): 600.0 Meth	od: MW
				U.T.M.:	10.4417	00.606503	0			Fish Card:	N	Field: Yes Historical:	No
Date: 28/05/96 T	ime: 15:0	0 Agency: EDI Surve	ey Crev	w: NC \RM \N	// / ZN	1111				Photos:	#3: 20,21	Air Photos:	
Channel Charac	teristic	es .	ſ		3	Specific De	ıta	····		Bed Material			
Av. Chan. Width (m):	1.1	Method Av. Chan. Width (m):	TF	1.0	1.1	1.0	1.0	0.9	1.3	% Fines (<2mm):	25	% Fines (<2mm):	25
Av. Wet. Width (m):	1.0	Method Av. Wet. Width (m):	TF						. [% Gravels:		• •	
Av. Max. Rif. Depth (cm):	5	Av. Max. Riffle Depth (cm):	MS							% Graveis:	75	Small (2-16mm):	50
Av. Max. Pool Depth (cm):	25	Av. Max. Pool Depth (cm):	5									Large (16-64mm):	25
Gradient (%):	3.0	Method Gradient:	CL				***************************************			% Larges:	0	Small cobble (64-128mm):	C
% Pool: 30 % R	iffle: 40	% Run: 30 % Other:	0	Method:	GE							Large cobble (128-256mm):	C
% Side Channel:	0	Method Side Channel:	GE									Boulder cobble (>256mm):	C
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:	0
Cover								*****		D90 (cm):		Compaction:	High
Cover Total %:	25	Method Cover Total %:	GE							Banks			White the second
Dp Pool: 30 L.O.D.:	15	Boulder: 0 In Veg.:	0	Over Veg:	5	Cutbar	ıkı		50	Dunks			
Crown Closure %:	10	Method Crown Closure:	GE	Aspect:	NW	Method	l Aspect:		С	Height (m):	0,3	% Unstable:	95
										Textures Fines:	Yes	Gravel: No Larges: No Bedroo	
Discharge			Г			ecific Dat				Confinement:	2	•	
****			}		οį	ecijic Dai	<u> </u>			Valley: Chan. Ratio:			
Wetted Width (m):		Method Wetted Width (m):							ĺ	Stage:	Н		
Mean Depth (m):		Method Mean Depth (m):								Flood Signs Ht(m):	0.4	Method Flood Signs:	MS
Mean Velocity (m/s):		Method Mean Velocity (m/s								Braided:	N	Method Braided:	
Discharge (m3/s) :		Method Discharge (m3/s):	l							Bars (%):		Method Bars:	
Reach Symbol										pH:		Method pH:	
and Dymoot		(Fi	ish)							02 (ррт):		Method Dissolved Oxygen:	
										Water Temp. (°C):	9.5	Method Temperature:	нт
										Turb. (cm):		Method Turbidity:	****
			E .										

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-965-000-000-000-000-000-000-000

Fish Summary

21-Aug-97

Obstructions

Species	Number Size Range (1	nm) Infe Phase	Digit (i)	e 2 Use 3	partyfelingil/Rofercace
RB	2 100.0	J	บ		EL
ΙЛ	3	UK			VO VO

Comments

C1

Film 3: 20 u/s, 21 d/s

Fish sampling (electroshocking) was conducted. Two juvenile RB were caught.

Since regionally significant fish were caught within this reach, it has been classified as an S-4 under the Forest Practices Code. This reach contains excellent spawning habitat.



Photo 147. Upstream view of Stream 182-6976-928-965 at Reach 1.



Photo 148. Downstream view of Stream 182-6976-928-965 at Reach 1.

4.1.12. Watershed 182-6976-928-644

Watershed 182-6976-928-644 is located BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), in the eastern portion of the Stuart Lake Watershed Group, east of Pinchi Lake (Fig. 13). The main system (182-6976-928-644) drains easterly into the Ocock River. The basin is located south of Ocock Lake, north of Carrier Lake and northeast of Murray Ridge. Occupying 946 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 790 m at Stuart Lake to approximately 950 m in the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).


According to the biogeoclimatic units of the Prince George Forest Region, this watershed is dominated by sub-zone/variant the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-6976-928-644 (BC Environment 1995). However, as this basin is located between Ocock and Carrier lakes and is a tributary to the Ocock River, it has potential to contain: rainbow trout, peamouth chub, prickly sculpin, redside shiner, large scale sucker, longnose sucker, northern squawfish, mountain and burbot (BC Environment 1997b).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. A small portion of the Ocock River WMC is located at the confluence of the main system 182-6976-928-644 and the Ocock River (Canfor 1996).

Since this watershed lies within a portion of Canfor's North Salmon Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Ocock FSR and its adjoining sideroads (Canfor 1996).

Figure 13. Location of Watershed 182-6976-928-644 within the Stuart Lake Watershed Group



4.1.12.1 Stream 182-6976-928-644-158

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-644-158
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	Oco
Cutblock Number	092
Operating Area	Ocock
Development Type	Cutblock
Survey Date	21-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	1100
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland is located along the northern boundary of the proposed cutblock and flows in a northeasterly direction. This wetland lacks a definable channel and flowing water. Periodic pooling was evident throughout this 50 m wide section of the cutblock.

Fish sampling was not conducted, and no fish were observed.

This wetland does not require a stream classification under the Forest Practices Code. This area should, however, be assigned a wetland classification.

4.1.12.2 Stream EDI-527

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	527
Nearest Downstream Watershed Code	182-6976-928-644-439
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	025
Cutblock Number	105
Operating Area	Ocock
Development Type	Right-of-Way
Survey Date	17-May-95
Reach Number	Not Applicable
Site Number	1
Water Temperature (°C)	Not Recorded
Stream Width (m)	1.7
Length Surveyed (m)	100
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (5.5%) site is located approximately 1500 m east of the cutblock. A low amount of cover was available for rearing, and the bed materials were dominated by fines (80%) and larges (20%). This stream crossing site had been logged prior to this survey. The channel was degraded by skidder tracks, thus making the channel width wider (3.5 m) at the sample site location compared to the rest of the stream.

Fish sampling (minnow traps set for 24 hours) was conducted. No fish were captured or observed.

Since this site contained low quality fish habitat, and no fish were captured or observed, it was classified as S-6 under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-644-439-999-000-000-000-000-000

Header Information					
Stream Name: Unnamed	Stream "Local": EDI 527			Access:	FT
Watershed Code: 182-6976-928-644-439-999-000-000-000-000-000		Reach No.:	0	Reach Length (km): Method:	:
Location: ND/WSC: 182-6976-928-644-439; 025-105 Ocock	Map #: 93J/12	Site No.:	1	Length surveyed (m): 100.0 Method:	: MW
	U.T.M.: 10.438160.6049430	Fish Card:	N	Field: Yes Historical:	No
Date: 17/05/95 Time: 12:45 Agency: EDI Survey Co	ew: RV\EL\RJR\ \ \ \ \	Photos:		Air Photos:	
Channel Characteristics	Specific Data	Bed Material			
Av. Chan. Width (m): 1.7 Method Av. Chan. Width (m): TF		% Fines (<2mm):	80	% Fines (<2mm):	80
Av. Wet. Width (m): 1.7 Method Av. Wet. Width (m): TF		% Gravels:	5	Small (2-16mm):	5
Av. Max. Rif. Depth (cm): 4 Av. Max. Riffle Depth (cm): TF				Large (16-64mm):	0
Av. Max. Pool Depth (cm): 6 Av. Max. Pool Depth (cm): 4		% Larges:	15	Small cobble (64-128mm):	5
Gradient (%): 5.5 Method Gradient: CL		70 Danges	**	Large cobble (128-256mm):	5
% Pool: 20 % Riffle: 20 % Run: 60 % Other: 0	Method: GE			Boulder cobble (>256mm):	5
% Side Channel: 0-10 Method Side Channel: GE % Debris Area: 0-10 Method Debris Area: GE		% Bedrock:	0	% Bedrock:	0
% Debris Area: 0-10 Method Debris Area: GE			U		v
Cover		D90 (cm):		Compaction:	
Cover Total %: 5 Method Cover Total %: GE		Banks			
Dp Pool: L.O.D.: Boulder: In Veg.:	Over Veg: Cutbank:				
Crown Closure %: 0 Method Crown Closure: GE	Aspect: NE Method Aspect: C	Height (m):	0.1	% Unstable:	
		Textures Fines:	Yes	Gravel: No Larges: No Bedrock:	. No
Discharge	Specific Data	Confinement:	3		
Wetted Width (m): Method Wetted Width (m):		Valley: Chan. Ratio:			
Mean Depth (m): Method Mean Depth (m):		Stage:	Н		
Mean Velocity (m/s): Method Mean Velocity (m/s		Flood Signs Ht(m):		Method Flood Signs:	
Discharge (m3/s): Method Discharge (m3/s):		Braided:		Method Braided:	
Distribut 2 is the same of the		☐ Bars (%):		Method Bars:	
Reach Symbol		pH:		Method pH:	
(Fish)		02 (ppm):		Method Dissolved Oxygen:	
	***************************************	Water Temp. (°C):		Method Temperature:	
		Turb. (cm):		Method Turbidity:	
(Width, Valley: Channel, Slope) (B	ed Material)	Cond. (µmhos):		Method Conductivity:	

Stream Survey Report DFO/MoELP Stream Survey Form 182-6976-928-644-439-999-000-000-000-000-000 Watershed Code: 20-Aug-97 Stream: Unnamed Obstructions Fish Summary Comments Fish sampling (minnow traps) was conducted. No fish were captured or observed. C1 This site has been assigned a S-6 classification under the Forest Practices Code.

4.1.13 Watershed 182-6976-928-682

Watershed 182-6976-928-682 is located BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), along the eastern border of the Stuart Lake Watershed Group, east of Stuart Lake (Fig. 14). The main system flows directly into the Ocock River. The watershed is surrounded by the Salmon River Watershed Group to the east, Ocock Lake to the northwest and Carrier Lake to the south. Occupying 2,820 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 790 m at the mainstream confluence with Ocock River to approximately 850 m at the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).


According to the biogeoclimatic units of the Prince George Forest Region, this watershed is dominated by sub-zone/variant the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-6976-928-682 (BC Environment 1995). However, as this basin is located between Ocock and Carrier lakes and enters the Ocock River, it has potential to contain: rainbow trout, peamouth chub, prickly sculpin, redside shiner, large scale sucker, longnose sucker, northern squawfish, mountain whitefish and burbot (BC Environment 1997b).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. A small portion of the Ocock River WMC is located at the confluence of the main system 182-6976-928-682 and the Ocock River (Canfor 1996).

Since this watershed lies within a portion of Canfor's Zap Carrier Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel road located in this watershed is the Teardrop-Carrier FSR and its adjoining sideroads (Canfor 1996).

Figure 14. Location of Watershed 182-6976-928-682 within the Stuart Lake Watershed Group



Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	258
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	27-May-96
Reach Number	2
Site Number	Not Applicable
Water Temperature (°C)	7
Stream Width (m)	2.8
Length Surveyed (m)	200
Habitat Type	Stream
Stream Order (1:20,000)	4, 3
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	None

Description:

This low gradient (2%) section of stream is located outside of the eastern boundary of the proposed cutblock and flows west. Total cover was 40% primarily due to undercut banks (60%). Bed material was domated by gravels (45%) and fines (30%).

Fish sampling (electroshocking) was conducted for 322 sec. Fish were observed, but unidentified. No fish were captured.

Since this reach contains potential spawning and rearing habitat and is in close proximity to the Ocock River, it was defaulted to a S-3* classification under the Forest Practices Code.

Recommendation: Further survey is recommended to determine the presence of regionally significant fish.

31-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-682-000-000-000-000-000-000-000

Header Inform	ation												
•	named		Stream "L	ocal":	N/A						Access:		FT
Watershed Code: 18:	2-6976-928-0	82-000-000-000-000-000-000-000							Reach No.:	2	Reach Length (km):	0.5 Method:	GE
Location: Car	258		Map #:	93J/12					Site No.:	0	Length surveyed (m):	200.0 Method:	GE
			U.T.M.:	10.44299	90.6050780)			Fish Card:	N	Field: Yes	Historical:	No
Date: 5/27/96	Time: 14:	O Agency: EDI Survey C	rew: MS \NHP	\ WC\ \	1111				Photos:	#56: 21, 22	Air Photos:		
Channel Chara	cteristi	cs		3	Specific Da	ta			Bed Material				
Av. Chan. Width (m):	2.8	Method Av. Chan. Width (m): TF	2.9	3.7	2.5	2.5	2.6	2.5	% Fines (<2mm):	30	% Fines (<2mm):		30
Av. Wet. Width (m):	2.6	Method Av. Wet. Width (m): TF							% Gravels:	45	Small (2-16mm):		15
Av. Max. Rif. Depth (cm)	: 30	Av. Max. Riffle Depth (cm): MS						,			Large (16-64mm):		30
Av. Max. Pool Depth (cm): 81	• , ,							% Larges:	25	Small cobble (64-128mm)		15
Gradient (%):	2.0								% Larges:	23	Large cobble (128-256mm		5
% Pool: 25 %	Riffle: 10		Method:	GE							Boulder cobble (>256mm		5
% Side Channel:	0										·	•	-
% Debris Area:	0-10	Method Debris Area: GE							% Bedrock:	0	% Bedrock:		0
Cover									D90 (cm):	10	Compaction:		High
Cover Total % :	40	Method Cover Total %: GE							Banks				
Dp Pool: 20 L.O.E	.: 10	Boulder: 0 In Veg.: 0	Over Veg:	10	Cutban	k:		60					
Crown Closure %:	5	Method Crown Closure: GE	Aspect:	w	Method	l Aspect:	;	C	Height (m):	0.7	% Unstable:		5
							<i>,</i>		Textures Fines:	Yes	Gravel: No Larges	: No Bedrock:	No
Discharge									Confinement:	3			
_				ی	pecific Dat	<i>a</i> 			Valley: Chan. Ratio:				
Wetted Width (m):	2.7	Method Wetted Width (m):						i	Stage:	Н			
Mean Depth (m):	0.8	Method Mean Depth (m):							Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	0.48	Method Mean Velocity (m/s							Braided:		Method Braided:		
Discharge (m3/s):	0.78	Method Discharge (m3/s):							Bars (%):		Method Bars:		
Reach Symbol	****								pH:		Method pH:		
Keuch Symbol		(Fish)							02 (ppm):		Method Dissolved Oxyger	n:	
									Water Temp. (°C):	7.0	Method Temperature:		HT
									Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope) (I	led Material)						Cond. (µmhos):		Method Conductivity:		

DFO/MoELP St	eam Survey For	rm
--------------	----------------	----

31-Dec-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-682-000-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

C1

Film 56: 21 u/s and 22 d/s

Fish sampling (electroshocking) was conducted for 322 seconds over 250m area. Fish were visually observed, but were not captured.

This reach was defaulted to a S-3 classification under the Forest Practices Code due to its close proximity to the Ocock River, visual observation of unidentified fish and presence of good spawning and rearing habitat.



Photo 149. Upstream view of Stream 182-6976-928-682 at Reach 2.



Photo 150. Downstream view of Stream 182-6976-928-682 at Reach 2.

4.1.13.1 Stream EDI-816

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	816
Nearest Downstream Watershed Code	182-6976-928-682
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	258
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	27-May-96 95
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	To the state of th
Stream Width (m)	0.85
Length Surveyed (m)	500
Habitat Type	Stream
Stream Order (1:20,000)	Annie de la constante de la co
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	None

Description:

This low gradient (5%) reach is located along the eastern boundary of the proposed cutblock flowing south. Total cover was 45% provided by large organic debris (40%) and overhanging vegetation (20%). Bed materials were dominated by fines (95%). The upper limit of this reach ended in a wetland.

Fish sampling (electroshocking) was conducted for 100 sec. No fish were captured or observed.

Since this reach was in close proximity to Ocock River, it was defaulted to a S-4* classification under the Forest Practices Code.

Recommendation: Further survey is recommended to determined fish presence and to find the upper limit of fish presence.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-682-999-000-000-000-000-000-000

and the second property of the second second

Hondor Intormati	ion												
Header Informati Stream Name: Unnan			O. #*		FD1046								
		£93 000 000 000 000 000 000 000	Stream "Lo	icai":	EDI 816						Access:		F
		682-999-000-000-000-000-000-000-000		007/40					Reach No.:	1	Reach Length (km):	0.5 Method:	MW
Location: ND/W	SC: 182	-6976-928-682; 258 Carrier	Map #:	93J/12					Site No.:	0	- , ,	500.0 Method:	MW
D . 07/05/05			U.T.M. :		30.6050920				Fish Card:	N		listorical:	No
Date: 27/05/95 Ti	me: 12	30 Agency: EDI Survey	Crew: MS\ WC\	NHP\\	1111				Photos:	56: 19, 20	Air Photos:		
Channel Charact	eristi	cs			Specific Data		***************************************		Bed Material				
Av. Chan. Width (m):	0.9	Method Av. Chan. Width (m):	S 0.8	0.7	1.3	0.8	0.9	0.6	% Fines (≪mm):	95	% Fines (<2mm):		95
Av. Wet. Width (m):	0.9	Method Av. Wet. Width (m): M	s						% Gravels:	0	, ,		
Av. Max. Rif. Depth (cm):	5	Av. Max. Riffle Depth (cm): M	s						% Graveis:	U	Small (2-16mm):		0
Av. Max. Pool Depth (cm):	40	Av. Max. Pool Depth (cm):	5								Large (16-64mm):		0
Gradient (%):	5.0		L						% Larges:	5	Small cobble (64-128mm):		O
	Me: 20		0 Method:	GE							Large cobble (128-256mm):		0
% Side Channel:	0-10										Boulder cobble (>256mm):		5
% Debris Area:	>40	Method Debris Area: G	E						% Bedrock:	0	% Bedrock:		0
Cover									D90 (cm):		Compaction:		High
Cover Total % :	45	Method Cover Total %: G.	E						D				
Dp Pool: 15 L.O.D.:	40		0 Over Veg;	20	Cutbank	:		10	Banks				
Crown Closure % :	5	Method Crown Closure: G	E Aspect:	s	Method A	Aspect:		C	Height (m):	0.1	% Unstable:		
	······								Textures Fines:	Yes			5
Discharge									Confinement:	1 55	Gravel: No Larges:	No Bedrock:	No
•				Sį	ecific Data		·		Valley: Chan. Ratio:	7			
Wetted Width (m):	0.8	Method Wetted Width (m): M	S						Stage:	М			
Mean Depth (m):	0.2	Method Mean Depth (m): M	S						Flood Signs Ht(m):	174	Method Flood Signs:		
Mean Velocity (m/s):	0.20	Method Mean Velocity (m/s	F						Braided:	N	Method Braided:		
Discharge (m3/s):		Method Discharge (m3/s):							Bars (%):	14	Method Bars:		
Reach Symbol									pH:		Method pH:		
Keuch Symbol		(Fish)						02 (ppm):		Method Dissolved Oxygen:		
									Water Temp. (°C):	7.0	Method Temperature:		нт
			***************************************	***************************************					Turb. (cm):	7.0	Method Turbidity:		nı
		(Width, Valley: Channel, Slope)							* W D (CIII):		weenou ruroiuity:		

DFO/MoELP Stream Survey Form 20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-682-999-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

CI Film 56: 19 u/s, 20 d/s.

Fish sampling (electroshocking) was conducted 100 seconds. No fish were captured or observed.

This reach was given a defaulted S-4 classification under the Forest Practices Code.



Photo 151. Upstream view of Stream EDI-816 at Reach 1.



Photo 152. Downstream view of Stream EDI-816 at Reach 1.

4.1.13.2 Stream 182-6976-928-682-085

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-085
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	026
Cutblock Number	144
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	01-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	None
Stream Width (m)	Not Applicable
Length Surveyed (m)	200
Habitat Type	Wetland
Stream Order (1:20;000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland is located along the southern boundary of the proposed cutblock draining in a westerly direction into a marsh. This area lacks a definable channel and is situated in a low lying marsh area. The marsh is approximately 15 ha in size.

Fish sampling was not conducted. No fish were observed.

Since this is a wetland, a stream classification is not required under the Forest Practices Code. This wetland should be protected appropriately.

4.1.13.3 Stream 182-6976-928-682-264

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-264
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93KJ/12
TRIM Map	93J061
Cutting Permit	031
Cutblock Number	170
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	01-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	700
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This area is wetland not a stream. No definable channel or flow was found in the wetland. The habitat at the confluence of this system and EDI-792 was a bog marsh.

Fish sampling was not conducted in this area. No fish were observed.

Due to the fact that this system is wetland, it does not require a stream classification under the Forest Practices Code. However, this area should be protected appropriately.

4.1.13.4 Stream EDI-792

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	792
Nearest Downstream Watershed Code	182-6976-928-682-264
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	031
Cutblock Number	170
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	01-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This area is wetland not a stream. No definable channel or flow was found in the wetland. The habitat at the confluence of EDI-792 and stream 182-676-928-682-264 was a bog marsh.

Fish sampling was not conducted in this area. No fish were observed.

Due to the fact that this system is wetland, it does not require a stream classification under the Forest Practices Code. However, this area should be protected appropriately.

4.1.13.5 Stream EDI-785

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	785
Nearest Downstream Watershed Code	182-6976-928-682
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	026
Cutblock Number	144
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	31-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland is located along the northwestern boundary of the proposed cutblock, draining in a northerly direction. This area lacks a definable channel and is most likely ephemeral.

Fish sampling was not conducted. No fish were observed.

Since this is a wetland, a stream classification is not required under the Forest Practices Code. However, this wetland should be protected appropriately

4.1.13.6 Stream EDI-800

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	800
Nearest Downstream Watershed Code	182-6976-928-682
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	017
Cutblock Number	174
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	01-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	1000
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary is not a stream, it is wetland. The wetland surrounds the western, northern and eastern boundaries of cutblock 17-174. The wetland was surveyed on the eastern and western border of the cutblock. This system is a low lying marsh-bog like area.

Fish sampling was not conducted. No fish were observed.

Since this is a wetland, a stream classification is not required under the Forest Practices Code. It does require a wetland classification and should be protected accordingly.



Photo 153. View of wetland-Stream EDI-800.

4.1.13.7 Stream EDI-796

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	796
Nearest Downstream Watershed Code	182-6976-928-682
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	017
Cutblock Number	174
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	01-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	850
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary is not a stream, it is a wetland. It is located along the northern boundary, draining in a easterly direction. There is no definable channel, although there is some pooling. The area is a low lying bog/wetland.

Fish sampling was not conducted. No fish were observed.

Since this is a wetland, a stream classification is not required under the Forest Practices Code. It does require a wetland classification and should be protected accordingly.

4.1.13.8 Stream EDI-834

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	834
Nearest Downstream Watershed Code	182-6876-928-682
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	017
Cutblock Number	176
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	31-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	200
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary is not a stream but a wetland. It is located east of the cutblock, flowing in a easterly direction. There was pooled water in this area, and the banks were not defined. This area will probably dry out later in the season.

Fish sampling was not conducted. No fish were observed.

Since this is a wetland, a stream classification is not required under the Forest Practices Code. It does require a wetland classification and should be protected accordingly.

4.1.13.9 Stream EDI-795

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
FDI-Code	795
Nearest Downstream Watershed Code	182-6976-928-682
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	017
Cutblock Number	176
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	31-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	0.5
Length Surveyed (m)	300
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This stream is located on the southeastern border of the cutblock. It flows in a northeasterly direction into stream EDI-834. This is an ephemeral stream that flows into a swampy bog area. There was very little flow.

Fish sampling was not conducted. No fish were observed.

This stream reach has been assigned a S-6 classification under the Forest Practices Code due to the low quality fish habitat.



Photo 154. Upstream view of Stream EDI-795.

4.1.13.10 Stream 182-6976-928-682-327

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-327
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	026
Cutblock Number	144
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	31-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland is located along the northeastern boundary of cutblock 26-144 and drains in a northerly direction. This area consisted of pools and there was no definable channel. At the location of the right-of-way, there was no channel present.

Fish sampling was not conducted. No fish were observed.

Since this is a wetland, a stream classification is not required under the Forest Practices Code. However, this wetland should be protected accordingly.

Note: This system is hanging (not connected to another stream) and the watershed code 182-6976-928-682-327 is the nearest downstream watershed code for this system.

4.1.13.11 Stream 182-6976-928-682-476

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-476
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051
Cutting Permit	018
Cutblock Number	146
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	04-Jun-95
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	8
Stream Width (m)	2.6
Length Surveyed (m)	600
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	None

Description:

This low gradient reach is located outside of the northern boundary of the proposed cutblock and flows in a northerly direction. Total cover is 20% with the majority being deep pools (75%). Bed material is dominated by fines (100%). A series of beaver dams were located along this reach which do not impede fish movement.

Minnow traps were set and nothing was caught. No fish were observed.

Since this reach provides fish habitat and it flows into a stream where fish were observed, this reach has been classified by default as S-3* under the Forest Practices Code.

Recommendation: Further surveying (electroshocking) of this reach would be required to determine the presence of regionally significant fish and the upper limit of fish distribution.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report 182-6976-928-682-476-000-000-000-000-000-000

							-			
on										
:d	Stream "L	ocal":	N/A						Access:	FT
76-928-682-476-000-000-000-000-000-000							Reach No.:	1	Reach Length (km): 0.60000 Method:	. MW
Carrier	Map #:	93J/12					Site No.:	0	Length surveyed (m): 600.0 Method:	MW
	U.T.M. :	10.4462	00.6051560				Fish Card:	N	Field: Yes Historical:	No
e: 10:30 Agency: EDI Survey	Crew: BR \ \ \	111	١ ١				Photos:	4: 5	Air Photos:	
ristics	<u> </u>	į.	Specific Data				Bed Material			
2.6 Method Av. Chan. Width (m): M	S 2.9	2.4			3.3	2.3	% Fines (<2mm):	98	% Fines (≪mm):	98
2.0 Method Av. Wet. Width (m):	С					-	` ′			
Av. Max. Riffle Depth (cm):	s						% Graveis:	1	` '	0
90 Av. Max. Pool Depth (cm):						ĺ				
0.5 Method Gradient: 0	L						% Larges:	1	*	1
le: 0 % Run: 10 % Other:	0 Method:	GE							_ , , , ,	0
0-10 Method Side Channel:	E								Boulder cobble (>256mm):	0
0-10 Method Debris Area:	E						% Bedrock:	0	% Bedrock:	0
				******			D90 (cm):		Compaction:	Low
20 Method Cover Total %:	E						Ranks		,	
0 Boulder: 0 In Veg.:	0 Over Veg:	20	Cutbank:	:		5	Duning			
1 Method Crown Closure: C	E Aspect:	N	Method A	Aspect:		С	Height (m):	0.3	% Unstable:	o
							Textures Fines:	Yes	Gravel: No Larges: No Bedrock:	No
			necific Data				Confinement:	2		
M. al 4 W a. 4 W. Jul. () .		· · ·	pecijie zim				Valley: Chan. Ratio:			
• •							Stage:	M		
• ` ` `							Flood Signs Ht(m):		Method Flood Signs:	
							Braided:	Y	Method Braided:	
iviethod Discharge (m.5/s) :							Bars (%):		Method Bars:	
							pH:		Method pH:	
(Fis	1)						02 (ppm):		Method Dissolved Oxygen:	
	<u>.</u>						Water Temp. (°C):	8.0	Method Temperature:	HT
							Turb. (cm):		Method Turbidity:	
·	d 6-928-682-476-000-000-000-000-000-000 Carrier e: 10:30	Stream "Locotion of the content of	Stream "Local": 6-928-682-476-000-000-000-000-000-000 Carrier	Stream "Local": N/A	Stream "Local": N/A	Stream "Local": N/A	Stream "Local": N/A	Stream "Local": N/A Reach No.: Site	Stream "Local": N/A	Stream "Local": N/A

DFO/MoELP	Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Repor
Fish Summary		Obstructions	
Comments			
C1 Film 4	: 5		
Fish sa	ampling (minnow traps) was conducted. No fish were captured or observed.		

This reach has been defaulted to a S-3 classification under the Forest Practices Code.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-476
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J051/61
Cutting Permit	018
Cutblock Number	146
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	18-May-95
Reach Number	2
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	2.5
Length Surveyed (m)	800
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	SU - Suckers (General), NSC - Northern Squawfish

Description:

This low gradient (2%) reach is located along the eastern boundary of the proposed cutblock and flows in a northwesterly direction. The total cover is 30%, primarily due to overhanging vegetation (55%). Bed material is dominated by gravels (45%) and fines (40%). The reach ends at the road where the culvert is plugged with debris. The debris jam restricts fish movement, and should be removed.

Minnow traps were set and 46 suckers and 1 northern squawfish were captured at the outlet of the culvert. No fish were captured at the inlet of the culvert.

Since fish were captured and this reach provides good spawning potential, it has been defaulted to a S-3* under the Forest Practices Code.

Recommendation: The debris jam should be removed, and the culvert size should be assessed to determine if it is of sufficient size to accommodate the water flow. Additional fish sampling should be conducted to determine if regionally significant fish utilize this reach.

25-Feb-98 Stre

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-682-476-000-000-000-000-000-000

Header Informa	ution					
Stream Name: Uni	amed	Stream "Local": N/A			Access:	FT
Watershed Code: 182	-6976-928-682-476-000-000-000-000-000-000		Reach No.:	2	Reach Length (km): 0.80000 Method:	MW
Location: 018	-146 Carrier	Map #: 93J/12	Site No.:	0	Length surveyed (m): 800.0 Method:	MW
		U.T.M.: 10.446410.6050780	Fish Card:	N	Field: Yes Historical:	No
Date: 5/18/95	Time: 12:45 Agency: EDI Survey C	rew: RJR\RVS\SC\\\\\\\	Photos:	1:21	Air Photos:	
Channel Chara	cteristics	Specific Data	Bed Material			
Av. Chan. Width (m):	2.5 Method Av. Chan. Width (m): TF		% Fines (<2mm):	40	% Fines (<2mm):	40
Av. Wet. Width (m):	1.5 Method Av. Wet. Width (m): TF		% Gravels:	45	Smali (2-16mm):	20
Av. Max. Rif. Depth (cm):	10 Av. Max. Riffle Depth (cm): MS				Large (16-64mm):	25
Av. Max. Pool Depth (cm)	: 25 Av. Max. Pool Depth (cm): 10			• ~		
Gradient (%):	2.0 Method Gradient: GE		% Larges:	15	Small cobble (64-128mm):	10 5
% Pool: 30 %	Riffle: 40 % Run: 30 % Other: 0	Method: GE			Large cobble (128-256mm):	0
% Side Channel:	0 Method Side Channel: GE				Boulder cobble (>256mm):	U
% Debris Area:	10-40 Method Debris Area: GE		% Bedrock:	0	% Bedrock:	0
Cover			D90 (cm):	10	Compaction:	Low
Cover Total %:	30 Method Cover Total %: GE		Banks			
Dp Pool: 15 L.O.D	: 15 Boulder: 0 In Veg.: 0	Over Veg: 55 Cutbank:	15			
Crown Closure %:	40 Method Crown Closure: GE	Aspect: NW Method Aspect:	C Height (m):	0.5	% Unstable:	5
			Textures Fines:	Yes	Gravel: No Larges: No Bedrock:	No
Discharge		G 20 D	Confinement:	2	• *	
Ŭ		Specific Data	Valley: Chan. Ratio:	5		
Wetted Width (m):	1.5 Method Wetted Width (m):		Stage:	М		
Mean Depth (m):	0.1 Method Mean Depth (m): The state of the		Flood Signs Ht(m):		Method Flood Signs:	
Mean Velocity (m/s):	0.60 Method Mean Velocity (m/s		Braided:	N	Method Braided:	
Discharge (m3/s):	0.07 Method Discharge (m3/s):		Bars (%):		Method Bars:	
Reach Symbol			pH:		Method pH:	
Neuch Symbol	(Fish)		02 (ppm):		Method Dissolved Oxygen:	
			Water Temp. (°C):		Method Temperature:	
			Turb. (cm):		Method Turbidity:	

25-Feb-98

Stream: Unnamed

Watershed Code:

Stream Survey Report

Fish Summary

Species	Number Size	Range (mm) = Life Phase	Use 1	Use 2 Use 3	Method/Reference
SU	46 70-90	J	R		MT
NSC	1 75.0	J	R		MT

Obstructions

Obstruction Ht(m)	Type	Location	
1	CV	1.0	

Comments

C1 Film 1: 21 d/s.

Fish sampling (minnow traps) was conducted. Forty-six suckers and I northern squawfish were captured at the outlet of the culvert. No fish were caught at the inlet of the culvert.

This reach has been given a defaulted S-3 classification under the Forest Practices Code.

C2 Location 1. The culvert is located 1.7 km upstream from the confluence at the upper reach break.



Photo 155. Downstream view of Stream 182-6976-928-682-476 at Reach 2.

4.1.13.12 Stream 182-6976-928-682-476-002

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-476-002
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061/51
Cutting Permit	018
Cutblock Number	146
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	18-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland occupies a heavily braided area with no defined channel and no flowing water. Only isolated pockets of standing water were present. The substrate within this area was dominated by fine organic materials (90%).

Two minnow traps were baited with roe and left to fish overnight. No fish were captured or observed.

This is a wetland and, therefore, stream classification is not required under the Forest Practices Code. However, this wetland should be protected appropriately.

4.1.13.13 Stream EDI-751

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		Not Available
EDI-Code		751
Nearest Downstream Watershed Code		182-5976-928-682-586
NTS Map (1:50,000)		93J/12
TRIM Map		93J061
Cutting Permit		Car
Cutblock Number		232
Operating Area		Zap Carrier
Development Type		Cutblock
Survey Date		22-Jun-96
Reach Number		Not Applicable
Site Number		Not Applicable
Water Temperature (°C)		Not Applicable
Stream Width (m)		Not Applicable
Length Surveyed (m)		1350
Habitat Type		Seepage
Stream Order (1:20,000)		Not Applicable
Forest Practices Code Stream Classificat	ion	Not Applicable
Fish Species Identified		None

Description:

This is a seepage area, not a stream. This area has no definable banks or channels. It is located on the western side of the cutblock and drains in a northerly direction.

Fish sampling was not conducted in this seepage area. No fish were observed.

As this is a seepage area, stream classification is not required under the Forest Practices Code.

4.1.13.14 Stream 182-6976-928-682-586-371

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-586-371
EDI-C ode	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	232
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	22-Jun-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	10.5
Stream Width (m)	0.75
Length Surveyed (m)	300
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This reach flows in a northwesterly direction outside the eastern boundary of the cutblock. It is a small, low gradient (2.5%) stream which is characterized by a fair amount of cover (50%). Cover is mainly provided by cutbanks (40%) and overhanging vegetation (35%). The substrate is dominated by fines (60%). There is little fish habitat in this reach.

Fish sampling (electroshocking) was conducted for 87 sec. No fish were caught or observed.

This reach begins and ends as a seepage area. It contains low quality fish habitat and was, therefore, given a S-6 stream classification under the Forest Practices Code.

20-Aug-97 Stream: Unnamed Watershed Code:

Stream Survey Report 182-6976-928-682-586-371-000-000-000-000-000

Header Infor	mation											
Stream Name:	Unnamed		Stream "Le	cal":	N/A					Access:		FT
Watershed Code:	182-6976-928-	682-586-371-000-000-000-000-000						Reach No.:	1	Reach Length (km): 0.	30000 Method:	MW
Location:	Car 232		Map #:	93J/12				Site No.:	0	Length surveyed (m):	300.0 Method:	MW
			U.T.M. :	10.4483	30.6052010			Fish Card:	N	Field: Yes	Historical:	No
Date: 22/06/96	Time: 13:	15 Agency: EDI Survey (rew: MS\RM\	111	111			Photos:	#41: 8,9	Air Photos:		
Channel Cha	ıracteristi	cs			Specific Data			Bed Material				
Av. Chan. Width (m):	. 0.8	Method Av. Chan. Width (m): MS	0.7	0.8	0.7 0.8	0.9	0.7	% Fines (<2mm):	60	% Fines (<2mm):		60
Av. Wet. Width (m):	0.6	Method Av. Wet. Width (m): MS						% Gravels:	30	Small (2-16mm):		25
Av. Max. Rif. Depth ((cm): 5	Av. Max. Riffle Depth (cm): MS							-	Large (16-64mm):		5
Av. Max. Pool Depth	(cm): 15							.				_
Gradient (%):	2.5							% Larges:	10	Small cobble (64-128mm):		5
% Pool: 60	% Riffle: 20			GE						Large cobble (128-256mm) Boulder cobble (>256mm):	•	5
% Side Channel:	10-40	Method Side Channel: GE										
% Debris Area:	>40	Method Debris Area: GE						% Bedrock:	0	% Bedrock:		0
Cover								D90 (cm):	7	Compaction:		High
Cover Total %:	50	Method Cover Total %: GE						Banks				
Dp Pool: 5 L.	.O.D.: 20	Boulder: 0 In Veg.: 6	Over Veg:	35	Cutbank:		40	Dunks				
Crown Closure %:	5	Method Crown Closure: GE	Aspect:	NW	Method Aspec	et:	С	Height (m):	0.2	% Unstable:		10
								Textures Fines:	Yes	Gravel: No Larges:	No Bedrock:	No
Discharge					a n .			Confinement:	4	· ·		
_				Sį	pecific Data			Valley: Chan. Ratio:				
Wetted Width (m):		Method Wetted Width (m):						Stage:	L			
Mean Depth (m):		Method Mean Depth (m):						Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	:	Method Mean Velocity (m/s						Braided:		Method Braided:		
Discharge (m3/s):		Method Discharge (m3/s):						Bars (%):		Method Bars:		
Reach Symbo	ol							рН:		Method pH:		
Acuen Symbo	•	(Fish)						02 (ppm):		Method Dissolved Oxygen:		
								Water Temp. (°C):	10.5	Method Temperature:		HT
								Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	Bed Material)					Cond. (µmhos):		Method Conductivity:		

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-682-586-371-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

C1 Film 41: 8 d/s, 9 u/s.

Fish sampling (electroshocking) was conducted for 87 seconds.

This stream has been assigned a S-6 classification under the Forest Practices Code.



Photo 156. Upstream view of Stream 182-6976-928-682-586-371 at Reach 1.



Photo 157. Downstream view of Stream 182-6976-928-682-586-371 at Reach 1.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-682-586-371
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J062
Cutting Permit	Car
Cutblock Number	232
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	22-Jun-96
Reach Number	2
Site Number	Not Applicable
Water Temperature (°C)	14.5
Stream Width (m)	0.58
Length Surveyed (m)	200
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This reach flows in a northwesterly direction outside the eastern boundary of the cutblock. It is a small, low gradient (1.5%) stream which consists of 90% run and limited cover (5%). The substrate is dominated by fines (70%) with smaller components of gravels (20%) and larges (10%). Most of this reach is flowing through old skidder tracks. There is little or no fish habitat in this reach.

Fish sampling (electroshocking) was conducted throughout the reach, however, no fish were captured or observed.

This reach begins as a seepage area and contains minimal fisheries potential. This along with the fact that there were no fish observed resulted in a S-6 classification under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-682-586-371-000-000-000-000-000

Header Info	ormation											
Stream Name:	Unnamed		Stream "L	ocal":	N/A					Access:		
Watershed Code:	182-6976-928-6	682-586-371-000-000-000-000-000						Reach No.:	2	Reach Length (km): 0.2	20000 Method:	MW
Location:	Car 232		Map #:	93J/12				Site No.:	0	Length surveyed (m):	200.0 Method:	MW
			U.T.M. :	10.4485	00.6051850			Fish Card:	N	Field: Yes	Historical:	No
Date: 22/06/96	Time: 11:0	OO Agency: EDI Survey	Crew: RM VMS	1111	111			Photos:	#41:6,7	Air Photos:		
Channel Ch	aracteristi	cs			Specific Data			Bed Material				
Av. Chan. Width (m	n): 0.6	Method Av. Chan. Width (m):	AS 0.5	0.6	0.7 0.	8 0.3	0.6	% Fines (<2mm):	70	% Fines (<2mm):		70
Av. Wet. Width (m)			AS					% Gravels:	20	Small (2-16mm):		10
Av. Max. Rif. Depth		• • •	1S							Large (16-64mm):		10
Av. Max. Pool Dept		• • • • • • • • • • • • • • • • • • • •	5					% Larges:	10	Small cobble (64-128mm):		5
Gradient (%):	1.5		CL					A Larges.	10	Large cobble (128-256mm):		5
% Pool: 5	% Riffle: 5		0 Method:	GE						Boulder cobble (>256mm):		0
% Side Channel:	0-10		3E					1				_
% Debris Area:	0-10	Method Debris Area:	GE					% Bedrock:	0	% Bedrock:		0
Cover								D90 (cm):	9	Compaction:		High
Cover Total % :	5	Method Cover Total %:	GE					Banks				
Dp Pool: 5	L.O.D.: 10	Boulder: 0 In Veg.:	5 Over Veg	: 5	Cutbank:		75					
Crown Closure %:	: 0	Method Crown Closure:	GE Aspect:	NW	Method As	pect:	C	Height (m):	0,2	% Unstable:		10
								Textures Fines:	Yes	Gravel: No Larges:	No Bedrock:	No
Discharge			<u> </u>		pecific Data			Confinement:	5			
Ū				3	pecific Data			Valley: Chan. Ratio:	5			
Wetted Width (m):	:	Method Wetted Width (m):						Stage:	L			
Mean Depth (m):	.	Method Mean Depth (m):						Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s	s):	Method Mean Velocity (m/s						Braided:		Method Braided:		
Discharge (m3/s):		Method Discharge (m3/s) :						Bars (%):		Method Bars:		
Reach Syml	hol							pH:		Method pH:		
	~ ~ ~	(Fis	h)					02 (ppm):		Method Dissolved Oxygen:		
								Water Temp. (°C):	14.5	Method Temperature:		HT
								Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bed Material)					Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form 20-Aug-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-682-586-371-000-000-000-000-000

Fish Summary

Obstructions

Comments

CI Film 41: 6 u/s, 7 d/s

Fish sampling (electroshocking) was conducted throughout the reach, however no fish were captured or observed.

This reach contains begins as a seepage area and contains minimal fisheries potential. This along with the fact that there weren't any fish observed, resulted in an S-6 fish stream classification under the Forest Practices Code.

Note: Much of this reach is following old skidder tracks.

C2 Stream too low to measure discharge




Photo 158. Upstream view of Stream 182-6976-928-682-586-371 at Reach 2.



Photo 159. Downstream view of Stream 182-6976-928-682-586-371 at Reach 2.

4.1.13.15 Stream EDI-749

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	749
Nearest Downstream Watershed Code	182-6976-928-682-586-371
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	232
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	22-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This tributary is a seepage area, not a stream. It has no definable banks or channel. It drains in a northerly direction across the northeastern boundary of the proposed cutblock. The dominant vegetation in this area included Devil's club, grasses and sedges.

Fish sampling was not conducted in this seepage area. No fish were observed.

As this is a seepage area, stream classification is not required under the Forest Practices Code.

4.1.13.16 Stream EDI-750

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		Not Available
EDI-Code		750
Nearest Downstream Watershed Code		182-6976-928-682-586-371
NTS Map (1:50,000)		93J/12
TRIM Map		93J061
Cutting Permit		Car
Cutblock Number		232
Operating Area		Zap Carrier
Development Type		Cutblock
Survey Date		22-Jun-96
Reach Number		Not Applicable
Site Number		Not Applicable
Water Temperature (°C)		Not Applicable
Stream Width (m)		Not Applicable
Length Surveyed (m)		500
Habitat Type		Seepage
Stream Order (1:20,000)		Not Applicable
Forest Practices Code Stream Classifica	ıtion	Not Applicable
Fish Species Identified		None

Description:

This is a seepage area, not a stream. This area has no definable banks or channel. It drains in a northerly direction through the northeastern boundary of the block.

Fish sampling was not conducted in this seepage area. No fish were observed.

As this is a seepage area, stream classification is not required under the Forest Practices Code.

4.1.14. Watershed 182-6976-928-761

Watershed 182-6976-928-761 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), the eastern portion of the Stuart Lake Watershed Group (Fig. 15), on the eastern side of Stuart Lake. The main system flows directly into Ocock Lake, and is surrounded by the Salmon River to the east, Ocock River to the west, and Carrier Lake to the south. Occupying 3,987 ha of the Stuart Lake Provincial Forest, the geographical relief is low and ranges from approximately 800 m at Ocock Lake to approximately 900 m in the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).


According to the biogeoclimatic units of the Prince George Forest Region, this watershed is dominated by sub-zone/variant the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-6976-928-761 (BC Environment 1995). However, BC Environment lake inventories indicate Ocock Lake was found to contain rainbow trout, peamouth chub, burbot, redside shiner, mountain whitefish, large scale suckers, longnose suckers, and northern squawfish. Therefore, this basin has high potential to support these fish species (BC Environment 1997b).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. A small portion of the Ocock River WMC is located at the confluence of the main system 182-6976-928-761 and the Ocock River (Canfor 1996).

Since this watershed lies within a portion of Canfor's Carrier Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel road located in this watershed is the Ocock FSR and its adjoining sideroads (Canfor 1996).

Figure 15. Location of Watershed 182-6976-928-761 within the Stuart Lake Watershed Group



Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-761
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	194
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	1100
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

This wetland was located along the southeastern corner of the cutblock and flowed in a southwesterly direction. A defined channel was not found in this area. It should be considered a Fisheries Sensitive Zone as it flows into a wetland/stream complex that supported fish.

Fish sampling was not conducted and no fish were observed.

Since this area was a wetland, stream classification is not required under the Forest Practices Code. However, this wetland should be considered a Fisheries Sensitive Zone and be protected accordingly.

4.1.14.1 Stream EDI-791

Gazetted Stream Name	Unnamed	
Local Stream Name	Not Applicable	
Watershed Code	Not Available	
EDI-Code	791	
Nearest Downstream Watershed Code	182-6976-928-761-388	
NTS Map (1:50,000)	93J/12	
TRIM Map	93J061	
Cutting Permit	Car	
Cutblock Number	183	
Operating Area	Zap Carrier	
Development Type	Cutblock	
Survey Date	29-May-96	
Reach Number	Not Applicable	
Site Number	Not Applicable	
Water Temperature (°C)	Not Applicable	
Stream Width (m)	Not Applicable	
Length Surveyed (m)	600	
Habitat Type	Seepage	
Stream Order (1:20,000)	Not Applicable	
Forest Practices Code Stream Classification	Not Applicable	
Fish Species Identified	None	

Description:

This unnamed tributary is not a stream, it is a seepage. It is located on the northwestern boundary of the cutblock and drains westerly into an unnamed lake. The area is dominated by spruce, alder and willow.

Fish sampling was not conducted in this seepage and no fish were observed.

As this is a seepage, it does not require a stream classification under the Forest Practices Code.

4.1.15 Watershed 182-6976-928-761-582

Watershed 182-6976-928-761-582 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), along the eastern border of the Stuart Lake Watershed Group, east of Stuart Lake (Fig. 16). The main system flows in a southerly direction into stream 182-6976-928-761, which drains into Ocock Lake. The basin is surrounded by the Salmon River to the east, Ocock River to the west, and Carrier Lake to the south. Occupying 1,600 ha of the Stuart Lake Provincial Forest, the geographical relief is low and ranges from approximately 800 m at the confluence to approximately 900 m at the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).

According to the biogeoclimatic units of the Prince George Forest Region, this watershed is dominated by sub-zone/variant the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-6976-928-761-582 (BC Environment 1995). Nonetheless, this system flows into a tributary of Ocock Lake which may contain: rainbow trout, peamouth chub, burbot, redside shiner, mountain whitefish, large scale suckers, longnose suckers, and northern squawfish (BC Environment 1995). Therefore, this basin has high potential to support these fish species.

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. WMC's are not located within Watershed 182-6976-928-761-582 (Canfor 1996).

Since this watershed lies within a portion of Canfor's Carrier Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel road located in this watershed is the Ocock FSR and its adjoining sideroads (Canfor 1996).

Figure 16. Location of Watershed 182-6976-928-761-582 within the Stuart Lake Watershed Group Watershed Location Map Scale: 1:400,000 Date: April 1997 **BC Environment Watershed Atlas Features** 93K077 Watershed Boundary Stuart Lake Watershed Group Watershed Boundary Babine Lake Watershed Group ---100-1000-100 Watershed Code 1:20000 TRIM Mapsheet Grid Streams 93K048 Study Watershed Source of Data: BC Environment, Fisheries Branch Stuart Lake Watershed Group **Babine Lake Watershed Group** Watershed Atlas, Region 7 Stuart Lake Watershed Group Babine Lake Watershed Group Prepared By: Carol McKee NVIRONMENTAL DYNAMICS

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-761-582
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-96
Reach Number	Transfer Street
Site Number	Not Applicable
Water Temperature (°C)	6.5
Stream Width (m)	2.2
Length Surveyed (m)	450
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-3
Fish Species Identified	RB - Rainbow Trout, LSU - Longnose Sucker

This unnamed stream flows in a southeasterly direction above the northern edge of the cutblock. This small low gradient (1.5%) stream is characterized by 65% run, and 20% pool. The total cover 35% was provided by undercut bands (40%) deep pools (25%) and large organic debris (15%). The bed material consisted of 40% fines, 40% gravels, and 20% larges. Numerous redds were observed, proving the area to be excellent spawning habitat.

Fish sampling (electroshocking) was conducted due to the presence of spawning fish. Rainbow trout were observed in spawning colors.

Due to excellent spawning habitat and the presence of regionally significant fish this reach was classified as S-3 under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-761-582-000-000-000-000-000-000

Header Informa	tion													
Stream Name: Unn	amed			Stream "Lo	cal":	N/A						Access:		FT
Watershed Code: 182-	6976-928-	761-582-000-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.45 Method:	MW
Location: Car	279			Map #:	93J/12					Site No.:	0	Length surveyed (m):	450.0 Method:	MW
				U.T.M.:	10.44796	50.6060380				Fish Card:	N	Field: Yes	Historical:	No
Date: 25/05/96	Fime: 12:	15 Agency: EDI Sur	vey Cr	ew: PT\RM\	1111	. 1 1				Photos:	#57:11,12	Air Photos:		
Channel Charac	teristi	cs		ſ	ک	Specific Dat	e e			Bed Material				
Av. Chan. Width (m):	2.2	Method Av. Chan. Width (m):	TF	2.0	2.2	2.2	2.4	1.7	2.5	% Fines (≪mm):	40	% Fines (<2mm):		40
Av. Wet. Width (m):	2.2	Method Av. Wet. Width (m):	TF							% Gravels:	40	Small (2-16mm):		30
Av. Max. Rif. Depth (cm):	20		MS									Large (16-64mm):		10
Av. Max. Pool Depth (cm):	65		20]	% Larges:	20	Small cobble (64-128mm)		10
Gradient (%):	1.5	·	CL							76 Larges.	20	Large cobble (128-256mm)		5
	Riffle: 15	% Run: 65 % Other:		Method:	GE							Boulder cobble (>256mm	•	5
% Side Channel:	0-10	Method Side Channel:	GE								_	-	<i>}•</i>	
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):	12	Compaction:		High
Cover Total %:	35	Method Cover Total %:	GE							Banks				
Dp Pool: 25 L.O.D.:	15	Boulder: 5 In Veg.:	5	Over Veg:	10	Cutbanl	c :		40	3,000,000				
Crown Closure %:	10	Method Crown Closure:	GE	Aspect:	SE	Method	Aspect:		С	Height (m):	0.2	% Unstable:		5
							·····	***************************************		Textures Fines:	Yes	Gravel: No Larges	: No Bedrock:	No
Discharge				ſ 						Confinement:	4	•		
•				ļ	SĮ	ecific Data				Valley: Chan. Ratio:				
Wetted Width (m):	2.2	Method Wetted Width (m):	TF							Stage:	н			
Mean Depth (m):	0.5	Method Mean Depth (m):	MS							Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	0.51	Method Mean Velocity (m/s	F							Braided:		Method Braided:		
Discharge (m3/s):	0.56	Method Discharge (m3/s):	f	L						Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
ALCHON DYMOU		(Fish)							02 (ppm):		Method Dissolved Oxyge	n:	
										Water Temp. (°C):	6.5	Method Temperature:		нт
				·	=					Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope) (Be	d Material)						Cond. (µmhos):		Method Conductivity:		

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-761-582-000-000-000-000-000-000

Fish Summary

Obstructions

-915-316-	्रिकारकारकार्यः । श्रेष्टरभ्रद्धन्यस्य ।	il initerious	iduaet grii	ura Euraeli	- Areigningsrewike
RB	4 150-400	A	S		EL

Comments

C2 Some of these fish were visually observed.

Redds containing eggs were observed on stream substrate.

C1 Film 57: 11 u/s, 12 d/s.

Fish sampling (electroshocking) was conducted for 31 seconds and rainbow trout were captured and visually observed.

This stream has a S-3 classification.



Photo 160. Upstream view of Stream 182-6976-928-761-582 at Reach 1.



Photo 161. Downstream view of Stream 182-6976-928-761-582 at Reach 1.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-761-582
EDI-Code .	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-96
Reach Number	2
Site Number	Not Applicable
Water Temperature (°C)	6
Stream Width (m)	22 (1) A 10-1-1-1-1-1-1 1-1-1-1-1-1-1-1-1-1-1-1-1
Length Surveyed (m)	1200
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-3*
Fish Species Identified	None

This unnamed stream flows in a southeasterly direction above the northern corner of the cutblock. It is a small, low gradient reach (2.5%), which is characterized by 50% run, and 35% pool. The total cover (50%) is primarily due to overhanging vegetation(40%) and undercut bank (20%). The substrate consists of 40% fines, 40% gravels and 20% larges. Recent beaver activity was observed in the area, however, no major obstructions were present which would prevent fish passage. A 600 m section of the drainage upstream of Reach 2 is a wetland. This wetland contains 8 beaver dams.

Fish sampling (electroshocking) was conducted for 330 sec and no fish were captured or observed.

Due to the good spawning and rearing habitat, a lack of any major obstructions, and the presence of regionally significant fish downstream, this reach was defaulted to a S-3* classification for Forest Practices Code.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-761-582-000-000-000-000-000-000

Header Informat	ion													
Stream Name: Unnar	ned			Stream "Lo	cal":	N/A						Access:		FT
Watershed Code: 182-6	976-928-	761-582-000-000-000-000-000-000								Reach No.:	2	Reach Length (km):	1.20000 Method:	MW
Location: Car 27	9			Map #:	93J/12					Site No.:	0	Length surveyed (m):	1200.0 Method:	MW
				U.T.M. :	10.44712	20.6060680				Fish Card:	N	Field: Yes	Historical:	No
Date: 25/05/96 Ti	me: 10:	4 Agency: EDI Sur	vey Cre	w: RD\RM\	111	111				Photos:	#57: 9,10	Air Photos:		
Channel Charact	eristi	cs				Specific Dat	la			Bed Material				
Av. Chan. Width (m):	1.4	Method Av. Chan. Width (m):	MS	1.6	1.1	1.0	1.7	1.7	1.4	% Fines (<2mm):	40	% Fines (≪mm):		40
Av. Wet. Width (m):	1.4	Method Av. Wet. Width (m):	MS							% Gravels:	40	Small (2-16mm):		30
Av. Max. Rif. Depth (cm):	16	Av. Max. Riftle Depth (cm):	MS							76 Graveis.	40	` '		
Av. Max. Pool Depth (cm):	36	Av. Max. Pool Depth (cm):	16									Large (16-64mm):		10
Gradient (%):	2.5	Method Gradient:	CL							% Larges:	20	Small cobble (64-128mm	n):	10
% Pool: 35 % Ri	ffle: 15	% Run: 50 % Other:	0	Method:	GE							Large cobble (128-256m	ım):	5
% Side Channel:	0	Method Side Channel:	GE									Boulder cobble (>256mi	m):	5
% Debris Area:	10-40	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):	11	Compaction:		High
Cover Total % :	50	Method Cover Total %:	GE							Banks				
Dp Pool: 15 L.O.D.:	15	Boulder: 5 In Veg.:	5	Over Veg:	40	Cutban	k:		20	Dunks				
Crown Closure %:	20	Method Crown Closure:	GE	Aspect :	NE	Method	Aspect:		С	Height (m):	0.3	% Unstable:		5
										Textures Fines:	Yes	Gravel: No Large	s: No Bedrock:	No
Discharge						pecific Data			······	Confinement:	3	_		
Wetted Width (m):		No. of the second second second				ecijic Dau				Valley: Chan. Ratio:				
` '		Method Wetted Width (m):								Stage:	Н			
Mean Depth (m):		Method Mean Depth (m):								Flood Signs Ht(m):	0.1	Method Flood Signs:		MS
Mean Velocity (m/s):		Method Mean Velocity (m/s								Braided:		Method Braided:		
Discharge (m3/s) :		Method Discharge (m3/s):								Bars (%):		Method Bars:		
Reach Symbol							-			рН:		Method pH:		
		(I	Fish)							02 (ppm):		Method Dissolved Oxyg	en:	
										Water Temp. (°C):	6.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	Be	d Material)						Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form
20-Aug-97 Stream: Unnamed Watershed Code: Stream Survey Report
Pish Summary Obstructions

Comments

Çī

Film 57: 9 u/s, 10 d/s.

Fish sampling (electroshocking) was conducted for 330 seconds and no fish were captured or observed.

This section of stream was given a S-3 classification under the Forest Practices Code.



Photo 162. Upstream view of Stream 182-6976-928-761-582 at Reach 2.



Photo 163. Downstream view of Stream 182-6976-928-761-582 at Reach 2.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-761-582
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	277
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	3
Site Number	Not Applicable
Water Temperature (°C)	<u> </u>
Stream Width (m)	0.36
Length Surveyed (m)	200
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

This unnamed stream flows in a northeasterly direction near the northeastern corner of the cutblock. It is a small, low gradient reach, consisting of mainly run and fine substrates. Total cover (65%) was primarily due to large organic debris (40%), overhanging vegetation (30%) and deep pools (20%). Eight beaver dams upstream of this reach have made fish movement into this area improbable.

Fish sampling (electroshocking) was conducted for 61 sec. No fish were captured or observed.

This stream was classified as S-6 under the Forest Practices Code as the beaver dams located downstream would inhibit fish movement and due to the low quality fish habitat.

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

Header Information FT Access: Stream "Local": N/A Stream Name: Unpamed MW Reach No.: Reach Length (km): 0.20000 Method: Watershed Code: 182-6976-928-761-582-000-000-000-000-000-000 Length surveyed (m): 200.0 Method: MW 93J/12 Site No.: Map #: Car 279 Location: No N Field: Yes Historical: 10.446210.6060640 Fish Card: U.T.M.: Air Photos: Photos: #57: 16.17 Agency: EDI Survey Crew: RD \RMN\C \ \ \ \ \ Date: 5/26/96 Time: 12:00 Red Material Channel Characteristics Specific Data 1.0 0.2 0.2 0.3 0.2 0.2 Method Av. Chan. Width (m): MS 90 Av. Chan. Width (m): % Fines (<2mm): % Fines (<2mm): Av. Wet. Width (m): Method Av. Wet. Width (m): MS % Gravels: Small (2-16mm): 10 MS Av. Max. Rif. Depth (cm): Av. Max. Riffle Depth (cm): Large (16-64mm): a 0 Av. Max. Pool Depth (cm): Av. Max. Pool Depth (cm): Small cobble (64-128mm): 0 % Larges: CL Method Gradient: Gradient (%): Large cobble (128-256mm): 0 % Other: 0 Method: GE % Pool: % Riffle: 0 % Run: 75 Boulder cobble (>256mm): 0 Method Side Channel: GE % Side Channel: GE % Bedrock: % Bedrock: Method Debris Area: % Debris Area: High D90 (cm): Compaction: Cover Method Cover Total %: GE Ranks Cover Total % : Cutbank: 5 Over Veg: 30 Do Pool: 20 L.O.D.: Boulder: In Veg.: Method Crown Closure: SW Method Aspect: Crown Closure %: GE Aspect: 15 Height (m): 0.3 % Unstable: Textures Fines: Yes Gravel: No Larges: No Bedrock: No Confinement: Discharge Specific Data Valley: Chan. Ratio: Wetted Width (m): Method Wetted Width (m): Stage: Н Mean Depth (m): Method Mean Depth (m): Method Flood Signs: MS Flood Signs Ht(m): 0.3 Method Mean Velocity (m/s Mean Velocity (m/s): Method Braided: Braided: Discharge (m3/s): Method Discharge (m3/s): Bars (%): Method Bars: pH: Method pH: Reach Symbol (Fish) Method Dissolved Oxygen: 02 (ppm): HT Water Temp. (°C): Method Temperature: Turb. (cm): Method Turbidity: (Width, Valley: Channel, Slope) (Bed Material) Cond. (µmhos): Method Conductivity:

17-Dec-97 Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-761-582-000-000-000-000-000-000

Fish Summary

Obstructions

e (dictionalistic attent)	Lype	Location
3	BD	1.0

Comments

C2

C1 Film 57: 16 w/s, 17 d/s

Fish sampling (electroshocking) was conducted for 61 seconds and no fish were captured or observed.

This section of stream was given a S-6 classification under the Forest Practices Code.

There is a series of beaver dams (8 total) at the lower limit of this reach, approximately 1.8 km w/s of the confluence with EDI-577, that significantly impede fish passage potential.

The beaver dams ranged in height from 70 cm to 2.5 m, creating a large wetland complex.

Note: The computer rounded the height up from 2.5 m to 3 m.



Photo 164. Upstream view of Stream 182-6976-928-761-582 at Reach 3.



Photo 165. Downstream view of Stream 182-6976-928-761-582 at Reach 3.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-761-582
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	277
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	4
Site Number	Not Applicable
Water Temperature (°C)	3.5
Stream Width (m)	0.53
Length Surveyed (m)	400
Habitat Type	Stream
Stream Order (1:20,000)	1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

This small unnamed stream flows northeasterly through the centre of the cutblock. It has a low gradient (6%). There was stable heavy debris within the stream. The total cover (70%) was primarily due to large organic debris (50%) and overhanging vegetation (35%).

Fish sampling (electroshocking) was not conducted. No fish were captured or observed.

The stream was classified as S-6 under the Forest Practices Code due to its low quality fish habitat, the minimal accessibility from the lower reaches.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-761-582-000-000-000-000-000-000

Header Informatio	n													
Stream Name: Unname	d		S	tream "Loc	al":	N/A						Access:		FT
Watershed Code: 182-697	6-928-761-582-000-00	00-000-000-000-000-000								Reach No.:	4	Reach Length (km):	0.40000 Method:	MW
Location: Car 279			M	Лар#: !	93J/12					Site No.:	0	Length surveyed (m):	400.0 Method:	MW
			U	J. T.M. :	10.44608	0.6060180)			Fish Card:	N	Field: Yes	Historical:	No
Date: 26/05/96 Tim	e: 13:45	Agency: EDI Surv	vey Crew:	RD \RV \N	C	111				Photos:	#57: 18,19	Air Photos:		
Channel Characte	ristics				S	pecific Da	ta			Bed Material				
Av. Chan. Width (m):	0.5 Method Av	. Chan. Width (m):	MS	0.5	0.7	0.6	0.5	0.5	0.5	% Fines (<2mm):	45	% Fines (<2mm):		45
Av. Wet. Width (m):	0.5 Method Av	. Wet. Width (m):	MS							% Gravels:	40	Small (2-16mm):		30
Av. Max. Rif. Depth (cm):	5 Av. Max. R	liffle Depth (cm):	MS						ļ	70 Graveis.		Large (16-64mm):		10
Av. Max. Pool Depth (cm):	10 Av. Max. P	ool Depth (cm):	5							% Larges:	15	Small cobble (64-128m	m).	10
Gradient (%):	6.0 Method Gr	adient:	CL							% Larges:	1.7	Large cobble (128-256)		0
% Pool: 0 % Riff	le: 0 % Run:	0 % Other:		Method:								Boulder cobble (>256m		5
% Side Channel:	0 Method Sid		GE									·	,-	0
% Debris Area:	>40 Method De	bris Area:	GE							% Bedrock:	0	% Bedrock:		-
Cover										D90 (cm):	12	Compaction:		High
Cover Total %:	70 Method Co	over Total %:	GE							Banks				
Dp Pool: 5 L.O.D.:	50 Boulder:	5 In Veg.:	0 (Over Veg:	35	Cutban	ık:		5					
Crown Closure %:	15 Method Cr	own Closure:	GE A	Aspect :	NE	Method	d Aspect:	:	C	Height (m):	0.1	% Unstable:		
										Textures Fines:	Yes	Gravel: No Larg	es: No Bedrock:	No
Discharge			<u> </u>		.Sr	ecific Dat	ta			Confinement:	3			
	he /r 1997	+ XX P A (E. /)	ļ	***************************************			•			Valley: Chan. Ratio:				
Wetted Width (m):		tted Width (m):								Stage:	M			
Mean Depth (m):		an Depth (m):	1							Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):		an Velocity (m/s								Braided:	N	Method Braided:		
Discharge (m3/s):	Method Disc	charge (m3/s) :								Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
The state of the state of		(Fish)							02 (ppm):		Method Dissolved Oxy	-	
			<u> </u>							Water Temp. (°C):	3.5	Method Temperature:		
										Turb. (cm):		Method Turbidity:		
	(Width	ı, Valley: Channel, Slope) (Bed N	Material)						Cond. (µmhos):		Method Conductivity:		

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-761-582-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

C1 Film 57-18 u/s, 19d/s

Fish sampling (electroshocking) was not conducted.

This section of stream was given a S-6 classification under the Forest Practices Code.

C2 Channel charateristics were not recorded.



Photo 166. Upstream view of Stream 182-6976-928-761-582 at Reach 4.



Photo 167. Downstream view of Stream 182-6976-928-761-582 at Reach 4.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-761-582
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	194
Operating Area	Carrier
Development-Type	Not Applicable
Survey Date	28-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	8
Length Surveyed (m)	600
Habitat Type	Stream/Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not applicable
Fish Species Identified	SP - Species Present, not identified

This section of stream was located along the eastern boundary of the cutblock and it flowed in a southerly direction. The stream flowed through a large wetland that should be given a wetland classification. Many small fish were seen rising in the channel and waterfowl were observed in the area. The stream flows out of a lake and into another large wetland. Rearing and overwintering habitat were excellent.

Fish sampling was not conducted. Several unidentified fish were observed.

Since several fish were noted rising in the channel, the stream should be considered a Fisheries Stream under the Forest Practices Code. The wetland surrounding the stream, however, was easily accessible to fish and should be considered a Fisheries Sensitive Zone. It is thus recommended that this entire area be classified as a wetland in order to afford the highest degree of protection possible.

Note: The information noted above was derived from field notes collected by Environmental Dynamics' crews and is only intended as additional relevant information for this inventory project. A full inventory was not conducted at this location.




Photo 168. Downstream view of Stream 182-6976-928-761-582.

4.1.15.1 Stream EDI-809

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	809
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	194
Operating Area	Carrier
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This was not a stream, it was a seepage. It was located in the southwestern corner of the cutblock and it flowed in a northeasterly direction into a large wetland. A defined channel was unable to be found and flow was minimal. Where flow was present, it flowed over organic substrates through shrubs.

Fish sampling was not conducted and no fish were observed.

Since this was a seepage and not a stream, a stream classification is not necessary under the Forest Practices Code.

4.1.15.2 Stream 182-6976-928-761-582-098

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-761-582-098
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	194
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	1
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	0.88
Length Surveyed (m)	250
Habitat-Lype	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-4*
Fish Species Identified	RSC-Redside Shiner

Description:

This reach flowed in an easterly direction along the northern boundary of the cutblock between two lakes. The stream was small in size and the gradient was low (5%). The cover was moderate (30%) and was dominted by overhanging vegetation (50%) and large organic debris (30%). Stream structure consisted mainly of sections of run (50%) and the bed materials was dominated by larges (50%) and fines (35%). These characteristics combine to form a stream that provides good rearing habitat and poor spawning potential. The upper limit of this reach consists of a series of beaver dams that created a 100 m wide wetland. This wetland was composed mainly of large beaver ponds and lacked a defined channel. It contained potential to overwinter fish and should, therefore, be considered a Fisheries Sensitive Zone.

Fish sampling was conducted for 191 sec and several redside shiners were captured. A 10 cm fish was observed near the lower limit of this reach but it was not identified.

Since this reach flowed between two lakes and fish were observed (not regionally significant) in the stream, it was given a defaulted S-4* classification under the Forest Practices Code.

Note: Should the presence of regionally significant fish be confirmed, further survey may be required.

17-Dec-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-6976-928-761-582-098-000-000-000-000-000-000

Header Info	rmation	!													
Stream Name:	Unnamed			5	Stream "Lo	cal":	N/A						Access:		FT
Watershed Code:	182-6976-9	928-76	51-582-098-000-000-000-000-000								Reach No.:	1	Reach Length (km):	0.25 Method	d: MW
Location:	Car 194			ľ	Map #:	93J/12					Site No.:	0	Length surveyed (m):	250.0 Method	d: MW
				1	U.T.M. :	10.44594	10.6057070)			Fish Card:	N	Field: Yes	Historical:	No
Date: 5/28/96	Time:	00:00	Agency: EDI Survey	y Crew	:BC \LL \P1	T	1 1 1				Photos: #1: 3, 4 #14: 2	22, 23, 24	Air Photos:		
Channel Ch	aracteri	stic	S		· · · · · · · · · · · · · · · · · · ·	S	specific Da	ta			Bed Material				
Av. Chan. Width (m	ı):	0.9	Method Av. Chan. Width (m):	TF	1.0	1.2	0.8	0.7	0.9	0.7	% Fines (<2mm):	35	% Fines (<2mm):		35
Av. Wet. Width (m):	:	8.0	Method Av. Wet. Width (m):	TF							% Gravels:	15	Small (2-16mm):		10
Av. Max. Rif. Depth	(cm):	12	Av. Max. Riffle Depth (cm):	MS							/		Large (16-64mm):		5
Av. Max. Pool Depti	h (cm):	22	Av. Max. Pool Depth (cm):	12								50	• • •	\	_
Gradient (%):		5.0	Method Gradient:	CL							% Larges:	50	Small cobble (64-128mm	•	30
% Pool: 15	% Riffle:	35	% Run: 50 % Other:	0	Method:	GE							Large cobble (128-256m)	-	10
% Side Channel:		0	Method Side Channel:	GE									Boulder cobble (>256mn	1):	10
% Debris Area:		0-10	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover											D90 (cm):	11	Compaction:		Medium
Cover Total % :		30	Method Cover Total %:	GE							Banks				
Dp Pool: 10 I	L.O.D.:	30	Boulder: 5 In Veg.:	0	Over Veg:	50	Cutban	k:		5					
Crown Closure %:		5	Method Crown Closure:	GE .	Aspect :	E	Method	l Aspect:	:	С	Height (m):	0.4	% Unstable:		5
											Textures Fines:	Yes	Gravel: No Large	s: No Bedrock	e: No
Discharge				Г		.Sr	ecific Date	α			Confinement:	3			
Wetted Width (m):		0.8	Method Wetted Width (m):	TF -							Valley: Chan. Ratio:				
Mean Depth (m):				MS							Stage:	М			
Mean Velocity (m/s)			Method Mean Velocity (m/s	F							Flood Signs Ht(m):	0.26	Method Flood Signs:		MS
Discharge (m3/s):			Method Discharge (m3/s):	F							Braided:	N	Method Braided:		
~ riterial Be (iiivia).				· L							Bars (%):		Method Bars:		
Reach Symb	bol		/F72	n la V							рН:		Method pH:		
_			(Fis	su)							02 (ppm):		Method Dissolved Oxyge	en:	
											Water Temp. (°C):		Method Temperature:		
											Turb. (cm):		Method Turbidity:		
			(Width, Valley: Channel, Slope)	(Bed !	Material)						Cond. (µmhos):		Method Conductivity:		

DFO/Mo	ELP Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Report
Fish Sum	mary	Obstructions	
Comments			
Cı	Film 1: 3 u/s, 4 d/s. Film 14: 22 & 23looking u/s towards the lake, 24beaver dam Fish sampling (electroshocking) was conducted for 191 seconds and no fish were cap This stream was defaulted to an S-4 stream under the Forest Practices Code because the downstream wetland and a 10cm unidentified fish was observed at the bottom of several large ponds. There are lakes on both ends of this stream so it should be consi	otured or observed. it contains good spawning and rearing habitat. Also, several red-sided shiners reach 1. Upstream, there are a series of beaver dams creating a 10m wide we	were caught in kland area with

No temperature was taken.

Beaver dam was located 20m u/s of the upper limit of reach 1. It may or may not be an obstruction.

C2

С3



Photo 169. Upstream view of Stream 182-6976-928-761-582-098 at Reach 1



Photo 170. Downstream view of Stream 182-6976-928-761-582-098 at Reach 1.

4.1.15.3 Stream EDI-810

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	810
Nearest Downstream Watershed Code	182-6976-928-761-582-098
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	194
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	28-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This seepage was located in the upper portion of the cutblock and it drained in a northeasterly direction into 182-6976-928-761-582-098. There was no defined channel, and minimal water flowed over organic substrate.

Fish sampling was not conducted and no fish were observed.

Since this was a seepage and not a stream, classification is not required under the Forest Practices Code.

4.1.15.4 Stream EDI-590

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	590
Nearest Downstream Watershed Code	182-6976-928-761-582-340
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	200
Habitat Type	Seepage
Stream Order (1:20;000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream, it is a seepage area. It is located southwest of the cutbock, and it flows southwest. There is no definable channel.

Fish sampling (electroshocking) was unable to be conducted due to limited water present.

This area is a seepage area, stream classification under the Forest Practices Code.

4.1.15.5 Stream EDI-584

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	584
Nearest Downstream Watershed Code	182-6976-928-761-582-340
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Сат
Cutblock Number	277
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	25-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
HabitatType	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. It is located on the southern corner of the cutblock and flows in a southeastern direction into another stream. The substrate consists of organic fine substrate and no definable channel was found.

Fish sampling (electroshocking) was not conducted. No fish were observed.

Due to the fact that this is a seepage, stream classification is not required under the Forest Practices Code.

4.1.15.6 Stream EDI-591

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	591
Nearest Downstream Watershed Code	182-6976-928-761-582-340
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	200
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream, it is a seepage. It is located southwest of cutblock Car 279, and it flows southwest according to TRIM.

Fish sampling was not conducted. No fish were observed.

This seepage does not require stream classification under the Forest Practices Code.

4.1.15.7 Stream EDI-586

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	586
Nearest Downstream Watershed Code	182-6976-928-761-582-369
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	1000
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. It is located on the southern corner of the cutblock and flows in a southerly direction. The substrate is comprised mainly of leaf litter and organic material. No definable channel was noted.

Fish sampling (electroshocking) was unable to be conducted due to insufficient water. No fish were observed.

Due to the fact that this is a seepage area, stream classification is not required under the Forest Practices Code.

4.1.15.8 <u>Stream EDI-587</u>

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	587
Nearest Downstream Watershed Code	182-6976-928-761-582-369
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	150
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. It is located southeast of cutblock Car-279.

Fish sampling was not conducted in this seepage area. No fish were observed.

Due to the fact that this is a seepage area, stream classification is not required under the Forest Practices Code.

4.1.15.9 Stream EDI-589

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	589
Nearest Downstream Watershed Code	182-6976-928-761-582-369
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. It is located southwest of cutblock Car-279. and it flows into stream EDI-587.

Fish sampling was not conducted in this seepage area. No fish were observed.

Due to the fact that this is a seepage area and not a stream, no fish stream classification is required under the Forest Practices Code.

4.1.15.10 Stream EDI-588

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	588
Nearest Downstream Watershed Code	182-6976-928-761-582-369
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. It is located southwest of cutblock Car-279, and it flows into stream EDI-587.

Fish sampling was not conducted in this seepage area. No fish were observed.

Due to the fact that this is a seepage area, stream classification is not required under the Forest Practices Code.

4.1.15.11 <u>Stream EDI-748</u>

Gazetted Stream Name	Unnamed				
Local Stream Name	Not Applicable				
Watershed Code	Not Available				
EDI-Code	748				
Nearest Downstream Watershed Code	182-6979-928-761-582-03				
NTS Map (1:50,000)	93J/12				
TRIM Map	93J062				
Cutting Permit	Car				
Cutblock Number	206				
Operating Area	Zap Carrier				
Development Type	Cutblock				
Survey Date	21-Jun-96				
Reach Number	Not Applicable				
Site Number	Not Applicable				
Water Temperature (°C)	Not Applicable				
Stream Width (m)	Not Applicable				
Length Surveyed (m)	100				
Habitat Type	Not Applicable				
Stream Order (1:20,000)	Not Applicable				
Forest Practices Code Stream Classification	Not Applicable				
Fish Species Identified	None				

Description:

Stream EDI-748 does not exist within the proximity of the block boundary. No stream could be found.

4.1.15.12 Stream EDI-581

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	581
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream, it is a seepage area. It is located on the southeastern side of the cutblock and drains in a northeasterly direction into an S-3 class fish stream. No definable channel was found, and the substrate is comprised of leaf litter, organics and fines.

Fish sampling (electroshocking) was unable to be conducted due to minimal water. No fish were observed.

This area is a seepage and not a stream and hence requires no classification under the Forest Practices Code. However, care should be taken during logging and road construction as it drains into a significant salmonid spawning stream.

4.1.15.13 Stream EDI-579

Gazetted Stream Name		Unnamed		
Local Stream Name		Not Applicable		
Watershed Code		Not Available		
EDI-Code		579		
Nearest Downstream Watershed Code		182-6976-928-761-582		
NTS Map (1:50,000)		93J/12		
TRIM Map		93J061		
Cutting Permit		Car		
Cutblock Number		279		
Operating Area		Zap Carrier		
Development Type		Right-of-Way and Cutblock		
Survey Date		25-May-96		
Reach Number		Not Applicable		
Site Number		Not Applicable		
Water Temperature (°C)		Not Applicable		
Stream Width (m)		Not Applicable		
Length Surveyed (m)		600		
Habitat Type		Seepage		
Stream Order (1:20,000)		Not Applicable		
Forest Practices Code Stream Classifica	tion	Not Applicable		
Fish Species Identified		None		

Description:

This unnamed tributary is not a stream but a seepage area. It is located on the eastern side of the cutblock and drains in a northeasterly direction into a S-3 stream. There is no definable channel and the substrate is comprised mainly of leaf litter and organic materials.

Fish sampling (electroshocking) was unable to be conducted. No fish were observed.

Although no fish stream classification is required under the Forest Practices Code, care should be taken during logging to keep siltation to a minimum as the seepage area drains directly into a fish bearing stream and rainbow trout spawning habitat.

4.1.15.14 Stream EDI-580

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	580
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream, it is a seepage area. It is located on the eastern side of the cutblock and drains easterly into another seepage. The substrate is comprised mainly of leaf litter and organic fines, and a definable channel was not found.

Fish sampling (electroshocking) was unable to be conducted due to minimal flows. No fish were observed.

Although this seepage does not require classification under the Forest Practices Code, caution should be taken during logging to avoid possible siltation downstream in an adjoining fish stream.

4.1.15.15 Stream EDI-582

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	582
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	25-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. No definable banks were noted and the substrate consisted of entirely leaf litter and organic soils. It is located north of the cutblock and drains into a fish bearing stream and rainbow trout spawning area.

Fish sampling (electroshocking) was unable to be conducted. No fish were observed.

Due to the fact that this is a seepage area and not a stream, no fish stream classification is required under the Forest Practices Code.

4.1.15.16 Stream EDI-578

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	578
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Сат
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream; it is a seepage area. The seepage begins on the eastern side of the cutblock and drains into a S-3 stream.

Fish sampling (electroshocking) was unable to be conducted. No fish were observed.

Although this area doesn't require classification under the Forest Practices code, the seepage does drain directly into a S-3 class stream containing rainbow spawning habitat just downstream of the seepage drainage point. Therefore, caution should be taken during logging to avoid siltation of the spawning sites.

4.1.15.17 Stream EDI-577

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	577
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Right-of-Way and Cutblock
Survey Date	25-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage. It begins in the northern corner of the cutblock and drains into a S-3 class stream.

Fish sampling (electroshocking) was not conducted. No fish were observed.

This area is not a stream and hence requires no classification under the Forest Practices Code. However, care should be taken during logging to avoid siltation of the S-3 stream which the seepage drains into.

4.1.15.18 Stream EDI-583

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	583
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	277
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	600
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. There is no definable channel and there was minimal flow over leaf litter and moss. It is located in the centre of the cutblock and drains directly into a S-6 stream.

Fish sampling (electroshocking) was unable to be conducted due to limited water being present. No fish were observed.

Due to the fact that this is a seepage area and not a stream, no fish stream classification is required under the Forest Practices Code.

4.1.15.19. Stream EDI-585

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	585
Nearest Downstream Watershed Code	182-6976-928-761-582
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	Car
Cutblock Number	279
Operating Area	Zap Carrier
Development Type	Cutblock
Survey Date	26-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream but a seepage area. It is located on the western side of the cutblock and drains west into a wetland area. The substrate consists of organic material and no definable channel was apparent.

Fish sampling (electroshocking) was not conducted. No fish were observed.

Due to the fact that this is a seepage, stream classification is not required under the Forest Practices Code.

4.1.16. Watershed 182-6976-928-781

Watershed 182-6976-928-781 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), within the eastern section of the Stuart Lake Watershed Group, east of Stuart Lake (Fig. 17). The basin drains in a easterly direction into the Ocock Lake. The basin is surrounded by the Ocock River to the east, Tsilcoh River to the northwest, and Carrier Lake to the south. Occupying 2,600 ha of the Stuart Lake Provincial Forest, the geographical relief is low and ranges from approximately 800 m at the confluence with Ocock Lake to approximately 900 m at the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).


According to the biogeoclimatic units of the Prince George Forest Region, this watershed is dominated by sub-zone/variant the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-6976-928-761 (BC Environment 1995). However, BC Environment lake inventories indicate Ocock Lake was found to contain rainbow trout, peamouth chub, burbot, redside shiner, mountain whitefish, large scale suckers, longnose suckers, and northern squawfish. Therefore, this basin has potential to support these fish species (BC Environment 1997b).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. A small portion of the Ocock River WMC is located at the confluence of the main system 182-6976-928-781 and the Ocock River (Canfor 1996).

Since this watershed lies within a portion of Canfor's Ocock Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel road located in this watershed is the Ocock West FSR and its adjoining sideroads (Canfor 1996).

Figure 17. Location of Watershed 182-6976-928-781 within the Stuart Lake Watershed Group



4.1.16.1 Stream 182-6976-928-781-100

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-781-100
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	011
Cutblock Number	134
Operating Area	Ocock
Development Type	Cutblock
Survey Date	25-May-95
Reach Number	Not Applicable
Site Number	resident 1
Water Temperature (°C)	11.0
Stream Width (m)	1.70
Length Surveyed (m)	100
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (2.5%) section of stream flows in an easterly direction along the northeastern side of the cutblock. The substrate was composed of fines (80%) and gravels. Spawning potential for salmonids was limited by the high proportion of fine bed materials. Fish access was impeded in several locations where the flow went subsurface or spread out across the substrate.

A minnow trap was baited with roe and left to fish overnight in a pool. No fish were captured or observed.

This section of stream contains poor quality fish habitat and is likely inaccessible to fish. It was, therefore, classified as S-6 under the Forest Practices Code.

DFO/MoELP Stream Survey Form

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-781-100-000-000-000-000-000-000

Header Informat	ion													
Stream Name: Unnar	ned			Stream "Lo	cal":	N/A						Access:		FT
Watershed Code: 182-6	976-928-7	781-100-000-000-000-000-000-000								Reach No.:	0	Reach Length (km):	Method:	
Location: 011-1	4 Ocock			Map #:	93J/12					Site No.:	1	Length surveyed (m):	100.0 Method:	MW
				U.T.M. :	10.43797	5.605326	56			Fish Card:	N	Field: Yes I	listorical:	No
Date: 25/05/95 Ti	me: 13:0	OO Agency: EDI Surv	vey Crev	w: RV\ \ \	1111	١ .				Photos:	2: 4	Air Photos:		
Channel Characi	eristi	cs	[***************************************	s	pecific D	ata			Bed Material				
Av. Chan. Width (m):	1.7	Method Av. Chan. Width (m):	MS	1.5	1.6	0.7	2.2	3.0	1.2	% Fines (<2mm):	80	% Fines (<2mm):		80
Av. Wet. Width (m):	1.5	Method Av. Wet. Width (m):	MS	1.2	1.3	1.5	1.5	1.5	2.2	% Gravels:	20	Small (2-16mm):		10
Av. Max. Rif. Depth (cm):	6	Av. Max. Riffle Depth (cm):	MS							,, 0.11.0.0.		Large (16-64mm):		10
Av. Max. Pool Depth (cm):	40	Av. Max. Pool Depth (cm):	6							% Larges:	0	Small cobble (64-128mm):		0
Gradient (%):	2.5		CL							% Larges:	U	Large cobble (128-256mm):		0
	Me: 15	% Run: 10 % Other:	0	Method:	GE							Boulder cobble (>256mm):		0
% Side Channel:	0	Method Side Channel:	GE									, ,		
% Debris Area:	0-10	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):		Compaction:		High
Cover Total % :	25	Method Cover Total %:	GE							Banks				
Dp Pool: 5 L.O.D.:	15	Boulder: 0 In Veg.:	30	Over Veg:	50	Cutbs	nk:		0					
Crown Closure %:	5	Method Crown Closure:	GE	Aspect:	E	Metho	od Aspect:	:	С	Height (m):	0.3	% Unstable:		10
										Textures Fines:	Yes	Gravel: No Larges:	No Bedrock:	No
Discharge					C.	ecific De	****			Confinement:	3			
<u> </u>						recijie Di	214			Valley: Chan. Ratio:				
Wetted Width (m):		Method Wetted Width (m):								Stage:	М			
Mean Depth (m):		Method Mean Depth (m):								Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):		Method Mean Velocity (m/s								Braided:	N	Method Braided:		
Discharge (m3/s):		Method Discharge (m3/s):								Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
z.z		(I	Fish)							02 (ppm):		Method Dissolved Oxygen:		
			····							Water Temp. (°C):	11.0	Method Temperature:		нт
										Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	(Bed	i Material)						Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-781-100-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

C1 Film 2: 4 d/s.

Fish sampling (minnow trapping) was conducted. No fish were captured or observed.

This section of stream was assigned a S-6 classification under the Forest Practices Code.




Photo 171. Downstream view of Stream 182-6976-928-781-100 at Site 1.

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-781-100
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	011
Cutblock Number	134
Operating Area	Ocock
Development Type	Cutblock
Survey Date	25-May-95
Reach Number	Not Applicable
Site Number	2
Water Temperature (°C)	10.0
Stream Width (m)	1.70
Length Surveyed (m)	100
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (3%) section of stream flows in an easterly direction along the northeastern side of the cutblock. The substrate was composed of fines (70%), small cobbles and gravels. There was no spawning potential for salmonids. Water flowed sub-surface in several areas around the site, obstructing fish passage and limiting the amount and quality of fish habitat.

A minnow trap was baited with roe and left to fish overnight in a pool. No fish were captured or observed.

This section of stream contains poor quality fish habitat and is likely inaccessible to fish. It was, therefore, classified as S-6 under the Forest Practices Code.

DFO/MoELP Stream Survey Form

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-781-100-000-000-000-000-000-000

Header Informati	on													
Stream Name: Unnan	ned			Stream "Lo	cal":	N/A						Access:		FT
Watershed Code: 182-69	76-928-7	81-100-000-000-000-000-000-000-000								Reach No.:	0	Reach Length (km):	Method:	
Location: 011-13	4 Ocock			Map #:	93J/12					Site No.:	2	Length surveyed (m):	100.0 Method:	MW
				U.T.M. :	10.43688	3.605318	19			Fish Card:	N	Field: Yes	Historical:	No
Date: 25/05/95 Ti	me: 14:0	O Agency: EDI Sur	vey Cres	w: RV\ \ \	1111					Photos:	2: 5	Air Photos:		
Channel Charact	eristi	es .		1,011	S	pecific D	ata			Bed Material				
Av. Chan. Width (m):	1.7	Method Av. Chan. Width (m):	TF	1.6	1.5	1.5	1.9	2.0	1.5	% Fines (<2mm):	70	% Fines (<2mm):		70
Av. Wet. Width (m):	1.2	Method Av. Wet. Width (m):	TF	1.4	1.0	1.3	1.1	1.1	1.3	% Gravels:	10	Small (2-16mm):		0
Av. Max. Rif. Depth (cm):	8	Av. Max. Riffle Depth (cm):	TF									Large (16-64mm):		10
Av. Max. Pool Depth (cm):	30	Av. Max. Pool Depth (cm):	8								20			5
Gradient (%):	3.0	Method Gradient:	CL							% Larges:	20	Small cobble (64-128mm): Large cobble (128-256mm		15
% Pool: 40 % Ri	ffle: 30	% Run: 30 % Other:	0	Method:	GE							Boulder cobble (>256mm)	-	0
% Side Channel:	0	Method Side Channel:	GE									,	•	_
% Debris Area:	0-10	Method Debris Area:	GE							% Bedrock:	0	% Bedrock:		0
Cover										D90 (cm):		Compaction:		Low
Cover Total % :	30	Method Cover Total %:	GE							Banks				
Dp Pool: 5 L.O.D.:	40	Boulder: 10 In Veg.:	20	Over Veg:	25	Cutba	nk:		0					
Crown Closure %:	5	Method Crown Closure:	GE	Aspect:	E	Metho	od Aspect:		С	Height (m):	0.3	% Unstable:		
										Textures Fines:	Yes	Gravel: No Larges:	No Bedrock:	No
Discharge					C.	pecific De				Confinement:	3			
Ŭ					3)	оесціє Де	114			Valley: Chan. Ratio:				
Wetted Width (m):		Method Wetted Width (m):								Stage:	М			
Mean Depth (m):		Method Mean Depth (m):								Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):		Method Mean Velocity (m/s								Braided:	N	Method Braided:		
Discharge (m3/s):		Method Discharge (m3/s):								Bars (%):		Method Bars:		
Reach Symbol										pH:		Method pH:		
Meuch Symbol		(Fish)							02 (ppm):		Method Dissolved Oxyger	:	
										Water Temp. (°C):	10.0	Method Temperature:		HT
										Turb. (cm):		Method Turbidity:		

DFO/MoE 20-Aug-97	ELP Stream Survey Form Stream: Unnamed	• Watershed Code:	Stream Survey Report 182-6976-928-781-100-000-000-000-000-000-000-000
Fish Summ	ary	Obstructions	
Comments			
C1	Film 2: 5 d/s.		
	Fish sampling (minnow traps) was conducted. No fish were captured or observed.		
	This section of stream was given a S-6 classification under the Forest Practices Code.		

.



Photo 172. Downstream view of Stream 182-6976-928-781-100 at Site 2.

4.1.16.2 Stream EDI-824

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	824
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	012
Cutblock Number	140
Operating Area	Ocock
Development Type	Cutblock
Survey Date	25-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	100
Habitat Type	Dry Depression
Stream Order (1:20;000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This drainage was investigated at the southwestern corner of the cutblock. It occupied a shallow gully with no defined channel and no water. It was identified as a dry depression at this location.

Fish sampling was not conducted and no fish were observed.

This area does not require classification under the Forest Practices Code.

4.1.16.3 Stream EDI-543

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI -Code	543
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	012
Cutblock Number	128
Operating Area	Ocock
Development Type	Cutblock
Survey Date	25-May-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	10.0
Stream Width (m)	1.00
Length Surveyed (m)	300
Habitat Type	Stream
Stream Order (1:20,000)	2, 1
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This section of stream is located along the northwestern boundary of the proposed cutblock and flows in a northeasterly direction into a small lake. This section of stream consisted mainly of fine organic substrates. A stream card was not completed.

Fish sampling was not conducted. No fish were observed.

Since this area did not possess any fisheries habitat, it was classified as S-6 under the Forest Practices Code.

4.1.16.4 Stream 182-6976-928-781-100-433

Gazetted Stream Name		Unnamed
Local Stream Name		Not Applicable
Watershed Code		182-6976-928-781-100-433
EDI- Code		Not Applicable
Nearest Downstream Watershed Code		Not Applicable
NTS Map (1:50,000)		93J/12
TRIM Map		93J061
Cutting Permit		011
Cutblock Number		134
Operating Area		Ocock
Development Type		Cutblock
Survey Date		25-May-95
Reach Number		Not Applicable
Site Number		Not Applicable
Water Temperature (°C)		Not Recorded
Stream Width (m)		Not Recorded
Length Surveyed (m)		300
Habitat Type		Stream
Stream Order (1:20,000)		2
Forest Practices Code Stream Classification) n	S-6
Fish Species Identified		None

Description:

This stream flows in a northeasterly direction along the northeastern side of the cutblock. The stream channel was braided and contained very little flowing water. The substrate was dominated by fine materials. Additionally, there was little cover for rearing. A stream card was not completed.

A minnow trap baited with roe was left to fish overnight in a pool at the confluence of this stream. No fish were captured or observed.

This stream contained very poor fish habitat. It was, therefore, classified as S-6 under the Forest Practices Code.

4.1.16.5 Stream 182-6976-928-781-490

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-6976-928-781-490
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93J/12
TRIM Map	93J061
Cutting Permit	012
Cutblock Number	140
Operating Area	Ocock
Development Type	Cutblock
Survey Date	25-May-95
Reach Number	A A
Site Number	Not Applicable
Water Temperature (°C)	6.0
Stream Width (m)	0.55
Length Surveyed (m)	1800
Habitat Type	Stream
Stream Order (1:20,000)	1, 2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This low gradient (1.5%) reach flows in an easterly direction along the northern boundary of the proposed cutblock. Total cover was 30% with the majority being large organic debris (80%). The bed material was dominated by fines (90%). This high component of fine substrate limited the spawning potential.

Fish sampling was not conducted. No fish were observed.

This reach contained poor fisheries habitat and was classified as S-6 under the Forest Practices Code.

DFO/MoELP Stream Survey Form

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-781-490-000-000-000-000-000-000

Stream Name: Un	named	Stream "Local": N/A			Access:	FI
Watershed Code: 183	2-6976-928-781-490-000-000-000-000-000-000		Reach No.:	999	Reach Length (km): 1.8 Method	: MV
Location: 01	2-140 Ocock	Map #: 93 J/12	Site No.:	0	Length surveyed (m): 1800.0 Method	: MV
		U.T.M.: 10.436252.6054132	Fish Card:	N	Field: Yes Historical:	No
Date: 25/10/95	Time: 11:20 Agency: EDI Survey C	rew: RV\ \ \ \ \ \ \ \	Photos:	2: 3	Air Photos:	
Channel Chara	ecteristics	Specific Data	Bed Material			
Av. Chan. Width (m):	0.6 Method Av. Chan. Width (m): TF		% Fines (<2mm):	90	% Fines (<2mm):	90
Av. Wet. Width (m):	0.3 Method Av. Wet. Width (m): TF		% Gravels:	5	Small (2-16mm):	
Av. Max. Rif. Depth (cm)	• • •				Large (16-64mm):	:
Av. Max. Pool Depth (cm)			% Larges:	5	Small cobble (64-128mm):	:
Gradient (%): % Pool: 65 %	1.5 Method Gradient: CL Riffle: 10 % Run: 25 % Other: 0	Method: GE			Large cobble (128-256mm):	
% Side Channel:	0 Method Side Channel: GE	Method. GE			Boulder cobble (>256mm):	,
% Debris Area:	0-10 Method Debris Area: GE		% Bedrock:	0	% Bedrock:	(
			D90 (cm):		Compaction:	High
Cover						
Cover Total %: Dp Pool: 0 L.O.D	30 Method Cover Total %: GE 30 Boulder: 0 In Veg.: 0	Over Veg: 20 Cutbank:	Banks			
Crown Closure %:	10 Method Crown Closure: GE	-		0.5	% Unstable:	
			Height (m): Textures Fines:	0.5 Yes	Gravel: No Larges: No Bedrock:	: N
Discharge			Confinement:	2	Giavei. No Emiges, No Bediock.	. 14
Discharge		Specific Data	Valley: Chan. Ratio:	•		
Wetted Width (m):	Method Wetted Width (m):		Stage:	М		
Mean Depth (m):	Method Mean Depth (m):		Flood Signs Ht(m):		Method Flood Signs:	
Mean Velocity (m/s):	Method Mean Velocity (m/s		Braided:	N	Method Braided:	
Discharge (m3/s):	Method Discharge (m3/s):		Bars (%):		Method Bars:	
Reach Symbol			pH:		Method pH:	
Keuch Symbol	(Fish)		02 (ppm):		Method Dissolved Oxygen:	
			Water Temp. (°C):	6.0	Method Temperature:	н
		 	Turb. (cm):		Method Turbidity:	
	(Width, Valley: Channel, Slope) (1	ied Material)	Cond. (µmhos):		Method Conductivity:	

DFO/MoELP Stream Survey Form

Stream: Unnamed

Watershed Code:

Stream Survey Report

182-6976-928-781-490-000-000-000-000-000-000

Fish Summary

20-Aug-97

Obstructions

Comments

C1 Film 2: 3 w/s.

Note: Reach '999' should read Reach 'A'.

Fish sampling was not conducted. No fish were observed.

This reach was assigned a S-6 classification under the Forest Practices Code.



Photo 173. Upstream view of Stream 182-6976-928-781-490 at Reach A.

4.1.17 Watershed 182-7154

Watershed 182-7154 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993), within the southern portion of the Stuart Lake Watershed Group, south of Stuart Lake (Fig. 18). This system flows directly into Stuart Lake and is surrounded by Watershed 182-6350-570-145 to the south, Watershed 182-6350-570 to the west, Watershed 182-7246 to the north and Stuart Lake to the east. Occupying 3,321 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 670 m at Stuart Lake to approximately 980 m in the headwaters of Pam Lake (BC Environment 1995; Department of Energy, Mines and Resources 1977). Only a small section in the southern portion of this watershed was surveyed by *Environmental Dynamic* in 1996.

This watershed is dominated by two sub-zones/variants according to the biogeoclimatic units of the Prince George Forest Region. These units include: the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3), and the Babine Moist Cold Sub-Boreal Spruce sub-zone (SBSmc2) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-7154 (BC Environment 1995). Nonetheless, this system flows directly into Stuart Lake and has potential to support several fish species (as noted in FISS) including: Dolly Varden¹, mountain whitefish, rainbow trout, chinook salmon, kokanee and sockeye salmon (BC Environment 1995).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. WMC's are not located within Watershed 182-7154 (Canfor 1996).

Since this watershed lies within a portion of Canfor's Karena Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Cunningham FSR and its adjoining sideroads (Canfor 1996).

¹The species identified as Dolly Varden (Salvelinus malma), in the Fisheries Information Summary System is, in all probability, bull trout (Salvelinus confluentus), as indicated by population distribution studies conducted by Haas and McPhail (1991).

Figure 18. Location of Watershed 182-7154 within the Stuart Lake Watershed Group Watershed Location Map Scale: 1:400,000 Date: April 1997 93K077 **BC Environment Watershed Atlas Features** Watershed Boundary Stuart Lake Watershed Group Watershed Boundary Babine Lake Watershed Group Watershed Code 1:20000 TRIM Mapsheet Grid Streams Lakes Study Watershed **Babine Lake Watershed Group** Stuart Lake Watershed Group Source of Data: BC Environment, Fisheries Branch Watershed Atlas, Region 7 Stuart Lake Watershed Group Babine Lake Watershed Group Prepared By: Carol McKee NVIRONMENTAL DYNAMICS

9031 North Nechako Road, Prince George, B.C. V2K 4Z8 Phone: (250)562-5412

4.1.17.1 Stream EDI-525

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	525
Nearest Downstream Watershed Code	182-8154-01
NTS Map (1:50,000)	93K/7
TRIM Map	93K048
Cutting Permit	061
Cutblock Number	038
Operating Area	Karena
Development Type	Cutblock
Survey Date	10-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	500
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This unnamed tributary is not a stream, it is a seepage area. The area contains discontinuous banks, some ponded water, and organic substrate. Some flow was present over mosses. Outside of the block the gradient increases and the seepage likely becomes a stream.

Fish sampling was not conducted. No fish were observed.

Due to the fact that this is a seepage area and not a stream, a stream classification is not required under the Forest Practices Code.

4.1.18 Watershed 182-7246

Watershed 182-7246 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993) within the southern portion of the Stuart Lake Watershed Group, south of Stuart Lake (Fig. 19). This system flows directly into Stuart Lake and is surrounded by Watershed 182-7154 to the south, Babine Lake Watershed Group to the west and Stuart Lake to the north and east. Occupying 1, 945 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 670 m at Stuart Lake to approximately 980 m in the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977). Only a small section in the western portion of this watershed was surveyed by Environmental Dynamic in 1995.

This watershed is dominated by two sub-zones/variants according to the biogeoclimatic units of the Prince George Forest Region. These units include: the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3), and the Babine Moist Cold Sub-Boreal Spruce sub-zone (SBSmc2) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-7246 (BC Environment 1995). Nonetheless, this system flows directly into Stuart Lake and has potential to support several fish species (as noted in FISS) including: Dolly Varden¹, mountain whitefish, rainbow trout, chinook salmon, kokanee and sockeye salmon (BC Environment 1995).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. WMC's are not located within Watershed 182-7246 (Canfor 1996).

Since this watershed lies within a portion of Canfor's Whitefish Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Cunningham FSR and its adjoining sideroads (Canfor 1996).

^{&#}x27;The species identified as Dolly Varden (Salvelinus malma), in the Fisheries Information Summary System is, in all probability, bull trout (Salvelinus confluentus), as indicated by population distribution studies conducted by Haas and McPhail (1991).

Figure 19. Location of Watershed 182-7246 within the Stuart Lake Watershed Group Watershed Location Map Scale: 1:400,000 Date: April 1997 **BC Environment Watershed Atlas Features** 93K077 Watershed Boundary Stuart Lake Watershed Group Watershed Boundary Babine Lake Watershed Group 100-1000-100 Watershed Code 1:20000 TRIM Mapsheet Grid Streams Lakes 93K048 Study Watershed **Babine Lake Watershed Group** Source of Data: BC Environment, Fisheries Branch Watershed Atlas, Region 7 Stuart Lake Watershed Group Stuart Lake Watershed Group Babine Lake Watershed Group Prepared By: Carol McKee ENVIRONMENTAL DYNAMICS Natural Resource Consultants

9031 North Nechako Road, Prince George, B.C. V2K 4Z8 Phone: (250)562-5412

4.1.18.1 Stream EDI-1906

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	1906
Nearest Downstream Watershed Code	182-7246-882
NTS Map (1:50,000)	93K/10
TRIM Map	93K057
Cutting Permit	092
Cutblock Number	001
Operating Area	Whitefish
Development Type	Right-of-Way and Cutblock
Survey Date	12-Jun-95
Reach Number	A
Site Number	Not Applicable
Water Temperature (°C)	15
Stream Width (m)	0.88
Length Surveyed (m)	300
Habitat Type	Stream
Stream Order (1:20,000)	To the second se
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

This reach is located outside of the eastern boundary of the proposed cutblock and flows southeasterly with a low gradient of less than 1%. Total cover is less than 5%, which was provided by overhanging vegetation. Bed material is dominated by fines. The upper limit of this reach ended at the cutblock boundary where the channel becomes discontinuous, resembling a seepage. The channel at the road crossing does not have a culvert.

Fish sampling was not conducted. No fish were observed.

This reach lacks any fisheries habitat potential and was classified as S-6 under the Forest Practices Code.

DFO/MoELP Stream Survey Form 20-Aug-97 Stream: Unnamed

Watershed Code:

Header Informati	on										
Stream Name: Unnam	ed		Stream "L	ocal":	EDI-1906				Access:		FT
Watershed Code: 182-72	46-882-9	99-000-000-000-000-000-000-000					Reach No.:	999	Reach Length (km):	0.30000 Method:	GE
Location: 92-001	Whitefis	h	Map #:	93K/10			Site No.:	0	Length surveyed (m):	300.0 Method:	GE
			U.T.M. :	10.3875	40.6041820		Fish Card:	N	Field: Yes	Historical:	No
Date: 13/06/95 Tis	ne: 10:	Agency: EDI Survey C	rew: EL\SA\	1111	V V		Photos:	10: 24	Air Photos:		
Channel Charact	eristi	cs		3	Specific Data		Bed Material				
Av. Chan. Width (m):	0.9	Method Av. Chan. Width (m):	0.8	0.9	0.9 0.8	1.0 0.8	% Fines (<2mm):	60	% Fines (<2mm):		60
Av. Wet. Width (m):	0.7	Method Av. Wet. Width (m):					% Gravels:	35	Small (2-16mm):		35
Av. Max. Rif. Depth (cm):		Av. Max. Riffle Depth (cm):					74 Graveis:	33	Large (16-64mm):		0
Av. Max. Pool Depth (cm):		Av. Max. Pool Depth (cm):							Ŧ -	X-	
Gradient (%):	1.0						% Larges:	5	Small cobble (64-128mm Large cobble (128-256m	•	0 5
% Pool: 0 % Ri		% Run: 100 % Other: 0		GE					Boulder cobble (>256mi	-	0
% Side Channel:	0	Method Side Channel: GE							-		-
% Debris Area:	0	Method Debris Area: GE					% Bedrock:	0	% Bedrock:		0
Cover							D90 (cm):	9	Compaction:		High
Cover Total %:	5	Method Cover Total %: GE					Banks				
Dp Pool: 0 L.O.D.:	0	Boulder: 0 In Veg.: 0	Over Veg	100	Cutbank:		0				
Crown Closure %:	0	Method Crown Closure: GE	Aspect:	NE	Method Aspect:	(Height (m):	0.3	% Unstable:		
		:					Textures Fines:	Yes	Gravel: No Large	s: No Bedrock:	No
Discharge			<u> </u>	S	pecific Data		Confinement:	2			
Wetted Width (m):	0.6	Method Wetted Width (m): MS	<u> </u>				Valley: Chan. Ratio:				
Mean Depth (m):	0.3	Method Mean Depth (m): MS					Stage:	M			
Mean Velocity (m/s):	0.05	Method Mean Velocity (m/s F					Flood Signs Ht(m):		Method Flood Signs:		
Discharge (m3/s):	0.00	Method Discharge (m3/s):					Braided:		Method Braided:		
	0.00	The control of the co					☐ Bars (%):		Method Bars:		
Reach Symbol		/T%-E3					рН:		Method pH:		
·		(Fish)					02 (ppm):		Method Dissolved Oxyg	en:	
							Water Temp. (°C):	15.0	Method Temperature:		HT
							Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope) (F	Bed Material)				Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form
20-Aug-97 Stream: Unnamed Watershed Code: 182-7246-882-999-000-000-000-000-000
Fish Summary Obstructions

Comments

CI

Film 10: 24

Note: Reach '999' should read Reach 'A'.

Fish sampling was not conducted. No fish were observed.

This section of stream is classified as a S-6 stream under the Forest Practices Code.



Photo 174. Downstream view of Stream EDI-1906 at Reach A.

4.1.19 Camsell Creek (Watershed 182-7851)

Watershed 182-7851 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993) within the south-western portion of the Stuart Lake Watershed Group, on the south side of Stuart Lake (Fig. 20). The main system (Camsell Creek) flows directly into Stuart Lake and is surrounded by Stuart Lake to the north and east, Watershed 182-7851-337 to the west and Babine Lake Watershed Group to the south. Occupying 2,301 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 670 m at Stuart Lake to approximately 1,220 m in the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).

This watershed is dominated by two sub-zones/variants according to the biogeoclimatic units of the Prince George Forest Region. These units include: the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3), and the Babine Moist Cold Sub-Boreal Spruce sub-zone (SBSmc2) (DeLong et al. 1993).


According to the updated FISS data (1995), no fish species have been documented in Camsell Creek (182-7851) (BC Environment 1995). Nonetheless, this system flows directly into Stuart Lake and has potential to support several fish species (as noted in FISS) including: Dolly Varden¹, mountain whitefish, rainbow trout, chinook salmon, kokanee and sockeye salmon (BC Environment 1995).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. A WMC is located along the northern boundary of Whitefish Lake within Watershed 182-9146 and runs east towards Stuart Lake before traveling south through Camsell Creek and into Babine Lake Watershed Group (Canfor 1996).

Since this watershed lies within a portion of Canfor's Whitefish Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Cunningham FSR and its adjoining sideroads (Canfor 1996).

¹The species identified as Dolly Varden (Salvelinus malma), in the Fisheries Information Summary System is, in all probability, bull trout (Salvelinus confluentus), as indicated by population distribution studies conducted by Haas and McPhail (1991).

Figure 20. Location of Camsell Creek Watershed (182-7851) within the Stuart Lake Watershed Group



Gazetted Stream Name	Camsell Creek
Local Stream Name	Not Applicable
Watershed Code	182-7851
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K056
Cutting Permit	092
Cutblock Number	003
Operating Area	Whitefish
Development Type	Cutblock
Survey Date	14-Jun-95
Reach Number	A A
Site Number	Not Applicable
Water Temperature (°C)	7
Stream Width (m)	1.8
Length Surveyed (m)	200
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

This low gradient (4%) reach is located along the northwestern boundary of the cutblock and flows north. A total cover of 25% is comprised of 55% overhanging vegetation, 25% large organic debris and 20% under cutbanks. Bed materials of this confined reach are made up of fines (65%) and gravels (30%.). There is a series of falls (2.9 m and 2.9 m) located downstream of Camsell Creek (approximately 1400 m upstream from the mouth) which is a barrier to fish upstream migration.

Fish sampling (4 minnow traps set for 24 hours and electroshocking) was conducted in this reach, however, no fish were captured or observed. Although this reach provided suitable fish habitat, no fish were captured.

This reach was classified as S-6 under the Forest Practices Code, due to the downstream barrier and absence of fish.

20-Aug-97

Stream: Camsell Creek

Watershed Code:

Stream Survey Report 182-7851-000-000-000-000-000-000-000-000-000

Header Informati	on											
Stream Name: Camsel	l Creek			Stream "Lo	cal":	N/A				Access:		FT
Watershed Code: 182-78	51-000-0	00-000-000-000-000-000-000-000						Reach No.:	999	Reach Length (km):	0.20000 Method:	MW
Location: 92-003	Whitefis	h		•	93K/10			Site No.:	0	Length surveyed (m):	200.0 Method:	MW
				U.T.M. :		35.6045233		Fish Card:	N	Field: Yes	Historical:	No
Date: 14/06/95 Tin	ne: 12:0	O Agency: EDI Surv	ey Cre	w: BR\EL\S	CU I I	111		Photos:	no photos	Air Photos:		
Channel Charact	eristic	es	1		S	pecific Data		Bed Material				
Av. Chan. Width (m):	1.8	Method Av. Chan. Width (m):	MS	1.6	1.6	1.3 1.6	2.0 2.7	% Fines (<2mm):	65	% Fines (<2mm):		65
Av. Wet. Width (m):	1.5	Method Av. Wet. Width (m):	MS					% Gravels:	30	Small (2-16mm):		10
Av. Max. Rif. Depth (cm):	5	Av. Max. Riffle Depth (cm):	MS							Large (16-64mm):		20
Av. Max. Pool Depth (cm):	27	• • • •	5					% Larges:	5	Smail cobble (64-128m	m):	0
Gradient (%):	4.0	Method Gradient:	CL		~			, a 241 ges.	-	Large cobble (128-256)	-	5
	file: 50	% Run: 25 % Other:	0	Method:	GE					Boulder cobble (>256n	•	0
% Side Channel:	0	Method Side Channel:	GE					% Bedrock:	0	% Bedrock:	•	0
% Debris Area:	10-40	Method Debris Area:	GE						-			
Cover								D90 (cm):	7	Compaction:		High
Cover Total % :	25	Method Cover Total %:	GE					Banks				
Dp Pool: 0 L.O.D.:	25	Boulder: 0 In Veg.:	0	Over Veg:	55	Cutbank:	2	0				
Crown Closure %:	15	Method Crown Closure:	GE	Aspect:	N	Method Aspect:	. (Height (m):	0.5	% Unstable:		100
		<u> </u>						Textures Fines:	Yes	Gravel: No Lary	ges: No Bedrock:	No
Discharge						pecific Data		Confinement:	2			
Ū					رد	ресую Диш		Valley: Chan. Ratio:				
Wetted Width (m):	0.8	Method Wetted Width (m):	MS					Stage:	М			
Mean Depth (m):	0.1	Method Mean Depth (m):	MS					Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	0.33	Method Mean Velocity (m/s	F					Braided:	N	Method Braided:		
Discharge (m3/s):		Method Discharge (m3/s):		Ĺ				Bars (%):		Method Bars:		
Reach Symbol								pH:		Method pH:		
Trouble Dynious		(Fish)				4	02 (ppm):		Method Dissolved Oxy	_	
								Water Temp. (°C):	7.0	Method Temperature:	:	НТ
			1					Turb. (cm):		Method Turbidity:		
		(Width, Valley: Channel, Slope)	ì lαBe	d Material)				Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Stream Survey Form 25-Feb-98 Stream: Camsell Creek

Watershed Code:

Stream Survey Report

182-7851-000-000-000-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

C1 Note: Reach '999' should read Reach 'A'.

Fish sampling (electroshocking) was conducted in this reach. No fish were captured or observed.

There is a series of falls (2.9 m and 2.9 m) located downstream on Camsell Creek (approximately 1.4 km upstream from the confluence) which is a barrier to fish migration upstream. This reach was given a S-6 classification under the Forest Practices Code.




Photo 175. Upstream view of waterfall on Camsell Creek (182-7851).

Gazetted Stream Name	Camsell Creek
Local Stream Name	Not Applicable
Watershed Code	182-7851
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K056
Cutting Permit	092
Cutblock Number	003
Operating Area	Whitefish
Development Type	Cutblock
Survey Date	14-Jun-95
Reach Number	B
Site Number	Not Applicable
Water Temperature (°C)	7
Stream Width (m)	3.0
Length Surveyed (m)	90
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-5
Fish Species Identified	None

This mid-gradient reach is located along the northwestern boundary of the cutblock and flows northeasterly. A total cover of 15% is comprised of 40% boulders and overhanging vegetation, and 20% large organic debris. Bed materials of the confined reach are made up of larges (65%), gravels (20%) and fines (15). There is a series of falls (2.9 m and 2.9 m) located downstream of Camsell Creek (approximately 1400 m upstream from the mouth) which poses is a barrier to fish upstream migration.

Fish sampling (electroshocking) was conducted for 700 sec in reaches A, B and C. No fish were captured or observed. Although this reach provided suitable fish habitat, no fish were captured.

This reach was classified as S-5 under the Forest Practices Code, due to the downstream barrier and absence of fish.

20-Aug-97

Stream: Camsell Creek

Watershed Code:

Stream Survey Report
182-7851-000-000-000-000-000-000-000-000

Header Informat								
	ell Creek	Stream "Local":	N/A				Access:	FT
	851-000-000-000-000-000-000-000-000				Reach No.:	998	Reach Length (km): 0.09000 Method:	
Location: 92-00	3 Whitefish	Map #: 93K/10			Site No.:	0	Length surveyed (m): 90.0 Method:	
		·-	930.6045140		Fish Card:	N	Field: Yes Historical:	No
Date: 14/06/95 T	me: 13:00 Agency: EDI Survey	rew: BR\EL\SC\ \ \	. 1 1 1		Photos:	no photos	Air Photos:	
Channel Charac	teristics		Specific Data		Bed Material			
Av. Chan. Width (m):	3.0 Method Av. Chan. Width (m): M	3.9 4.3	3.0 1.6	2.4 1.9	% Fines (<2mm):	15	% Fines (<2mm):	15
Av. Wet. Width (m):	2.0 Method Av. Wet. Width (m): M				% Gravels:	20	Small (2-16mm):	10
Av. Max. Rif. Depth (cm):	8 Av. Max. Riffle Depth (cm): M						Large (16-64mm):	10
Av. Max. Pool Depth (cm):	24 Av. Max. Pool Depth (cm):				% Larges:	65	Small cobble (64-128mm):	10
Gradient (%):	14.0 Method Gradient: C				/ Dai ges.	0.0	Large cobble (128-256mm):	10
	iffle: 80 % Run: 10 % Other:						Boulder cobble (>256mm):	45
% Side Channel:	0 Method Side Channel: G				AC Datas to	0	% Bedrock:	0
% Debris Area:	0-10 Method Debris Area: G				% Bedrock:	-		-
Cover					D90 (cm):	55	Compaction:	High
Cover Total %:	15 Method Cover Total %: G	1			Banks			
Dp Pool: 0 L.O.D.:	20 Boulder: 40 In Veg.:	Over Veg: 40	Cutbank:	0				
Crown Closure %:	Method Crown Closure:	Aspect: NE	Method Aspect:	C	Height (m):	0.3	% Unstable:	95
					Textures Fines:	Yes	Gravel: No Larges: No Bedrock:	No
Discharge			6		Confinement:	2		
Discharge			Specific Data		Valley: Chan. Ratio:	5		
Wetted Width (m):	Method Wetted Width (m):				Stage:	М		
Mean Depth (m):	Method Mean Depth (m):				Flood Signs Ht(m):	0.35	Method Flood Signs:	MS
Mean Velocity (m/s):	Method Mean Velocity (m/s				Braided:	N	Method Braided:	
Discharge (m3/s):	Method Discharge (m3/s):				Bars (%):		Method Bars:	
Reach Symbol					pH:		Method pH:	
менси Бутові	(Fish				02 (ррт):		Method Dissolved Oxygen:	
					Water Temp. (°C):	7.0	Method Temperature:	HT
					Turb. (cm):		Method Turbidity:	
	(Width, Valley: Channel, Slope)	Bed Material)			Cond. (µmhos):		Method Conductivity:	

25-Feb-98 Stream: Camsell Creek

Watershed Code:

Stream Survey Report

182-7851-000-000-000-000-000-000-000-000-000

Fish Summary

Obstructions

Comments

CI

Note: Reach '998' should read Reach 'B'

Fish sampling (electroshocking) was conducted for 700 seconds. No fish were captured or observed.

There is a series of waterfalls (2.9 m and 2.9 m) downstream of this reach and approximately 1.4 km upstream of the confluence with Stuart Lake, which act as a barrier to fish passage. This section of stream was given a S-6 classification under the Forest Practices Code.

Gazetted Stream Name	Camsell Creek
Local Stream Name	Not Applicable
Watershed Code	182-7851
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K056
Cutting Permit	092
Cutblock Number	003
Operating Area	Whitefish
Development Type	Cutblock
Survey Date	14-Jun-95
Reach Number	C
Site Number	Not Applicable
Water Temperature (°C)	7
Stream Width (m)	1.52
Length Surveyed (m)	1000
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

This low gradient (3.5%) reach is located along the western boundary of the cutblock and flows north. A total cover of 35% is comprised of 75% overhanging vegetation, 15% large organic debris, and 10% under cutbank. Bed material of this confined reach is fines (85%) and gravels (10%). There is a series of falls (2.9 m and 2.9 m) located downstream of Camsell Creek (approximately 1400 m upstream from the mouth) which is a barrier to fish upstream migration.

Fish sampling (electroshocking) was conducted for 700 sec in reaches A, B and C. No fish were captured or observed. Although this reach provided suitable fish habitat, no fish were captured.

This reach was classified as a S-6 under the Forest Practices Code, due to the downstream barrier and the absence of fish.

20-Aug-97

Stream: Camsell Creek

Watershed Code:

Stream Survey Report

182-7851-000-000-000-000-000-000-000-000-000

Header Informatio				04		N1/4					4		FT
Stream Name: Camsell		00-000-000-000-000-000-000-000		Stream "Lo	cai":	N/A			Reach No.:	997	Access: Reach Length (km):	1 Metho	
				Man #1	93K/10				Site No.:	997	Length surveyed (m):	1000.0 Metho	
Location: 92-003	w niteris	n,		•		30.6044670			Fish Card:	N	Field: Yes	Historical:	u. Mv
Date: 14/06/95 Tim	e: 14:(O Agency: EDI Surve	v Cre	w: BR\EL\S					Photos:	no photos	Air Photos:	Instorical.	110
			,,					***************************************	T				
Channel Characte	risti	CS .			3	Specific Data			Bed Material				
Av. Chan. Width (m):	1.5	Method Av. Chan. Width (m):	MS	0.9	0.9	2.0 1.6	2.4	1.3	% Fines (<2mm):	85	% Fines (<2mm):		85
Av. Wet. Width (m):	1.3	Method Av. Wet. Width (m):	MS						% Gravels:	10	Smail (2-16mm):		5
Av. Max. Rif. Depth (cm):	10	Av. Max. Riffle Depth (cm):	MS								Large (16-64mm):		5
Av. Max. Pool Depth (cm):	18	Av. Max. Pool Depth (cm):	10						% Larges:	5	Small cobble (64-128mm	a).	0
Gradient (%):	3.5	Method Gradient:	CL						% Larges:	J	Large cobble (128-256m	•	5
	le: 10	% Run: 70 % Other:	0	Method:	GE						Boulder cobble (>256m)	•	0
% Side Channel:	0	Method Side Channel:	GE							_	·	,.	
% Debris Area:	0-10	Method Debris Area:	GE						% Bedrock:	0	% Bedrock:		0
Cover									D90 (cm):		Compaction:		Medium
Cover Total %:	35	Method Cover Total %:	GE						Banks				
Dp Pool: 0 L.O.D.:	15	Boulder: 0 In Veg.:	0	Over Veg:	75	Cutbank:		10					
Crown Closure %:	15	Method Crown Closure:	GE	Aspect:	N	Method Aspe	ct:	С	Height (m):	0.3	% Unstable:		C
									Textures Fines:	Yes	Gravel: No Large	es: No Bedroc	k: No
Discharge					·	pecific Data			Confinement:	2			
•		N			- 5/	pergit Daia	***************************************		Valley: Chan. Ratio:				
Wetted Width (m):	1.3	Method Wetted Width (m):	MS						Stage:	М			
Mean Depth (m):	0.1	Method Mean Depth (m): Method Mean Velocity (m/s	MS F						Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	0.50	Method Discharge (m3/s):	Г						Braided:	N	Method Braided:		
Discharge (m3/s):		Method Discharge (m.s.s).							Bars (%):		Method Bars:		
Reach Symbol									pH:		Method pH:		
• • •		(F	ish)						02 (ppm):		Method Dissolved Oxyg	gen:	
			T						Water Temp. (°C):	7.0	Method Temperature:		НТ
	-								Turb. (cm):		Method Turbidity:		
		(Width, Vailey: Channel, Slope)	(Be	d Material)					Cond. (µmhos):		Method Conductivity:		

DFO/MoELP Str	eam Survey Form Stream: Camsell Creek	Watershed Code:	Stream Survey Report
Fish Summary		Obstructions	
Comments			

There is a series of falls (2.9m and 2.9m) located downstream of this reach, approximately 1.4 km upstream of the confluence with Stuart Lake, which act as a barrier to fish passage

Note: Reach '997' should read Reach 'C'.

Fish sampling (electroshocking) was conducted for 700 seconds. No fish were captured or observed.

upstream. This reach was given a S-6 classification under the Forest Practices Code.

C1

4.1.19.1 Stream 182-7851-772

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-7851-772
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K056
Cutting Permit	314
Cutblock Number	005
Operating Area	Whitefish
Development Type	Cutblock
Survey Date	14-Jun-95
Reach Number	Me were 1
Site Number	Not Applicable
Water Temperature (°C)	7.0
Stream Width (m)	1.70
Length Surveyed (m)	200
Habitat Type	Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	S-6
Fish Species Identified	None

Description:

The small stream is located through the centre of the cutblock and flows easterly into Camsell Creek. In this reach, the stream had a low gradient (4%) and was confined. This reach was dominated by riffle and run habitat (40% each) and had little total cover (5%). Bed material was dominated by fines and larges (45% each) and there was some gravels (10%). This stream had a series of log jams within this reach. There was a 60 cm high log jam at the upper limit of this reach that could impede fish migration. This stream flows directly into Camsell Creek which has an impass to fish migration approximately 1400 m upstream from its mouth. The impass consists of a set of falls measuring 2.9 m and 2.0 m within a steep rock walled canyon.

Fish sampling (electroshocking) was conducted for 79 sec and no fish were captured or observed. Rainbow trout were captured downstream from the lower set of falls on Camsell Creek but they cannot migrate upstream as the falls are a barrier.

Although this stream provided suitable fish habitat, it was classified as S-6 under the Forest Practices Code. It flows directly into Camsell Creek which has an impass to fish migration. This impass is a 2.9 m falls located 1400 upstream from the confluence with Stuart Lake. Therefore, it must be classified as a non fisheries stream.

20-Aug-97

Stream: Unnamed

Watershed Code:

Stream Survey Report
182-7851-772-000-000-000-000-000-000-000-000

Header Informatio			Stream "L	Anal 17 -	N/a						Access:		FT
Stream Name: Unname Watershed Code: 182-78:		00-000-000-000-000-000-000-000	Stream "L	ocai:	14/8				Reach No.;	1		0.20000 Method:	MW
			Map #:	93K/10					Site No.:	0	Length surveyed (m):	200.0 Method:	MW
Location: 314-005	winter	211	U.T.M.:		10.604544	10			Fish Card:	N	Field: Yes	Historical:	No
Date: 14/06/95 Tin	ie: 12:3	0 Agency: EDI Survey	Crew: RV\ \		_				Photos:	2: 19	Air Photos:		
Channel Characte	eristi	2 s			Specific D	ata			Bed Material			·	
Av. Chan. Width (m):	1.7	Method Av. Chan. Width (m):	1.5	1.5	1.9	1.9	1.7	1.8	% Fines (<2mm):	45	% Fines (<2mm):		45
Av. Wet. Width (m):	1.4	Method Av. Wet. Width (m):	1.6	1.2	1.6	1.7	1.1	1.4	, , ,		, ,		5
Av. Max. Rif. Depth (cm):	10	Av. Max. Riffle Depth (cm): MS	;						% Gravels:	10	Small (2-16mm): Large (16-64mm):		5
Av. Max. Pool Depth (cm):	20	Av. Max. Pool Depth (cm):)										
Gradient (%):	4.0	Method Gradient: Cl							% Larges:	45	Small cobble (64-128mm		10
% Pool: 20 % Rif	Ne: 40	% Run: 40 % Other:	Method:	: GE							Large cobble (128-256m)		10
% Side Channel:	0	Method Side Channel: Gl	3								Boulder cobble (>256mm	ı):	25
% Debris Area:	0-10	Method Debris Area: Gi	3						% Bedrock:	0	% Bedrock:		0
Cover							***************************************		D90 (cm):		Compaction:		Low
Cover Total %:	5	Method Cover Total %: G	E						Banks				
Dp Pool: 10 L.O.D.:	20		Over Veg	: 20	Cutbs	ınk:		10					
Crown Closure %:	10	Method Crown Closure: G	E Aspect:	E	Meth	od Aspect:	:	С	Height (m):	0.3	% Unstable:		5
							······································		Textures Fines:	Yes	Gravel: No Large	: No Bedrock:	No
Discharge									Confinement:	2			
· ·			-	3)	pecific De	rta			Valley: Chan. Ratio:		•		
Wetted Width (m):	1.3	Method Wetted Width (m): M	ŀ						Stage:	M			
Mean Depth (m):	0.1	Method Mean Depth (m): M							Flood Signs Ht(m):		Method Flood Signs:		
Mean Velocity (m/s):	0.40	, (F						Braided:	N	Method Braided:		
Discharge (m3/s):		Method Discharge (m3/s):							Bars (%):		Method Bars:		
Reach Symbol									pH:		Method pH:		
Reach Symbol		(Fish)						02 (ppm):		Method Dissolved Oxyge	en:	
									Water Temp. (°C):	7.0	Method Temperature:		HT
									Turb. (cm):		Method Turbidity:		
İ		(Width, Valley: Channel, Slope)	(Bed Material)						Cond. (µmhos):		Method Conductivity:		

DFO/MoE	LP Stream Survey Form Stream: Unnamed	Watershed Code:	Stream Survey Report
Fish Summ	ary	Obstructions	
Comments			
C1	Film 2: 19 w/s. Fish sampling (electroshocking) was conducted for 79 seconds. No fish were captured of this section of stream was given a S-6 classification under the Forest Practices Code.	or observed.	

read the control of t



Photo 176. Upstream view of Stream 182-7851-772 at Reach 1.

	Time of the time of time of time of the time of time o
Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-7851-772
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K056
Cutting Permit	314
Cutblock Number	005
Operating Area	Whitefish
Development Type	Cutblock
Survey Date	14-Jun-95
Reach Number	
Site Number	Not Applicable
Water Temperature (°C)	7.5
Stream Width (m)	1.60
Length Surveyed (m)	1650
Habitat Type	Stream
Stream Order (1:20,000)	1, 2
Forest Practices Code Stream Classifica	tion S-6
Fish Species Identified	None

This small stream is located through the centre of the cutblock and flows easterly into Camsell Creek. In this reach, this stream had a low gradient (2.0%) and was confined. The reach was characterized by 80% run and 10% each for pool and riffle. It had little total cover (5%) of which 50% was provided by L.O.D. Bed material was dominated by fines (70%) and gravels and larges were 10% and 20%, respectively. The upper limit of this reach ends at a swamp at the western boundary of the cutblock. The section of stream upstream of Reach 2 was not surveyed. However, this stream's headwaters were surveyed in cutblock Whitefish 314-6. In Whitefish 314-6, this system begins as a seepage area for approximately 100 m. A channel then became defined and was 0.70 m wide in this upper section. Downstream of this the channel width was between 0.65 - 0.70 m and the gradient was 4.5%. Substrates were mainly organics and vegetation consisted of alder, devil's club and stinging nettle. The survey of the stream's headwaters extended for about 400 m and ended at the road.

Fish sampling (electroshocking) was conducted and no fish were captured or observed.

Both Reach 2 and the headwaters of this stream provide low quality fish habitat. This stream flows into Camsell Creek which has been classified as a S-6 due to a 2.9 m falls forming an upstream fish migration barrier. Therefore, this stream has also been classified as S-6 under the Forest Practices Code.

20-Aug-97

Stream: Unnamed

(Width, Valley: Channel, Slope) | (Bed Material)

Watershed Code:

Cond. (µmhos):

Stream Survey Report

182-7851-772-000-000-000-000-000-000-000-000

Method Conductivity:

Header Information Stream "Local": FT Stream Name: N/A Access: MW Reach No.: Reach Length (km): 1.65 Method: Watershed Code: 182-7851-772-000-000-000-000-000-000-000-000 93K/10 Site No.: 1650.0 Method: мw Length surveyed (m): Location: 314-005 Whitefish Man#: U.T.M.: 10.382205.6045519 Fish Card: N Field: Yes Historical: No Survey Crew: RV\ \ \ \ \ \ \ Date: 14/06/95 Time: 13:20 Agency: EDI Photos: 2: 20 Air Photos: Channel Characteristics **Bed Material** Specific Data TF 1.5 Av. Chan. Width (m): Method Av. Chan. Width (m): 1.7 1.6 1.7 1.4 1.6 % Fines (<2mm): % Fines (≤2mm): 70 TF 1.1 1.4 1.2 Av. Wet. Width (m): Method Av. Wet. Width (m): 1.1 1.1 1.1 % Gravels: Small (2-16mm): S Av. Max. Rif. Depth (cm): Av. Max. Riffle Depth (cm): MS Large (16-64mm): 5 Av. Max. Pool Depth (cm): Av. Max. Pool Depth (cm): 6 20 Small cobble (64-128mm): % Larges: 10 CL Gradient (%): 2.0 Method Gradient: Large cobble (128-256mm): 10 % Pool: 10 % Riffle: 10 % Other: 0 Method: GE Boulder cobble (>256mm): O GE % Side Channel: Method Side Channel: % Debris Area: Method Debris Area: GE % Bedrock: % Bedrock: 0 D90 (cm): Compaction: Medium Cover 5 Method Cover Total %: GE Cover Total %: Ranks In Veg.: 10 10 L.O.D.: 0 Over Veg: 20 Cutbank: Dp Pool: Boulder: 10 Method Aspect: Crown Closure %: 5 Method Crown Closure: GE Aspect: C Height (m): 0.3 % Unstable: 20 Yes Gravel: No Larges: No Bedrock: No Textures Fines: Discharge Confinement: 2 Specific Data Valley: Chan. Ratio: Wetted Width (m): Method Wetted Width (m): Stage: M Mean Depth (m): Method Mean Depth (m): Flood Signs Ht(m): Method Flood Signs: Method Mean Velocity (m/s Mean Velocity (m/s): Braided: Method Braided: Method Discharge (m3/s): Discharge (m3/s): Bars (%): Method Bars: pH: Method pH: Reach Symbol (Fish) Method Dissolved Oxygen: 02 (ppm): Method Temperature: HT Water Temp. (°C): Turb. (cm): Method Turbidity:

DFO/MoELP Sti 20-Aug-97	ream Survey Form Stream: Unnamed	• Watershed Code:	Stream Survey Repor
Fish Summary		Obstructions	
Comments			
C1 Film 2: 20 c	l∕s.		

Fish sampling (electroshocking) was conducted in this reach. No fish were captured or observed.

This reach has been given a S-6 classification under the Forest Practices Code.



Photo 177. Downstream view of Stream 182-7851-772 at Reach 2.

4.1.19.2 Stream 182-7851-772-519

Gazetted Stream Name	Unnamed	
Local Stream Name	Not Applicable	
Watershed Code	182-7851-772-519	
EDI-Gode	Not Applicable	
Nearest Downstream Watershed Code	Not Applicable	
NTS Map (1:50,000)	93K/10	
TRIM Map	93K056	
Cutting Permit	314	
Cutblock Number	005	
Operating Area	Whitefish	
Development Type	Cutblock	
Survey Date	14-Jun-95	
Reach Number	1	
Site Number	Not Applicable	
Water Temperature (°C)	Not Recorded	
Stream Width (m)	0.50	
Length Surveyed (m)	400	
Habitat Type	Stream	
Stream Order (1:20,000)	1	
Forest Practices Code Stream Classification	S-6	
Fish Species Identified	None	

Description:

This small stream is located in the northern region of the cutblock and flows southeasterly into a larger S-6 stream. This stream had minimal flow and the average channel width was 0.50 m. Within the block, the gradient was low and the stream spread out into a marshy plain. Flow in this lower section could no be detected and the stream continues to be spread out down to its mouth. Above the block boundary, the stream extends for about 100 m above this and there is a 300 m section of seepage.

Fish sampling (electroshocking) was conducted and no fish were captured or observed.

This stream has low quality fish habitat. It was classified as S-6 under the Forest Practices Code due to the falls located downstream and the lack of fish presence

4.1.19.3 Stream EDI-526

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	526
Nearest Downstream Watershed Code	182-7851
NTS Map (1:50,000)	93K/10
TRIM Map	93K056
Cutting Permit	314
Cutblock Number	005
Operating Area	Whitefish
Development Type	Cutblock
Survey Date	18-Oct-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	1100
Habitat Type	Wetland
Stream Order (1:20,000)	
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland is located along the southwestern boundary of the cutblock and drains south. At the time of the survey, snow depth was approximately 0.60 m and, therefore, accurate ground survey was difficult. The wetland area was approximately 100 m wide and was heavily vegetated with alder. No defined channel was found in the 600 m surveyed. An upper section of this system south of cutblock 314-6 was also surveyed. The wetland at this location was vegetated with alder and willow and contained sections of pooled water. No defined channel was found in the 800 m surveyed.

Fish sampling (electroshocking) was not possible due to the snow conditions and no fish were observed.

Since both areas are wetlands, no stream classification is required under the Forest Practices Code. These areas should, however, receive wetland classifications.

Recommendation: These areas should be resurveyed earlier in the year in order to determine if a channel is present. The section of this system between cutblocks 314-6 and 314-5 should also be surveyed to determine if it is connected.

4.1.20 Watershed 182-7856

Watershed 182-7856 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993) within the northern portion of the Stuart Lake Watershed Group, on the north side of Stuart Lake (Fig. 21). The main system flows directly into Stuart Lake and is surrounded by the Upper Trembleur Watershed Group to the north, Watershed 182-7856-402 to the west, Watershed 182-7856-142 to the east and Stuart Lake to the south. Occupying 3,274 ha of the Stuart Lake Provincial Forest, the geographical relief ranges from approximately 670 m at Stuart Lake to approximately 770 m in the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977).

This watershed is dominated by two sub-zones/variants according to the biogeoclimatic units of the Prince George Forest Region. These units include: the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3), and the Dry Cool Sub-Boreal Spruce sub-zone (SBSdk) (DeLong et al. 1993).


According to the updated FISS data (1995), no fish species have been documented in Watershed 182-7856 (BC Environment 1995). Nonetheless, this system flows directly into Stuart Lake and has potential to support several fish species (as noted in FISS) including: Dolly Varden¹, mountain whitefish, rainbow trout, chinook salmon, kokanee and sockeye salmon (BC Environment 1995).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. WMC's are not located within Watershed 182-7856 (Canfor 1996).

Since this watershed lies within a portion of Canfor's Kuzkwa Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Leo Creek FSR and its adjoining sideroads (Canfor 1996).

^{&#}x27;The species identified as Dolly Varden (Salvelinus malma), in the Fisheries Information Summary System is, in all probability, bull trout (Salvelinus confluentus), as by population distribution studies conducted by Haas and McPhail (1991).

Figure 21. Location of Watershed 182-7856 within the Stuart Lake Watershed Group



Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-7856
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K077
Cutting Permit	Kuz
Cutblock Number	017
Operating Area	Kuzkwa
Development Type	Cutblock
Survey Date	04-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Seasonally Flooded Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

This seasonally flooded wetland is located along the eastern side of the cutblock and drains easterly directly into a lake. This wetland is basically an extension of the lakeshore and fringes the lake along its western boundary. There was no flowing water or a defined channel found in the area.

Fish sampling was not conducted and fish were not observed.

This area is classified as a Fisheries Sensitive Zone under the Forest Practices Code since fish can access this wetland from the lake during the high water.

Recommendation: The lake east of cutblock Kuz-17 should be surveyed in order to determine fish presence or absence.

4.1.20.1 Stream 182-7856-815

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-7856-815
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K077
Cutting Permit	Kuz
Cutblock Number	125
Operating Area	Kuzkwa
Development Type	Cutblock
Survey Date	04-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	Not Recorded
Length Surveyed (m)	800
Habitat Type	Wetland/Stream
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland is located south of the cutblock and flows southeasterly. Two sections of this wetland were surveyed. The upper (400 m) section is located along the southwestern side of the cutblock. This area contained a series of ponds and a few beaver dams were observed. Vegetation in this upper wetland included alder, grasses, and black spruce. The lower (400 m) section is located south of the cutblock and flows directly out of a large pond separating the upper and lower sections of the wetland. This large pond contained active beaver lodges and beavers were observed. The lower section contained areas of ponded water and dominant vegetation included alder, grasses and black spruce. A main channel was observed flowing through the upper and lower wetland section. The main channel is surrounded by a wide grassland which has a high water level, and organic substrates. Therefore, a site card could not be completed in this area, since access was impossible.

Fish sampling was not conducted and fish were not observed.

This area does not require a stream classification under the Forest Practices Code, but should receive a wetland classification.

4.1.20.2 Stream 182-7856-815-396

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-7856-815-396
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/10
TRIM Map	93K077
Cutting Permit	Kuz
Cutblock Number	124
Operating Area	Kuzkwa
Development Type	Cutblock
Survey Date	05-Jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Recorded
Stream Width (m)	Not Recorded
Length Surveyed (m)	1350
Habitat Type	Wetland
Stream Order (1:20,000)	2
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	Not Applicable

Description:

This wetland is located along the western and southern boundaries of the cutblock. The wetland had a main channel running through it for the first 200 m, but could not be surveyed due to the grassland surrounding it. Above this, no defined channel was found. Vegetation in the area consisted of grasses, Labrador tea, black spruce and alder.

Fish sampling was not conducted, and no fish were observed.

This wetland does not require a stream classification under the Forest Practices Code, but should receive a wetland classification.

Recommendation: The system this wetland flows into should be surveyed from its mouth at Stuart Lake to determine the upper limit of fish distribution.

4.1.20.3 Stream EDI-542

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	542
Nearest Downstream Watershed Code	182-7856
NTS Map (1:50,000)	93K/10
TRIM Map	93K077
Cutting Permit	Kuz
Cutblock Number	125
Operating Area	Kuzkwa
Development Type	Cutblock
Survey Date	04-jun-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Wetland
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

This wetland is located along the northeastern boundary of the cutblock and flows in a southeasterly direction. The area contained a series of ponds, and vegetation was dominated by alder, aspen and grasses. This wetland area does not flow into the stream east of the cutblock as indicated on the 1:10,000 scale cutblock map. The wetland extends only to the east boundary of the cutblock. The main stream located east of the cutblock was briefly surveyed and does contain a defined channel. This stream may be connected to the wetlands south of this block.

Fish sampling was not conducted and fish were not observed.

This wetland does not require a stream classification under the Forest Practices Code, but should receive a wetland classification.

Recommendation: The stream east of this cutblock should be surveyed as there is a large lake upstream on the system which could be used as overwintering fish habitat, the system also eventually drains into Stuart Lake and unless there are downstream barriers, fish could access this system. This system should be surveyed at its mouth from Stuart Lake upstream in order to determine the upper limit of fish distribution.

4.1.21 Watershed 182-7856-142

Watershed 182-7856-142 is located within BC Environment Management Unit 7-25 (BC Recreational Atlas 1993) within the northern portion of the Stuart Lake Watershed Group, on the north side of Stuart Lake (Fig. 22). The main system flows directly into Stuart and is surrounded by the Upper Trembleur Watershed Group to the north, Watershed 182-7856 to the west, Watershed 182 and 182-6976 to the east and Stuart Lake to the south. Occupying 3,452 ha of the Stuart Lake Provincial Forest, the geographical relief is low and ranges from approximately 700 m at Stuart Lake to approximately 730 m in the headwaters (BC Environment 1995; Department of Energy, Mines and Resources 1977). Only a small section within this watershed was surveyed by *Environmental Dynamics* in 1996.


This watershed is dominated by two sub-zones/variants according to the biogeoclimatic units of the Prince George Forest Region. These units include, the Stuart Dry Warm Sub-Boreal Spruce sub-zone (SBSdw3), and the Dry Cool Sub-Boreal Spruce sub-zone (SBSdk) (DeLong et al. 1993).

According to the updated FISS data (1995), no fish species have been documented in Watershed 182-7856-142 (BC Environment 1995). Nonetheless, this system eventually flows directly into Stuart Lake and has potential to support several fish species (as noted in FISS) including: Dolly Varden¹, mountain whitefish, rainbow trout, chinook salmon, kokanee and sockeye salmon (BC Environment 1995).

Canfor together with BC Environment have created Wildlife Movement Corridors (WMC) to be included in Canfor's five year development plans. These WMC's provide cover and allow animals to travel through non-logged areas. WMC's are not located within Watershed 182-7856-142 (Canfor 1996).

Since this watershed lies within a portion of Canfor's Kuzkwa Operating Area, linear development is common throughout the area (Ministry of Forests 1995; Canfor 1996). The major gravel roads located in this watershed are the Leo Creek FSR and its adjoining sideroads (Canfor 1996).

Figure 22. Location of Watershed 182-7856-142 within the Stuart Lake Watershed Group



Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	182-7856-142
EDI-Code	Not Applicable
Nearest Downstream Watershed Code	Not Applicable
NTS Map (1:50,000)	93K/15
TRIM Map	93K077
Cutting Permit	Kuz
Cutblock Number	030
Operating Area	Kuzkwa
Development Type	Cutblock
Survey Date	29-May-96
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Seepage
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

This seepage was located in the southwestern corner of the proposed cutblock in a low lying area dominated by deciduous trees. The area was dry at the time of survey.

Fish sampling was not conducted. No fish were observed.

Due to the fact that this is a seepage area and not a stream, stream classification is not required under the Forest Practices Code.

4.1.21.1 Stream EDI-120

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	120
Nearest Downstream Watershed Code	182-7856-142
NTS Map (1:50,000)	93K/10
TRIM Map	93K077&K078
Cutting Permit	054
Cutblock Number	034
Operating Area	Kuzkwa
Development Type	Right-of-Way
Survey Date	15-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	400
Habitat Type	Dry Depression
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

Only a dry depression was located along the eastern boundary of the cutblock. There was no water or channel present during the time of survey but evidence of pooled water was noted.

Fish sampling was not conducted. No fish were observed.

Since this was a dry depression and not a stream, a stream classification is not required under the Forest Practices Code.

4.1.21.2 Stream EDI-119

Gazetted Stream Name	Unnamed
Local Stream Name	Not Applicable
Watershed Code	Not Available
EDI-Code	119
Nearest Downstream Watershed Code	182-7856-142
NTS Map (1:50,000)	93K/10
TRIM Map	93K077&K078
Cutting Permit	054
Cutblock Number	034
Operating Area	Kuzkwa
Development Type	Cutblock
Survey Date	15-Jun-95
Reach Number	Not Applicable
Site Number	Not Applicable
Water Temperature (°C)	Not Applicable
Stream Width (m)	Not Applicable
Length Surveyed (m)	1200
Habitat Type	Dry Depression
Stream Order (1:20,000)	Not Applicable
Forest Practices Code Stream Classification	Not Applicable
Fish Species Identified	None

Description:

Only a dry depression was located during the survey, that traverses from he northwestern side of the block boundary to the southeastern side. The stream is dry with no definable channel, however, this defined gully leads into a lake known to support fish (lake chub).

Fish sampling was not conducted.

Since this was just a dry depression and not a stream, no stream classification was required under the Forest Practices Code.