

SC787

SKEENA REGION LAKES MANAGEMENT FILES

LAKES OF THE

SKEENA - NASS

PLANNING UNIT

SC787

Prepared for
FISH AND WILDLIFE
MINISTRY OF ENVIRONMENT - SMITHERS

by
DAVID BUSTARD AND ASSOCIATES

February 1986

Database updated

by
REGINA SAIMOTO

March 1994

SKEENA REGION LAKE MANAGEMENT FILES
Updated version March 1994
Regina Saimoto
Explanatory notes and key to data fields

Background: Inventory data has been collected for nearly 1100 lakes in the Skeena Region. This information was obtained from the lake survey reports such as catalogue to Salmon Spawning streams (Dept. of Fisheries and Oceans) and miscellaneous management and consultant reports. Approximately 50% of the lakes had no information available, and limited physical data was derived from 1:50 000 topographic maps for named lakes. The database compiled by Bustard and Associates has been modified to facilitate its use.

The Skeena Region lake information is located in 6 files - based on planning units as follows:

<u>Region</u>	<u>Code</u>	<u>File</u>
Ootsa	6-OO	Ootsa4.dbf
Skeena-Nass	6-SN	Skeena4.dbf
Dease-Stikine	6-DS	Dease4.dbf
Atlin-Taku	6-AT	Atlin4.dbf
QueenCharlotte	6-QC	QCI4.dbf
North Coast	6-NC	Ncoast4.dbf

Some modifications have been made to the format design of the Lake Management Files and the information requires some explanatory notes for users as outlined in the following pages.

Explanatory Notes

1. Name: All lakes on the files are named as they occur on 1:50 000 topographic maps except for lakes in the North Coast files. A number of lakes were named for the tributary streams flowing out of them as they occur in the Salmon Spawning Catalogues. Lakes that have several names are cross-referenced to each other. The lake name is the primary sort feature of the files and is the quickest method of retrieving information.
All names should be followed by a (G) or (A) to indicate if the lake name is gazetted or Alias Name. (This has not been completed yet).
2. Watershed Code: These are the new watershed codes used in FISS. All lakes have a unique watershed code and lake sequence number, so that even unnamed lakes can be identified on the system. Watershed codes are assigned in a hierarchical systems as outlined in A guide to the hierarchical watershed coding system for British Columbia (M.O.E. 1988). Watershed codes can be found in the Watershed code dictionary (see Regina Saimoto for further information). Not all lakes on the database have been assigned a watershed code and lake sequence number - this is yet to be completed.
3. Lake Sequence Number: The lake sequence number, in conjunction with the watershed codes, forms a unique identifier for each lake (see watershed code section). Lakes are numbered in sequence, from the mouth of the river.
4. Last Entry Date: Refers to the last date that data was entered into the file (month and year).
5. Location: Map number - latitude and longitude.
6. Elevation: Elevation in meters. Elevations from lake surveys were entered when available. Otherwise the elevation was derived from 1 : 50 000 topographic maps, usually to the nearest 30 m (100 foot contour intervals).
7. Drainage: Major drainage systems as they occur in the M.O.E. files. Any coastal system from the Unuk River south (excluding Skeena and Nass Rivers) are entered in the N coast file. This includes Kitimat, Kloiya, Kitlope, Kemano, and many smaller streams. Often the more specific drainage has been identified in the COMMENTS section.

The SKEENA/NASS can be sorted by the following drainages: Babine, Bulkley, Kispiox, Lakelse, Nass, Sustut, and Zymoetz.

The DEASE/STIKINE can be sorted by: Stikine, Dease, Liard, Tanzilla, Iskut, Spatsizi, and Pitman.

The ATLIN/TAKU can be sorted by: Alsek, Taku, Teslin, and Yukon.

8. In-Out: Number of inlets and outlets. If not indicated in the lake survey files, then the number of tributaries marked on the 1 : 50 000 topographic maps was used. Many of these will not be important fish creeks.
9. Access: Nearest town for those lakes accessible by aircraft only refers to the location of an air base such as Prince Rup, Terrace, Kitimat, Stewart, Smithers, Burns Lake, Iskut, Dease Lake, Atlin, Watson Lake, Sandspit, and Masset. Air distance are estimated to the nearest 5 km, generally taken from a large scale map. When more detailed access information was known (e.g. from lake survey reports or topographic maps) this information was included. This section is limited by little available information and should be updated as more specific data becomes available.
10. Survey: Date of last survey (year/month).
11. Type Survey: This field indicates the type of information in the database.

HQS	Head quater survey (Victoria)
RS	Regional Survey (Smithers)
PM	Provincial Museum
MAG	Magazine or newspaper article
AN	Anecdotal information
MAP	information from maps.
12. Surface Area: (in hectares). The information from lake survey files was used when available. Otherwise surface area was calculated from 1 : 50 000 topographic maps using a planimeter.
13. Perimeter: (in meters). From lake survey data and includes perimeter of islands when given.
14. Littoral Area: (in hectares). From lake survey data only.
15. Mean Depth: (in meters). From lake survey data.
16. Max. Depth: (in meters). Maximum depth from lake survey data.
17. TDS: Most recent measurement of TDS in ppm. Surface TDS is given when data available from more than one location.
18. pH: Most recent measurement of pH. Surface pH is given when more than one measurement was given.
19. Species list: Species are abbreviated by a 2 or 3 letter

code. Codes are identical to those used in SISS and FISS.

a. RB: rainbow trout. Enter Y, N or U for present, absent or unknown. In addition enter L for large sized Rb, A for high abundance.

b. LT: Lake trout. Enter Y, N or U for present, absent or unknown. In addition enter L for large sized LT, A for high abundance.

c. CT: Cutthroat trout. Enter Y, N or U for present, absent or unknown. In addition enter L for large sized CT, A for high abundance, S for searun, and R for resident.

d. DV: Dolly varden. Enter Y, N or U for present, absent or unknown. In addition enter L for large sized DV, A for high abundance, S for searun, and R for resident.

e. ST: Steelhead. Enter Y, N or U for present, absent or unknown. In addition enter L for large sized ST and A for high abundance.

f. GR: Arctic grayling. Enter Y, N or U for present, absent or unknown. In addition enter L for large sized GR, A for high abundance.

g. W: Whitefish. Enter Y, N or U for present, absent or unknown. In addition enter M for mountain whitefish, L for Lake whitefish, P for Pigmy Whitefish, B for broad whitefish, H for humpback whitefish and R for round whitefish. If more than one species of whitefish is present, list the second species in the "Other_spp" field.

h. KO: Kokanee. Enter Y, N or U for present, absent or unknown.

i. NP: Northern pike. Enter Y, N or U for present, absent or unknown. Enter L for large sized NP, and A for high abundance.

j. Other species: Enter all other species found in the lake. If Brook trout are found in the lake, enter EB for the first species found. Then list all salmonids and other game fish, and finally list the coarse fish found. All species should be separated with a back-slash (/). Following is a key to abbreviations for the species appearing in the region (including ones listed from a - i):

GR	Arctic Grayling	LW	Lake Whitefish
BSU	Bridgelip Sucker	MW	Mountain Whitefish
EB	Brook Trout	MSU	N. Mountain Sucker
BB	Burbot	NP	Northern Pike
BW	Broad Whitefish	PCC	Peamouth Chub
CH	Chinook Salmon	PDC	N. Pearl Dace
CM	Chum Salmon	PK	Pink Salmon
CSU	Coarse Scale Sucker	PL	Pacific Lamprey
CO	Coho Salmon	CAS	Prickly Sculpin
DV	Dolly Varden Char	PW	Pigmy Whitefish
FS	Fine Scale Sucker	RB	Rainbow Trout
HW	Humpback Whitefish	RSC	Redside Shiner
IN	Inconnu	RW	Round Whitefish
KO	Kokanee	SK	Sockeye Salmon

LC	Least Cisco	NSC	N. Squawfish
LNC	Longnose Dace	CCG	Slimy Sculpin
LKC	Lake Chub	ST	Steelhead Trout
LDC	Leopard Dace	TSB	Threespine Stickleback
LSU	Longnose Sucker	WB	Western Brook Lamprey
LT	Lake Trout	SU	Unspecified Sucker

20. Rehab: Date of the last rehabilitation. There are no entries for Region 6.

21. Structure: Identifies any structure known to be present at the lake outlet such as a beaver dam, fishway, or falls.

22. Constraint: Identifies major constrain to fish production when known. The percentage severity ratine is not used for the Skeena Region. The following codes were used for constraints:

W.KILL	winterkill
C.FISH	coarse fish
RECREA	heavy use by recreational activities other than fishing
D.DOWN	drawdown problems
PRIVAT	private access
ACCESS	access problem
RESERV	Indian reserve land
RESID	residential property around the lake
MINE	mine near lake
WATER	water level problem
L.PROD	low productivity
SPAWN	limited spawning
BEAVER	beaver activity

23. Facitilities: Facilities known to be on the lake. Letters were used to describe the facility and numbers refer to the number of units when known as follows:

PC	Privat Cabins
GS	Government Campsites
RE	Resort cabins and/or campsites
FS	Forest Service recreational sites.

24. Regulations: Yes or No. See comments section for details on angling regulations.

25. Effort: Estimated annual effort in angler days.

26. CPUE: Estimated catch per angle day.

27. Enhance: Previous enhancement activities are listed in this field. These include:

ST Stocking (followed by species abbreviation for which species are stocked)
 AR aeration
 CO colonization (followed by species abbreviation to indicate species)
 DM dam to increase water level
 FT fertilization

SI Stream improvement
 SP Spawning platform
 SG Spawning gravel placement
 SH Spawning habitat enhancement
 RH Rearing habitat enhancement
 OR Barrier removal
 RP Rearing Pens
 FB Fish barrier (intentional)
 CH Spawning channel

27. Comments: This section was used for comments on a variety of aspects related to the lake including drainage, anything unusual about the lake and sources of additional information. Recent updates include more specific drainage information in this section. If the lake was netted and no fish were captured, it is noted here.

SKEENA-NASS LAKES DIRECTORY

Acorn	Chapman	Fission
Afflect	Charlotte	Flatfish
Ailport	Chisholm	Footsore
Alastair	Clearwater	Fred Wright
Aldrich	Clota	Froggy
Alpine	Club	Fulton
Amoth	Cobham	Gainor
Anzac	Coffin	George
Arbor	Cole	Gilbert
Arden	Collins	Gilmore
Arrowhead	Concealed	Goosly
Asitka	Conrad	Government
Atna	Coppermine	Grassham
Augier	Cunningham	Greasetrail
Axnelegra	Damdochax	Guess
Azulklotz	Damshilgwit	Gunanoot
Babine	Damsumlo	Hai
Baboon	Davis	Hanawald
Barrett	Day	Hankin
Bear	Deadhorse	Hannay
Beaverlodge	Deception	Harrison
Bella	Dennis	Haul
Big Falls	Derrick	Hayward
Big Fish	Des	Helen
Big Loon	Division	Helen
Bigelow	Dog	Helene
Bill Nye	Doris	Helps
Bonney	Dorsay	Henrietta
Bonus	Douse	Herman
Boomerang	Dragon	Hidden
Borden	Duckwing	Hilary
Bowser	Dunalter	Hilltop
Bras	Duti	Hodder
Bristol	Duti	Hodder
Broman	Ecstall	Hodkin
Brown	Elizabeth	Holland
Brown Bear	Elwin	Honey
Brown Paint	Emil	Hoodoo
Bud	Ena	Horist
Bulkley	End	Hospital
Burbridge	Farewell	Hughan
Burnie	Fiddler	Irrigation
Burnie	Findlay	Jacks
Call	Finlay	Jade
Camsell	Fishpan	Janze
Canyon		Jean

UPDATES:

Jenny
 Johanson
 Johnson
 Johnston
 Kathlyn
 Keynton
 Khatada
 Kidprice
 Kinakuch
 Kitsequecia
 Kitsumkalum
 Kitwanga
 Kitwanga Mill Pond
 Klate
 Kleanza
 Kline
 Klinger
 Kluatantan
 Kluayaz
 Kluck
 Knipple
 Kwinageese
 Kwinamuck
 Lachballach
 Lakelse
 Lamprey
 Lars
 Lava
 Leech
 Lennac
 Ling
 Little Fish
 Louise
 Lower Ecstall
 Lu
 MacLure
 Macmillan
 Madeline
 Madely
 Mathews
 Maxan
 McBride
 McBrierie
 McDonell
 McDowell
 McKilligan
 McKnight

McQuarrie
 Mehan
 Meziadin
 Minerva
 Mitt
 Mitten
 Moonlight
 Mooseskin Johnny
 Morice
 Morrison
 Mosquito
 Motase
 Muddy
 Nangeese
 Nanika
 Nass
 Nellian
 Neuch
 Nez
 Nilkitkwa
 Nine
 Niska
 North
 Nuphar
 Octopus
 Ogston
 Old Man
 Old Woman
 Oliver
 Onerka
 Onion
 Oweegee
 Owen
 Packrat
 Panorama
 Paw
 Peck
 Pendleton
 Pentz
 Phipps
 Pine
 Pinetree
 Pinkut
 Pinpoint
 Rae
 Record
 Red Sand

Rob
 Robinson
 Rose
 Ross
 Ross
 Rossvale
 Round
 Saiya
 Sammon
 Sand
 Sand
 Sandal
 Sandpiper
 Sandstone
 Saturday
 Scrub
 Seeley
 Seymour
 Shandilla
 Shass
 Shishilabet
 Sicintine
 Sideslip
 Silvern
 Silverstandard
 Simila
 Six Mile
 Skunsnat
 Slangeesh
 Smokee
 South
 Sponge
 Stephens
 Stepp
 Sucker
 Summit
 Sunday
 Sunset
 Sustut
 Sutherland
 Swan
 Swans
 Swordgrass
 Tadpole
 Tahlo
 Taltapin
 Taltzen

UPDATES:

Tanglechain
Tauw
Taylor
Teigen
Toboggan
Todedada
Top
Top
Torkelson
Touhy
Tremblay
Treston
Tsalitpn
Twin Lakes
Tyhee
Tzahny
Umma
Vallee
Wan
Watson
Wes
Williams
Wilson
Wiminasik
Wort
Yaakin
Yellen

UPDATES:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Acorn (G)
Wsd_code: 480-3782-341
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Smithers
Dist_town: 82
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 82
Location: 093M/07-55/24-126/32
Elev: 829
Drainage: Babine
In_out: 2-1
Survey: 83/09 Type_survey: RS
Surf_area: 171.9 Litt_area: 171.9
Perim: 8180
Depth_mean: 3 Depth_max: 5
Tds: 55 Ph: 7.2

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp: LSU/BB/LKC/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Affleck(G)
Wsd_code: 470-1557-213
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Hazelton
Dist_town: 34
Dist_pave: Dist_grav: 34
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/05-55/28-127/51
Elev: 366
Drainage: Kispiox
In_out: 0-0
Survey: Type_surve:
Surf_area: 17.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Ailport (G)
Wsd_code: 460-8297-206-304
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 093L/09-54/33-126/08
Elev: 1250
Drainage: Bulkley
In_out: 1-1
Survey: Type_surve:
Surf_area: 12.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Alastair (G)
Wsd_code: 400-1134
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Terrace
Dist_town: 58
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 58
Location: 103I/03-54/05-129/11
Elev: 30
Drainage: Skeena
In_out: 14-1
Survey: 75/10 Type_surve: HQ
Surf_area: 689.0 Litt_area:
Perim: 20600
Depth_mean: 30 Depth_max: 78
Tds: 7 Ph: 6.8

Rb: Y Lt: U Ct: Y
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: SK/CH/CO/CM/PK/PCC/TSB/CAS/

Rehab:
Constraint: Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: CSU also present. Good spawning in inlet stream.
Comment2: Very Scenic.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Aldrich (G)
Wsd_code: 440
Lak_seq_no: 04
Last_entry: Mar85
Near_town: Smithers
Dist_town: 32
Dist_pave: Dist_grav: 32
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/14-54/45-127/23
Elev: 850
Drainage: Zymoetz
In_out: 1-1
Survey: 68/08 Type_surve: RS/HQ
Surf_area: 47.5 Litt_area:
Perim: 2789
Depth_mean: 4 Depth_max: 8
Tds: 23 Ph: 6.6

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : YM Ko: U Np: U
Other_spp: SK/LSU/PCC/CSU

Rehab:
Constraint: MINE Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Duthie mine tailings get into this lake. Campsite on Lake.
Comment2: ST probably use lake for holding in spring before spawning.
Comment3: Salmon & ST reproted between Dennis and this lake.
Comment4: Also known as Loon Lake.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Alpine (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Stewart
Dist_town: 85
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 85
Location: 103P/11-55/32-129/12
Elev: 975
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 22.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Amoth (G)
Wsd_code: 500-5547
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Terrace
Dist_town: 70
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 70
Location: 103I/13-54/46-129/37
Elev: 366
Drainage: Nass
In_out: 6-1
Survey: Type_surve:
Surf_area: 231.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Anzac (G)
Wsd_code: 460-6006-644-370
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Houston
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 093E/14-53/59-127/54
Elev: 945
Drainage: Bulkley
In_out: 8-1
Survey: 74/10 Type_surve: HQ
Surf_area: 136.8 Litt_area: 42.1
Perim: 3478
Depth_mean: 5 Depth_max: 13
Tds: 33 Ph: 6.8

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: FS
Effort: Cpue:
Enhance:

Comment1: This lake is part of a canoe route into Kidprice Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Arbor (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Stewart
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 103P/11-55/44-129/02
Elev: 671
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 104.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Arden (G)
Wsd_code: 400-0361-232-388
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 103I/05-54/20-129/40
Elev: 427
Drainage: Skeena
In_out: 1-1
Survey: Type_surve:
Surf_area: 213.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Arrowhead (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Stewart
Dist_town: 75
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 75
Location: 103P/11-55/36-129/03
Elev: 396
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 20.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Asitka (G)
Wsd_code: 490-4511
Lak_seq_no: 02
Last_entry: Feb86
Near_town: Smithers
Dist_town: 200
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 200
Location: 094D/09-56/33-126/22
Elev: 1280
Drainage: Bear
In_out: 1-1
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/SK/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Lake spawning sockeye. Heavy predation by bears & eagles.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Atna (G)
Wsd_code: 460-6006-735
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Smithers
Dist_town: 90
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 90
Location: 093L/04-54/02-127/47
Elev: 774
Drainage: Bulkley
In_out: 3-1
Survey: Type_surve:
Surf_area: 526.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: Y Ct: U
Dv: Y St: U Gr: U
W : YM Ko: U Np: U
Other_spp: SK/CO/LSU/

Rehab:
Constraint: L.PROD Regs:
Structure: Falls Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Kemano completion project study done on this Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Augier (G)
Wsd_code: 480-9277
Lak_seq_no: 04
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 24
Dist_pave: Dist_grav: 24
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05-54/25-125/35
Elev: 914
Drainage: Babine
In_out: 3-1
Survey: 74/08 Type_surve: HQ
Surf_area: 851.5 Litt_area: 728.5
Perim: 22067
Depth_mean: 27 Depth_max: 60
Tds: 60 Ph: 7.4

Rb: Y Lt: Y Ct: U
Dv: U St: U Gr: U
W : YL Ko: Y Np: U
Other_spp: LSU/BB/

Rehab:
Constraint: Regs:
Structure: Facilities: PC FS
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Axnelegra (G)
Wsd_code: 500-3771
Lak_seq_no: 05
Last_entry: Jun85
Near_town: Aiyansh
Dist_town: 100
Dist_pave: ? Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/15-55/49-128/47
Elev: 335
Drainage: Nass
In_out: 4-1
Survey: Type_survey:
Surf_area: 26.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Access to this lake is not clear.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Azuklotz (G)
Wsd_code: 490-2679-802
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Smithers
Dist_town: 146
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 146
Location: 094D/02-56/05-126/44
Elev: 783
Drainage: Sustut
In_out: 1-1
Survey: 86/09 Type_surve: RS
Surf_area: 218.8 Litt_area: 183.9
Perim: 11,600
Depth_mean: 4.1 Depth_max: 9
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: SK/CO/

Rehab:
Constraint: Regs: Yes
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: One primitive, undeveloped campsite at S. side of Lake.
Comment2: Bear River and its tributaries are closed to Angling.
Comment3: Abandoned BCR Dease Lake extension.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Babine (G)
Wsd_code: 480
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Granisle
Dist_town: 0
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/16-55/00-126/00
Elev: 708
Drainage: Babine
In_out: 100-1
Survey: Type_surve: AN/RS/HQ
Surf_area: 49070.0 Litt_area:
Perim: 364700
Depth_mean: 55 Depth_max: 186
Tds: 50 Ph: 8.0

Rb: Y Lt: Y Ct: Y
Dv: Y St: Y Gr: U
W : YL Ko: Y Np: U
Other_spp: SK/CH/CO/CM/PK/MW/CSU/PCC/

Rehab:
Constraint: Mine Regs:
Structure: Fence Facilities: RE PC
Effort: Cpue:
Enhance: ST_RB;CH

Comment1: NSC and BB also present. LT present and spawning in Lake.
Comment2: RB stocking record for 1960.
Comment3: Some inforcement problems in Fulton River area (?)
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Baboon (G)
Wsd_code: 480-6972-123
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 45
Dist_pave: Dist_grav: 45
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/09-54/42-126/20
Elev: 975
Drainage: Babine
In_out: 0-1
Survey: Type_surve:
Surf_area: 129.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Barrett (G)
Wsd_code: 460-5895-300
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Houston
Dist_town: 25
Dist_pave: Dist_grav: 25
Dist_4x4: Dist_walk: X
Dist_air:
Location: 093L/10-54/30-126/45
Elev: 610
Drainage: Bulkley
In_out: 1-1
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Access Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Barren prior to stocking with RB in 1984.
Comment2: Public and private access.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bartok (A)

Wsd_code:

Lak_seq_no:

Last_entry:

Near_town:

Dist_town:

Dist_pave:

Dist_grav:

Dist_4x4:

Dist_walk:

Dist_air:

Location:

Elev:

Drainage: Kispiox

In_out:

Survey: 05/91

Type_surve: RS

Surf_area:

Litt_area:

Perim:

Depth_mean:

Depth_max:

Tds:

Ph:

Rb: Y

Lt: U

Ct: U

Dv: U

St: U

Gr: U

W : U

Ko: U

Np: U

Other_spp:

Rehab:

Constraint: Beaver

Regs:

Structure:

Facilities:

Effort:

Cpue:

Enhance: SG

Comment1: Well used trail at outlet and signs of angling activity.

Comment2:

Comment3:

Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bear (G)
Wsd_code: 490-2679
Lak_seq_no: 03
Last_entry: Nov93
Near_town: Smithers
Dist_town: 142
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 142
Location: 094D/02-56/07-126/50
Elev: 780
Drainage: Sustut
In_out: 21-1
Survey: 86/09 Type_surve: RS/PM
Surf_area: 1975.5 Litt_area: 692.5
Perim: 62,500
Depth_mean: 13.5 Depth_max: 75
Tds: 40 Ph: 7.0

Rb: Y Lt: Y Ct: U
Dv: Y St: U Gr: U
W : YL Ko: Y Np: U
Other_spp: MW/SK/CH/CO/LSU/CAS/RSC/BB

Rehab:
Constraint: Reserve Regs: Yes
Structure: Facilities: PC,RE
Effort: Cpue:
Enhance:

Comment1: WSU also present. DFO conducted studies in area in 1984.
Comment2: Bear River and its tributaries are closed to angling.
Comment3: Abandoned BCR Dease Lake extension in area.
Comment4: Indian residences at northern part of Lake.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Beaverlodge (G)
Wsd_code: 400-8721-250-258
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Iskut
Dist_town: 150
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 150
Location: 104A/16-56/58-128/02
Elev: 1006
Drainage: Skeena
In_out: 1-1
Survey: Type_surve:
Surf_area: 30.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Beetle (A)
Wsd_code:
Lak_seq_no:
Last_entry:
Near_town: Houston
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location:
Elev:
Drainage:
In_out:
Survey: 87 Type_surve: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Beaver Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Lakeshore surrounded by dead snags.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bella (G)
Wsd_code: 500-5719-315
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Stewart
Dist_town: 80
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 80
Location: 104A/02-56/03-128/44
Elev: 522
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 28.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Big Falls (G)
Wsd_code: 400-0165-242
Lak_seq_no:
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 55
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 55
Location: 103H/13-54/00-129/42
Elev: 30
Drainage: Skeena
In_out: 2-1
Survey: Type_surve:
Surf_area: 317.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Big Fish
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 68
Dist_pave: Dist_grav: 67
Dist_4x4: Dist_walk: 1
Dist_air:
Location: 103P/09-55/00-128/00
Elev: 390
Drainage: Kispiox
In_out: 1-1
Survey: 06/83 Type_surve: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: YA
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: No coarse fish seen. Surveyed by contractor (NEED program)
Comment2: Beaver dam on outlet stream prevents CO access to lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Big Loon (G)
Wsd_code: 480-7391
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Burns Lake
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 093K/13-54/45-125/50
Elev: 782
Drainage: Babine
In_out: 3-1
Survey: 77/08 Type_surve: HQ
Surf_area: 164.7 Litt_area: 67.9
Perim: 6500
Depth_mean: 5 Depth_max: 9
Tds: 80 Ph: 8.0

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: SK/PCC/RSC/NSC/FS/CAS/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Babine forest products logging operations approaching lake.
Comment2: Used to be a SK run.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bigelow (G)
Wsd_code: 460-3738-332
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Smithers
Dist_town: 3
Dist_pave: 1
Dist_4x4: Dist_grav: 2
Dist_walk: Dist_walk:
Dist_air:
Location: 093L/14-54/45-127/10
Elev: 541
Drainage: Bulkley
In_out: 0-1
Survey: 82/08 Type_surve: AN/RS/HQ
Surf_area: 11.0 Litt_area: 6.2
Perim: 1290
Depth_mean: 4 Depth_max: 7
Tds: 106 Ph: 6.0

Rb: U Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: EB/LKC

Rehab:
Constraint: W.KILL Regs: YES
Structure: Facilities: PC
Effort: 1800 Cpue: 1.6
Enhance: ST_EB

Comment1: Effort and CPUE for 3 months winter fishing season.
Comment2: A winter fishery for EB has been established.
Comment3: No fishing April 1 - Nov 30.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bill Nye (G)
Wsd_code: 460-6006-364-641-238 — *Wrong*
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Houston
Dist_town: 20
Dist_pave: 15 Dist_grav: 5
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/03-54/03-127/07 — *Wrong* 93L/07
Elev: 853 *450m*
Drainage: Bulkley
In_out: 1-1
Survey: 05/85 Type_survey: RS
Surf_area: 94.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Gillnet set overnight. Request to stock lake declined.
Comment2: Felt that recruitment from Summit Lake is better.
Comment3: Lake is situated between Helen and Summit Lakes.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bonney (G)
Wsd_code: 500-5719-550
Lak_seq_no: 05
Last_entry: Mar85
Near_town: Aiyansh
Dist_town: 110
Dist_pave: Dist_grav: 110
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/15-55/57-128/50
Elev: 762
Drainage: Nass
In_out: 1-1
Survey: 72/08 Type_surve: RS/HQ
Surf_area: 428.7 Litt_area: 292.1
Perim: 37661
Depth_mean: 21 Depth_max: 86
Tds: 20 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CAS

Rehab:
Constraint: Regs:
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: No fish caught in gillnet set. Complex shoreline.
Comment2: Good stocking candidate.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bonus (G)
Wsd_code: 530-1695
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Terrace
Dist_town: 115
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air: 115
Location: 103P/10-55/36-128/37
Elev: 305
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 2.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Two small lakes
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Boomerang (G)
Wsd_code: 480-6972-334-555
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 60
Dist_pave: 20 Dist_grav: 39.9
Dist_4x4: 0.1 Dist_walk:
Dist_air:
Location: 093L/15-54/58-126/35
Elev: 905
Drainage: Babine
In_out: 1-1
Survey: 82/08 Type_surve: HQ
Surf_area: 49.8 Litt_area: 49.8
Perim: 4526
Depth_mean: 3 Depth_max: 6
Tds: 68 Ph: 6.0

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/PCC/RSC/

Rehab:
Constraint: Beaver Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Borden (G)
Wsd_code: 530-1370
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Terrace
Dist_town: 110
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air: 110
Location: 103P/10-55/34-128/43
Elev: 335
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 25.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bowser (G)
Wsd_code: 560-2086
Lak_seq_no: 01
Last_entry: Now93
Near_town: Stewart
Dist_town: 65
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 65
Location: 104A/05-56/27-129/34
Elev: 368
Drainage: Nass
In_out: 28-1
Survey: 88/10 Type_surve: HQ/RS
Surf_area: 3610 Litt_area:
Perim: 78,500
Depth_mean: Depth_max: 152
Tds: 60 Ph: 7.0

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : YM Ko: U Np: U
Other_spp: CO/SK/LSU/

Rehab:
Constraint: L.PROD,Mine Regs:
Structure: Facilities: PC
Effort: Cpue:
Enhance:

Comment1: This lake has a large run of SK - mostly lake spawning.
Comment2: Number of spills in lake (ammonium nitrate, nitroglycerine)
Comment3: Tailings of Grandu mine partially disposed off in this area.
Comment4: CO may be present.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bras (G)
Wsd_code: 470-1239-001
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Hazelton
Dist_town: 29
Dist_pave: Dist_grav: 25
Dist_4x4: Dist_walk: 4
Dist_air:
Location: 093M/05-55/27-127/48
Elev: 366
Drainage: Kispiox
In_out: 0-0
Survey: Type_surve:
Surf_area: 7.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bristol (G)
Wsd_code: 480-6972-657
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 35
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 35
Location: 093M/02-55/02-126/41
Elev: 792
Drainage: Babine
In_out: 3-1
Survey: Type_surve:
Surf_area: 81.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Broman (G)
Wsd_code: 460
Lak_seq_no: 04 05
Last_entry: Nov85
Near_town: Burns Lake
Dist_town: 30
Dist_pave: 30 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/08-54/25-126/08
Elev: 762
Drainage: Bulkley
In_out: 1-1
Survey: 70/08 Type_surve: AN/RS
Surf_area: 48.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: 44 Ph: 6.7

Rb: YL Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Access Regs:
Structure: Facilities: RE 1PC 1
Effort: Cpue:
Enhance:

Comment1: Marginal spawning habitat. Large RB present, hard to catch.
Comment2: Considered for some form of enhancement, including chemical
Comment3: and some form of spawning pads.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Brown (G)
Wsd_code: 400-0165-157
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 45
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 45
Location: 103H/13-54/00-129/58
Elev: 152
Drainage: Skeena
In_out: 5-1
Survey: AN Type_surve:
Surf_area: 602.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U	Lt: U	Ct: Y
Dv: U	St: U	Gr: U
W : U	Ko: U	Np: U

Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: L. Turner reported CT in lake (Nov. 1992)
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Brown Bear (G)
Wsd_code: 500-3771
Lak_seq_no: 04
Last_entry: Mar85
Near_town: Stewart
Dist_town: 70
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air: 70
Location: 103P/15-55/46-128/44
Elev: 488
Drainage: Nass
In_out: 4-1
Survey: 06/74 Type_surve: PM
Surf_area: 722.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint:
Structure: Falls Regs:
Effort: Facilities:
Enhance: Cpue:

Comment1: Looked at as part of overall recreation area-died in apathy.
Comment2: Logging in area.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Brown Paint (G)
Wsd_code: 470-5259
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Hazelton
Dist_town: 60
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 103P/09-55/38-128/19
Elev: 701
Drainage: Kispiox
In_out: 3-1
Survey: Type_surve:
Surf_area: 33.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bud (G)
Wsd_code: 480-7411-809
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 093L/13-54/50-127/38
Elev: 1097
Drainage: Zymoetz
In_out: 0-1
Survey: Type_surve:
Surf_area: 15.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Bulkley (G)
Wsd_code: 460
Lak_seq_no: 01
Last_entry: Mar94
Near_town: Burns Lake
Dist_town: 35
Dist_pave: 27 Dist_grav: 8
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/08-54/22-126/06
Elev: 701
Drainage: Bulkley
In_out: 2-1
Survey: 10/93 Type_surve: RS/HQ/AN
Surf_area: 237.9 Litt_area: 156.6
Perim: 11232
Depth_mean: 8 Depth_max: 15
Tds: 64 Ph: 8.0

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp: CH/SK/RSC/NSC/PCC/BB/LKC/

Rehab:
Constraint: Access Regs:
Structure: Facilities: PC
Effort: Cpue:
Enhance: ST_RB

Comment1: Railway on north side of lake. No public access.
Comment2: Water used by life stock. Salmon come up to Bulkley lake.
Comment3: SK and CH use Maxan Creek.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Burbridge (G)
Wsd_code: 460-3254-624
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 35
Dist_pave: Dist_grav: 35
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/10-54/42-126/45
Elev: 1158
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 7.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Burnie (N) (G)
Wsd_code: 440-2569-597
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Smithers
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 093L/05-54/23-127/36
Elev: 1097
Drainage: Zymoetz
In_out: 2-1
Survey: 75/08 Type_surve: HQ
Surf_area: 267.9 Litt_area: 201.9
Perim: 12440
Depth_mean: 20 Depth_max: 40
Tds: 24 Ph: 6.7

Rb: Y Lt: U Ct: Y
Dv: Y St: Y? Gr: U
W : YM Ko: Y Np: U
Other_spp: LSU/ BB

Rehab:
Constraint: L.PROD Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Inlets right off glacier. Survey by BC parks branch.
Comment2: Trout show marked reduction in spots & overall silvery hue.
Comment3: This data is for the north lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Burnie (S) (G)
Wsd_code: 440-2569-597
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/05-54/20-127/35
Elev: 1097
Drainage: Zymoetz
In_out: 6-1
Survey: 75/08 Type_surve: HQ
Surf_area: 319.1 Litt_area: 166.6
Perim: 12200
Depth_mean: 12 Depth_max: 31
Tds: 20 Ph: 7.1

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : YM Ko: Y Np: U
Other_spp: RSC/LSU/

Rehab:
Constraint: L.PROD Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Parks branch survey. This data is for the South Lake.
Comment2: 3 x 45 gallon drum of aviation fule on beach at N end (1975)
Comment3: Trout have very sparse, faint spots & overall silvery hue.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Call (G)
Wsd_code: 460-3254
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Smithers
Dist_town: 3
Dist_pave: 2
Dist_4x4: Dist_grav:
Dist_air: Dist_walk: 1
Location: 093L/14-54/45-127/05
Elev: 579
Drainage: Bulkley
In_out: 0-1
Survey: RS
Surf_area: 8.9
Perim:
Depth_mean: Type_surve:
Tds: Litt_area:
Depth_max: 7
Ph:

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: EB/

Rehab:
Constraint: W.KILL
Structure: Regs:
Effort: 1873 Facilities:
Enhance: ST_EB Cpue: 0.95

Comment1: Effort and CPUE in angler days for ice fishing season.
Comment2: EB planted at pulbic request. Access through grazing lease.
Comment3: Water license for stock watering - 2000 gallons/day.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Canyon (G)
Wsd_code: 400-6743
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 170
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 170
Location: 104A/08-56/15-128/05
Elev: 666
Drainage: Skeena
In_out: 16-1
Survey: Type_surve:
Surf_area: 254.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
NORTH COAST MANAGEMENT UNIT

Name Artificial (A) Carlisle (G)
Wsd_code 400-0003 Lak_seq_no 01
Last_entry Jun85
Location 103J/01-54/05-130/05
Near_town Prince Rupert
Dist_town 28 Dist_pave
Dist_grav Dist_4x4
Dist_walk Dist_air 28
Elev 91
Drainage N Coast
In_out 0-1
Survey Type_surve
Surf_area 5.1 Litt_area
Perim
Depth_mean Depth_max
Tds Ph

Rb Lt Ct
Dv St Gr
W Ko Np
Other_spp

Rehab
Constraint
Structure Regs
Effort Facilities
Enhance Cpue
Comment Carlisle Creek. This lake may also be called Carlisle.
(Gazetted Name).

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Chapman (G)
Wsd_code: 480-6972
Lak_seq_no: 02
Last_entry: Nov85
Near_town: Smithers
Dist_town: 48
Dist_pave: Dist_grav: 48
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/15-54/50-126/40
Elev: 763
Drainage: Babine
In_out: 10-1
Survey: 70/08 Type_surve: RS/HQ
Surf_area: 667.8 Litt_area:
Perim: 19312
Depth_mean: 13 Depth_max: 33
Tds: 63 Ph: 7.2

Rb: U Lt: Y Ct: Y
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: LSU/PCC/BB/

Rehab:
Constraint: Regs:
Structure: Facilities: PC
Effort: Cpue:
Enhance: ST_RB

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Chisholm (G)
Wsd_code: 460-6006-445
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 093L/03-54/12-127/12
Elev: 762
Drainage: Bulkley
In_out: 2-1
Survey: Type_surve:
Surf_area: 119.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Clota (G)
Wsd_code: 480-4026
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 80
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 80
Location: 093M/07-55/23-126/35
Elev: 713
Drainage: Babine
In_out: 3-1
Survey: Type_surve:
Surf_area: 50.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Cobham (G)
Wsd_code: 460-8007-486
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 35
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 35
Location: 093L/09-54/32-126/14
Elev: 853
Drainage: Bulkley
In_out: 2-1
Survey: Type_survey:
Surf_area: 15.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Cole (A)
Wsd_code:
Lak_seq_no:
Last_entry: Feb86
Near_town: Houston
Dist_town: 49
Dist_pave: Dist_grav: 44
Dist_4x4: ? 5 Dist_walk:
Dist_air:
Location: 093L/02-54/06-126/42
Elev: 945
Drainage: Bulkley
In_out: 0-0
Survey: Type_survey:
Surf_area: 1.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Located in vicinity of abandoned Brenda Mines.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Concealed (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Stewart
Dist_town: 85
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 85
Location: 103P/11-55/30-129/00
Elev: 213
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 5.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Coppermine (G)
Wsd_code: 460-5171-361
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 093L/10-54/34-126/42
Elev: 1402
Drainage: Bulkley
In_out: 0-0
Survey: Type_surve:
Surf_area: 12.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Cunningham (G)
Wsd_code: 400-0133-011
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 30
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 30
Location: 103I/04-54/08-129/58
Elev: 122
Drainage: Skeena
In_out: 0-1
Survey: Type_surve:
Surf_area: 45.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Damdochax (G)
Wsd_code: 580
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Smithers
Dist_town: 200
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 200
Location: 104A/10-56/30-128/07
Elev: 607
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 152.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: Y
Dv: Y St: Y Gr: U
W : U Ko: U Np: U
Other_spp: SK/CO/CH/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Damshilgwit (G)
Wsd_code: 400-7053-422
Lak_seq_no: 02
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 130
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 130
Location: 094D/05-56/26-127/57
Elev:
Drainage: Skeena
In_out: 1-1
Survey: Type_survey:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U	Lt: U	Ct: U
Dv: U	St: U	Gr: U
W : U	Ko: U	Np: U
Other_spp: SK/		

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Also called fifth cabin Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Damsumlo (G)
Wsd_code: 480-0278-657
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 120
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 120
Location: 093M/13-55/55-127/45
Elev: 914
Drainage: Babine
In_out: 5-1
Survey: Type_surve:
Surf_area: 101.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Davis (G)
Wsd_code: 400-0593
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Prince Rup.
Dist_town: 54
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 54
Location: 103I/04-54/09-129/32
Elev: 110
Drainage: Skeena
In_out: 1-1
Survey: 85/08A Type_survey: RS
Surf_area: 36.8 Litt_area: 11.9
Perim: 3000
Depth_mean: 10 Depth_max: 28
Tds: 14 Ph: 6.5

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: Y Np: U
Other_spp:

Rehab:
Constraint: Falls Regs:
Structure: Facilities: PC(1)
Effort: Cpue:
Enhance:

Comment1: Steep mountains surround the lake
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Day (G)
Wsd_code: 460-8344-269
Lak_seq_no: 02
Last_entry: Nov85
Near_town: Topley
Dist_town: 24
Dist_pave: Dist_grav:
Dist_4x4: ? Dist_walk:
Dist_air:
Location: 093L/08-54/25-126/15
Elev: 934
Drainage: Bulkley
In_out:
Survey: 93/10 Type_surve: RS
Surf_area: 312.8 Litt_area:
Perim: 11436
Depth_mean: 11 Depth_max: 25
Tds: 70 Ph: 8.5

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: RSC/NSC/PCC/LSU/CSU/BB

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: BL
Effort: Cpue:
Enhance:

Comment1: Spawning habitat in outlet probably accessible in spring.
Comment2: Culvert in outlet passable.
Comment3: Few fish caught in overnight gill net.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Deadhorse (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Hazelton
Dist_town: 55
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk: ?
Dist_air:
Location: 103P/09-55/44-128/00
Elev: 640
Drainage: Kispiox
In_out: 1-1
Survey: Type_surve:
Surf_area: 6.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Deception (G)
Wsd_code: 480-6972-254
Lak_seq_no: 03
Last_entry: MAR85
Near_town: Smithers
Dist_town: 30
Dist_pave: Dist_grav:
Dist_4x4: ?-30 Dist_walk:
Dist_air:
Location: 093L/10-54/42-126/38
Elev: 1097
Drainage: Babine
In_out: 4-1
Survey: Type_surve:
Surf_area: 94.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Dennis (G)
Wsd_code: 440
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/13-54/45-127/25
Elev: 849
Drainage: Zymoetz
In_out: 2-1
Survey: 68/08 Type_survey: RS/HQ
Surf_area: 130.7 Litt_area:
Perim: 5954
Depth_mean: 3 Depth_max: 5
Tds: 45 Ph: 7.3

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: SK/CO/PK/NSC/

Rehab:
Constraint: Regs:
Structure: Facilities: PC FS
Effort: Cpue:
Enhance: ST_RB

Comment1: Salmon & ST reported in old files, not found in survey.
Comment2: ST most likely use lake as holding area in spring.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Derrick (G)
Wsd_code: 500-1695
Lak_seq_no: 03
Last_entry: Nov85
Near_town: Kitwanga
Dist_town: 60
Dist_pave: 50 Dist_grav: 10
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/10-55/38-128/38
Elev: 427
Drainage: Nass
In_out: 1-1
Survey: 06/84 Type_survey: RS/AN
Surf_area: 63.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y	Lt: U	Ct: U
Dv: U	St: U	Gr: U
W : U	Ko: U	Np: U

Other_spp:

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1: Has produced large RB in past. Heavy angling pressure.
Comment2: Concern for decline in fish size.
Comment3: Few undeveloped camping spots.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Des (A)
Wsd_code:
Lak_seq_no:
Last_entry: Feb86
Near_town: Smithers
Dist_town: 100
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 100
Location: 093E/14-53/55-127/28
Elev: 930
Drainage: Bulkley
In_out: 2-1
Survey: Type_surve:
Surf_area: 45.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y	Lt: U	Ct: U
Dv: Y	St: U	Gr: U
W : U	Ko: U	Np: U
Other_spp: LSU/LNC/		

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Also called Rum or Spill Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Division (G)
Wsd_code: 480-9277-667
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Burns Lake
Dist_town: 16
Dist_pave: Dist_grav: 16
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05-54/21-125/41
Elev: 975
Drainage: Babine
In_out: 1-1
Survey: 74/08 Type_surve: RS/HQ
Surf_area: 23.6 Litt_area:
Perim: 2682
Depth_mean: 3 Depth_max: 6
Tds: 90 Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/CSU/

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance: ST_RB;SP

Comment1: Outlet spawning improved.
Comment2: Suckers spawn in outlet stream near culvert.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Dog (G)
Wsd_code: 560-0832-125
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Stewart
Dist_town: 70
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 70
Location: 104A/06-56/16-129/09
Elev: 457
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 7.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Doris (G)
Wsd_code: 480-6972-334
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Smithers
Dist_town: 48
Dist_pave: Dist_grav: 48
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/15-54/50-126/32
Elev: 861
Drainage: Babine
In_out: 0-1
Survey: 70/08 Type_surve: RS
Surf_area: 113.3 Litt_area:
Perim: 6181
Depth_mean: 6 Depth_max: 13
Tds: 56 Ph: 7.3

Rb: Y Lt: Y Ct: Y
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: CSU/LSU/RSC/NSC/BB/MW/PCC

Rehab:
Constraint: Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance: ST_RB

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Dorsay (G)
Wsd_code: 460-4353-270
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 20
Dist_pave: Dist_grav: 20
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/10-54/40-127/40
Elev: 670
Drainage: Bulkley
In_out: 0-0
Survey: Type_survey: RS
Surf_area: 10.1 Litt_area:
Perim:
Depth_mean: Depth_max: 12
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: W.KILL Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Considered for stocking, but oxygen levels are very low.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Douse (G)
Wsd_code: 560-4287
Lak_seq_no: 02
Last_entry: Nov85
Near_town: Hazelton
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 103P/09-55/35-128/17
Elev: 1128
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 134.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Unknown fish presence.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Dragon (G)
Wsd_code: 500-2019-241-426-042
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Nass Camp
Dist_town: 10
Dist_pave: Dist_grav: 10
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/07-55/19-128/57
Elev: 185
Drainage: Nass
In_out: 0-0
Survey: 72/08 Type_surve: RS/HQ
Surf_area: 531.3 Litt_area: 237.8
Perim: 6483
Depth_mean: 5 Depth_max: 9
Tds: 260 Ph: 8.5

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/SU/RSC/TSB/CC

Rehab:
Constraint: Regs:
Structure: Facilities: FS 5 BL
Effort: Cpue:
Enhance:

Comment1: Inlet stream provides most of recruitment.
Comment2: Boat launch and site and dock present.
Comment3: No enhancement options determined during 1985 examination.
Comment4: Some of creeks have dried up due to logging rd construction.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Duckbill (A)
Wsd_code: 460-1892
Lak_seq_no: 01
Last_entry: Dec93
Near_town: Moricetown
Dist_town: 2
Dist_pave: Dist_grav:
Dist_4x4: 2 Dist_walk:
Dist_air:
Location: 93M/3-55/01-129/16
Elev: 567
Drainage: Bulkley
In_out: 1-1
Survey: 6/85 Type_surve: RS
Surf_area: 9.9 Litt_area: 2.0
Perim: 1,560
Depth_mean: 4.1 Depth_max: 9.8
Tds: 46 Ph: 9.5

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CD/

Rehab:
Constraint: spawn Regs:
Structure: logjams Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Outlet stream has numerous debris jams. No gill net set in
Comment2: Stocked with unusually large fish. Duckbill has been accept
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Duckwing (G)
Wsd_code: 460-2238-107
Lak_seq_no: 01
Last_entry: Dec93
Near_town: Moricetown
Dist_town: 2
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk: 2
Dist_air:
Location: 093M/03-55/02-127/17
Elev: 543
Drainage: Bulkley
In_out: 0-1
Survey: 85/06 Type_surve: RS
Surf_area: 45.9 Litt_area: 13.7
Perim: 3000
Depth_mean: 14 Depth_max: 34.9
Tds: 70 Ph: 7.8

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: BEAVER Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Outlet stream clogged with debris and beaver dams.
Comment2: No fish caught in gill net set under ice.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Dunalter (G)
Wsd_code: 460-5895-472
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Houston
Dist_town: 13
Dist_pave: 12 Dist_grav: 1
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/07-54/27-126/46
Elev: 785
Drainage: Bulkley
In_out: 1-1
Survey: 83/09 Type_survey: RS/HQ
Surf_area: 22.5 Litt_area: 14.4
Perim: 1913
Depth_mean: 6 Depth_max: 18
Tds: 74 Ph: 7.1

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: C.FISH Regs:
Structure: Dam Facilities: PC 1
Effort: Cpue:
Enhance: ST_RB;FB

Comment1: Constructed a coarse fish barrier & chemically treat lake.
Comment2: Also called Irrigation Lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Dutl (G)
Wsd_code: 400-8721
Lak_seq_no: 04
Last_entry: Mar85
Near_town: Iskut
Dist_town: 160
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 160
Location: 094E/04-57/16-127/45
Elev: 1160
Drainage: Skeena
In_out: 1-1
Survey: 76/08 Type_surve: AN/HQ
Surf_area: 65.4 Litt_area: 17.7
Perim: 4470
Depth_mean: 13 Depth_max: 26
Tds: 42 Ph: 7.4

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Rb up to 2 pounds, fishing excellent (anecdotal)
Comment2: Within provincial park. This data is for the north lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Dutl (G)
Wsd_code: 400-8721
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Iskut
Dist_town: 160
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 160
Location: 094E/04-57/14-127/46
Elev: 1160
Drainage: Skeena
In_out: 1-1
Survey: 76/08 Type_surve:
Surf_area: 144.5 Litt_area: 90.1
Perim: 4711
Depth_mean: 9 Depth_max: 20
Tds: 47 Ph: 7.5

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Love and Lee guides have a camp on this lake.
Comment2: This information is for the South Lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Ecstall (G)
Wsd_code: 400-0165-620
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Kitimat
Dist_town: 62
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 62
Location: 103H/11-53/44-129/24
Elev: 58
Drainage: Skeena
In_out: 3-1
Survey: 85/06 Type_surve: HQ
Surf_area: 101.6 Litt_area: 58.3
Perim: 8,400
Depth_mean: 6.2 Depth_max: 20
Tds: 20 Ph: 6.7

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/CAS/TSB/PL

Rehab:
Constraint: C. Fish Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Numerous sweepers and deadheads along shoreline.
Comment2: Also occasional large, submerged rock.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Elizabeth (G)
Wsd_code: 470-3132
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 47
Dist_pave: Dist_grav: 47
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/35-128/01
Elev: 427
Drainage: Kispiox
In_out: 0-1
Survey: 70/08 Type_surve: RS
Surf_area: 44.5 Litt_area:
Perim: 3639
Depth_mean: 5 Depth_max: 10
Tds: 44 Ph: 7.0

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/NSC/CSU/PCC/

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities: FS
Effort: Cpue:
Enhance:

Comment1: Good public access but poor fishing. Abundant NSC.
Comment2: Outlet badly blocked by a series of beaver dams.
Comment3: Does not appear to be able to support abundant trout.
Comment4: Popular use due to easy access. CO present some years.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Elwin (G)
Wsd_code: 460-8344-269
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Houston
Dist_town: 25
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/08-54/25-123/17
Elev: 785
Drainage: Bulkley
In_out: 1-1
Survey: 93/10 Type_surve: RS/HQ/AN
Surf_area: 269.0 Litt_area: 111.0
Perim: 11100
Depth_mean: 7 Depth_max: 17
Tds: 81 Ph: 6.5

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp: CSU/LKC/NSC/CC/LSU

Rehab:
Constraint: C. Fish Regs:
Structure: Beaver Facilities: PC 2
Effort: Cpue:
Enhance:

Comment1: Lake may have been stocked with RB in 1930's.
Comment2: No RB caught in 1982 survey, but 16 caught in 1993.
Comment3: Cattle grazing throughout tribs.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Emil (G)
Wsd_code: 460-6006-239-699
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 42
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk: 2
Dist_air:
Location: 093L/02-54/06-126/43
Elev: 1036
Drainage: Bulkley
In_out: 0-1
Survey: Type_survey:
Surf_area: 20.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Ena (G)
Wsd_code: 420-7449
Lak_seq_no: 01
Last_entry: FEB87
Near_town: Terrace
Dist_town: 19
Dist_pave: 2 Dist_grav: 17
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/07-54/21-128/37
Elev: 215
Drainage: Lakelse
In_out: 0-1
Survey: 6/86 Type_surve: RS
Surf_area: 13.6 Litt_area:
Perim:
Depth_mean: Depth_max: 15
Tds: 27 Ph: 6.4

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Log Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Access to lake via 15 km hike somewhat difficult.
Comment2: Gill net set for only 1.25 hours.
Comment3: Strongly believe that lake is barren.
Comment4: Log across lake prevents boat access to outlet stream.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: End (G)
Wsd_code: 420-6238-298
Lak_seq_no: 01
Last_entry: FEB87
Near_town: Terrace
Dist_town: 29
Dist_pave: 23 Dist_grav: ? 6
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/07-54/19-128/37
Elev: 140
Drainage: Lakelse
In_out: 0-1
Survey: 6/86 Type_surve: RS
Surf_area: 9.7 Litt_area:
Perim:
Depth_mean: Depth_max: 17
Tds: 15 Ph: 6.6

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO

Rehab:
Constraint: Spawn Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Railroad tracks nearby. Very important lake for CO rearing.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Farewell (G)
Wsd_code: 460-7449-491
Lak_seq_no: 04
Last_entry: Jun85
Near_town: Houston
Dist_town: 30
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 30
Location: 093L/10-54/36-126/37
Elev: 945
Drainage: Bulkley
In_out: 1-1
Survey: Type_surve:
Surf_area: 55.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Femur (A)
Wsd_code: 550-2440
Lak_seq_no: 01?
Last_entry: Nov93
Near_town: Stewart
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 103P/14-55/55-129/10
Elev: 316
Drainage: Nass
In_out: 5-1
Survey: 88/10 Type_survey: RS
Surf_area: 70.5 Litt_area: 26.2
Perim: 6120
Depth_mean: 9.8 Depth_max: 21
Tds: 24 Ph: 6.8

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp:

Rehab:
Constraint: L. Prod Regs:
Structure: Beaver Facilities: PC
Effort: Cpue:
Enhance:

Comment1: Shoals & windfalls in extreme ends of lake.
Comment2: Guide outfitters camp on north end of lake.
Comment3: Beaver dam at outlet an obstacle, but passable.
Comment4: Gill net set for 3.5 hours in deepest part of lake.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Fiddler (G)
Wsd_code: 400-2968
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Terrace
Dist_town: 22
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 22
Location: 103I/10-54/43-128/34
Elev: 1219
Drainage: Skeena
In_out: 0-1
Survey: Type_survey:
Surf_area: 55.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: CO, CH, PK and CM in the lower creek to 9.6 km.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Findlay (G)
Wsd_code: 480-6972-254-537
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Houston
Dist_town: 41
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk: 1
Dist_air:
Location: 093L/09-54/35-126/25
Elev: 1006
Drainage: Babine
In_out: 1-1
Survey: Type_surve:
Surf_area: 25.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Finlay (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 34
Dist_pave: Dist_grav: 34
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/30-128/00
Elev: 315
Drainage: Kispiox
In_out: 1-1
Survey: 06/83 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: SU/

Rehab:
Constraint: ACCESS Regs:
Structure: beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Coarse fish abundant for some time.
Comment2: Access through private property.
Comment3: Survey conducted by contractor through NEED program.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Fishpan (G)
Wsd_code: 460-5177
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/10-54/00-126/00
Elev: 762
Drainage: Bulkley
In_out: 1-1
Survey: 59/08 Type_surve: RS
Surf_area: 8.9 Litt_area:
Perim: 1326
Depth_mean: 2 Depth_max: 3
Tds: 150 Ph:

Rb: Y Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: PRIVAT Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Lake winterkills. Ct to 3 pounds.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Fission (G)
Wsd_code: 480-5988-991-284
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Smithers
Dist_town: 78
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 78
Location: 093M/07-55/22-126/31
Elev: 817
Drainage: Babine
In_out: 2-1
Survey: 83/09 Type_surve: RS
Surf_area: 69.3 Litt_area: 67.2
Perim: 4970
Depth_mean: 2 Depth_max: 8
Tds: 54 Ph: 6.8

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/RSC/NSC/CAS/

Rehab:
Constraint: Spawn Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Flatfish (G)
Wsd_code: 470-5564
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town:
Dist_pave: Dist_grav: X
Dist_4x4: Dist_walk: X
Dist_air:
Location: 103P/09-55/40-128/22
Elev:
Drainage: Kispiox
In_out: 1-1
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Very rough trail in summer. Winter fishery.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Footsore (G)
Wsd_code: 470-6072
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 84
Dist_pave: Dist_grav: 84
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/30-128/15
Elev: 509
Drainage: Kispiox
In_out: 2-1
Survey: 08/72 Type_survey: HQ/RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/PCC/SK/CC

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Excellent spawning gravel in inlet. Moderate sport fishery.
Comment2: Survey in 1983 conducted by contractor (NEED program)/
Comment3: SK reported spawning in inlet.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Fred Wright (G)
Wsd_code: 500-5719
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Nass Camp
Dist_town: 117
Dist_pave: Dist_grav: 117
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/15-55/58-128/45
Elev: 579
Drainage: Nass
In_out: 3-1
Survey: 72/08 Type_surve: HQ
Surf_area: 397.1 Litt_area: 309.7
Perim: 19507
Depth_mean: 18 Depth_max: 41
Tds: 21 Ph: 6.7

Rb: Y Lt: U Ct: U
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: SK/CO/CAS/LSU/

Rehab:
Constraint: Regs:
Structure: Facilities: PC
Effort: Cpue:
Enhance:

Comment1: Increasing use by tourists. Crude boat launch area.
Comment2: Bonney Creek is a good inlet stream to falls.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Froggy (G)
Wsd_code: 480-8309
Lak_seq_no: 01
Last_entry: Jun85
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/12-54/37-125/42
Elev:
Drainage:
In_out:
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Fulton (G)
Wsd_code: 480-6972
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/16-54/48-126/15
Elev: 771
Drainage: Babine
In_out: 13-1
Survey: Type_surve:
Surf_area: 1352.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: BB/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Gainor (G)
Wsd_code: 500-1857
Lak_seq_no: 09
Last_entry: Mar85
Near_town: Terrace
Dist_town: 56
Dist_pave: Dist_grav: 56
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/15-54/58-128/58
Elev: 244
Drainage: Nass
In_out:
Survey: 59/08 Type_survey: HQ/RS
Surf_area: 22.6 Litt_area:
Perim: 2362
Depth_mean: 8 Depth_max: 15
Tds: 50 Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: NSC/TSB/RSC

Rehab:
Constraint: Regs:
Structure: Culvert Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: George (G)
Wsd_code: 460-6006-239-853
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 43
Dist_pave: Dist_grav: 41
Dist_4x4: Dist_walk: 2
Dist_air:
Location: 093L/02-54/05-126/43
Elev: 1006
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 10.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Gilbert (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Stewart
Dist_town: 70
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 70
Location: 104A/12-56/33-129/50
Elev: 907
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 63.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Gilmore (G)
Wsd_code: 460-8344
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Houston
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 093L/08-54/29-126/24
Elev: 762
Drainage: Bulkley
In_out: 1-1
Survey: 10/93 Type_surve: RS
Surf_area: 71.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: NSC/LKS/RSC/CSU/LSU

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Goosly (G)
Wsd_code: 460-6360
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Houston
Dist_town: 48
Dist_pave: Dist_grav: 48
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/01-54/10-126/20
Elev: 823
Drainage: Bulkley
In_out: 2-1
Survey: 68/08 Type_survey: RS
Surf_area: 241.6 Litt_area:
Perim: 12040
Depth_mean: 10 Depth_max: 20
Tds: 63 Ph: 7.6

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YM Ko: Y Np: U
Other_spp: LSU/CAS/

Rehab:
Constraint: MINE Regs:
Structure: Beaver Facilities: FS
Effort: Cpue:
Enhance:

Comment1: Lake near Equity Silver Mine.
Comment2: May be affected by acid mine drainage &/or metals.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Government (A)
Wsd_code:
Lak_seq_no:
Last_entry:
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location:
Elev:
Drainage:
In_out:
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: See Fishpan Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Grassham (G)
Wsd_code: 480-9936-187-799
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Ft.St.James
Dist_town: 37
Dist_pave: Dist_grav: 36
Dist_4x4: 1 Dist_walk:
Dist_air:
Location: 093K/07-54/30-124/47
Elev: 963
Drainage: Babine
In_out: 7-1
Survey: 74/07 Type_surve:
Surf_area: 666.1 Litt_area: 374.3
Perim: 36393
Depth_mean: 8 Depth_max: 24
Tds: 60 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Consideration given to inlet stream improvement for spawning
Comment2: Not clear whether anything was done. Heavy angling.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Greasetrail (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Hazelton
Dist_town: 60
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 103P/09-55/38-128/23
Elev: 671
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 71.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Guess (G)
Wsd_code: 480-6972-254
Lak_seq_no: 05
Last_entry: Mar85
Near_town: Smithers
Dist_town: 37
Dist_pave: Dist_grav: 37
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/09-54/55-126/30
Elev: 987
Drainage: Babine
In_out: 1-1
Survey: 68/08 Type_surve: RS
Surf_area: 63.9 Litt_area:
Perim: 4023
Depth_mean: 10 Depth_max: 27
Tds: 70 Ph: 8.2

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LKC

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Fishing reported to be excellent.
Comment2: Limit of average size CT caught within 2 hours.
Comment3: Chub may be present. Beaver dams on inlet.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Gunanoot (G)
Wsd_code: 480-2413
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 61
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 61
Location: 093M/11-55/43-127/08
Elev: 974
Drainage: Babine
In_out: 6-1
Survey: 75/08 Type_survey: HQ
Surf_area: 2632.5 Litt_area: 59.5
Perim: 5645
Depth_mean: 4 Depth_max: 16
Tds: 30 Ph: 6.7

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LKC/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hai (G)
Wsd_code: 420-5920
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Terrace
Dist_town: 14
Dist_pave: 5 Dist_grav: 8
Dist_4x4: Dist_walk: 1
Dist_air:
Location: 103I/07-54/25-128/37
Elev: 213
Drainage: Lakelse
In_out: 0-1
Survey: Type_surve:
Surf_area: 10.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hanawald (G)
Wsd_code: 480-2413
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 100
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 100
Location: 093M/11-55/42-127/03
Elev: 946
Drainage: Skeena
In_out: 4-1
Survey: Type_survey:
Surf_area: 48.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hankin (G)
Wsd_code: 440-8913
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 093L/13-54/50-127/40
Elev: 981
Drainage: Zymoetz
In_out: 6-1
Survey: Type_survey: PM
Surf_area: 114.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph: 5.2

Rb: Y Lt: N Ct: N
Dv: N St: N Gr: N
W : N Ko: N Np: N
Other_spp:

Rehab:
Constraint: Regs:
Structure: Logjam Facilities:
Effort: Cpue:
Enhance:

Comment1: No fish captured in PM survey (overnight gill net).
Comment2: Fish seen surfacing in lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hannay (G)
Wsd_code: 480-9277-234-405
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Endako
Dist_town: 26
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 26
Location: 093K/06-54/19-125/02
Elev: 945
Drainage: Babine
In_out: 2-1
Survey: 74/10 Type_surve: HQ
Surf_area: 57.9 Litt_area: 13.1
Perim: 3978
Depth_mean: 4 Depth_max: 9
Tds: 119 Ph: 8.0

Rb: Y Lt: N Ct: N
Dv: N St: N Gr: N
W : N Ko: N Np: N
Other_spp: LSU/

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Harrison (G)
Wsd_code: 400-0182-286
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 26
Dist_pave: 26
Dist_4x4:
Dist_air:
Location: 103J/01-54/13-130/02
Elev: 91
Drainage: Skeena
In_out: 1-1
Survey:
Surf_area: 10.2
Perim:
Depth_mean:
Tds:
Type_grav:
Dist_walk:
Type_survey:
Litt_area:
Depth_max:
Ph:
Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:
Rehab:
Constraint:
Structure:
Effort:
Enhance:
Regs:
Facilities:
Cpue:
Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Haul (G)
Wsd_code: 480-5988-995
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Smithers
Dist_town: 78
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 78
Location: 093M/07-55/19-126/32
Elev: 811
Drainage: Babine
In_out: 0-1
Survey: 75/08 Type_surve: HQ
Surf_area: 303.7 Litt_area: 180.2
Perim: 12425
Depth_mean: 3 Depth_max: 9
Tds: 42 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: CSU/LSU/RSC/NSC/PCC/FS

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Series of beaver dams may impede access to outlet.
Comment2: Inlet significant.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hayward (G)
Wsd_code: 400-0165-141
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Prince Rup.
Dist_town: 51
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 51
Location: 103I/04-54/01-129/43
Elev: 67
Drainage: Skeena
In_out: 2-2
Survey: 85/06 Type_surve: HQ
Surf_area: 60.1 Litt_area: 46.8
Perim: 5,750
Depth_mean: 4 Depth_max: 10
Tds: 12 Ph: 6.4

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: TSB/

Rehab:
Constraint: L. Prod Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Helen (G)
Wsd_code: 460-5280
Lak_seq_no: 02
Last_entry: Nov85
Near_town: Houston
Dist_town: 32
Dist_pave: 21 Dist_grav: 11
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/07-54/29-126/41
Elev: 945
Drainage: Bulkley
In_out: 0-1
Survey: 82/08 Type_surve: RS/HQ
Surf_area: 17.8 Litt_area: 17.8
Perim: 2454
Depth_mean: 2 Depth_max: 4
Tds: 104 Ph: 6.5

Rb: U Lt: U Ct: YL
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: W.KILL Regs:
Structure: Beaver Facilities: PC 1
Effort: Cpue:
Enhance: ST_RB

Comment1: Lake appears productive, lots of freshwater shrimp in lake.
Comment2: Possibility of winter kill in some years.
Comment3: Large, fat CT.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Helen (G)
Wsd_code: 470-2523
Lak_seq_no: 04
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 64
Dist_pave: Dist_grav: 63.5
Dist_4x4: Dist_walk: .5
Dist_air:
Location: 103P/09-55/00-128/00
Elev: 488
Drainage: Kispiox
In_out:
Survey: 70/08 Type_surve: HQ/RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: 61 Ph: 9.0

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Helene (G)
Wsd_code: 480-9277-234-257
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Burns Lake
Dist_town: 64
Dist_pave: Dist_grav: 64
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/06-54/60-125/02
Elev: 1036
Drainage: Babine
In_out: 0-1
Survey: 88/08 Type_surve: HQ/RS
Surf_area: 170.0 Litt_area: 119.3
Perim: 11201
Depth_mean: 10 Depth_max: 20
Tds: 93 Ph: 7.3

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab: YES
Constraint: Regs: YES
Structure: Falls Facilities:
Effort: 929 Cpue: 0.94
Enhance: CO_RB; SG

Comment1: Creel census data for July 1-29 1982. Effort in angler hours
Comment2: Natural recruitment on outlet spawning pads. Designated are
Comment3: Barren lake prior to stocking.
Comment4: Designated area of no fishing April 1 - June 30.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Helps
Wsd_code:
Lak_seq_no:
Last_entry: Feb86
Near_town: Telkwa
Dist_town: 5
Dist_pave: Dist_grav: 5
Dist_4x4: Dist_walk: 0.3
Dist_air:
Location: 093L/11-54/39-127/03
Elev: 518
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 1.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/LNC/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Henrietta (G)
Wsd_code: 480-9277-234
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Endako
Dist_town: 35
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 35
Location: 093K/06-54/23-125/12
Elev: 1067
Drainage: Babine
In_out: 4-1
Survey: 75/10 Type_surve:
Surf_area: 51.0 Litt_area: 23.6
Perim: 3932
Depth_mean: 6 Depth_max: 13
Tds: 89 Ph: 7.4

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Comments on file for 6 small lakes upstream of this lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Herman (G)
Wsd_code: 420-6598
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Terrace
Dist_town: 8
Dist_pave: Dist_grav: 8
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/07-54/24-128/36
Elev: 198
Drainage: Lakelse
In_out: 2-1
Survey: 74/10 Type_surve: HQ
Surf_area: 9.2 Litt_area: .5
Perim: 1570
Depth_mean: 3 Depth_max: 7
Tds: 31 Ph: 6.0

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/TSB/

Rehab:
Constraint: Regs:
Structure: Debris Facilities:
Effort: Cpue:
Enhance:

Comment1: Logging debris in outlet. Beaver on the lake.
Comment2: CO at lake when unobstructed.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hidden (G)
Wsd_code: 460-7449-626
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Houston
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/10-54/40-127/30
Elev: 1128
Drainage: Bulkley
In_out: 0-1
Survey: 70/08 Type_surve: RS
Surf_area: 49.0 Litt_area:
Perim: 4956
Depth_mean: 3 Depth_max: 9
Tds: 68 Ph: 6.5

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Very weedy at north end. Old sawmill site on lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hilary (G)
Wsd_code: 480-3602-656-381
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Smithers
Dist_town: 120
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 120
Location: 093M/14-54/50-127/06
Elev: 1462
Drainage: Babine
In_out: 1-1
Survey: Type_surve:
Surf_area: 48.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hilltop (G)
Wsd_code: 470-5275
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 65
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 65
Location: 103P/09-55/39-128/22
Elev: 671
Drainage: Kispiox
In_out: 2-1
Survey: Type_survey:
Surf_area: 50.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hodder (A)
Wsd_code:
Lak_seq_no:
Last_entry: Feb86
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 104A/12-
Elev:
Drainage: Nass
In_out:
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hodder (G)
Wsd_code: 470-6072-110
Lak_seq_no: 02
Last_entry: Nov85
Near_town: Hazelton
Dist_town: 65
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/44-128/27
Elev: 488
Drainage: Kispiox
In_out: 1-1
Survey: 08/72 Type_surve: HQ/RS
Surf_area: 45.8 Litt_area:
Perim:
Depth_mean: Depth_max: 13
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: Y St: Y Gr: U
W : U Ko: U Np: U
Other_spp: CO/SK

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Very good fishing.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hodkin (G)
Wsd_code: 560-5821-580
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Stewart
Dist_town: 85
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 85
Location: 104B/09-56/41-130/07
Elev: 1021
Drainage: Nass
In_out: 4-1
Survey: 82/09 Type_surve:
Surf_area: 161.7 Litt_area: 52.1
Perim: 11200
Depth_mean: 22 Depth_max: 58
Tds: 18 Ph: 6.2

Rb: U Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: L.PROD Regs:
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: Excellent boating overall.
Comment2: Good access despite deep drop off.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Holland (G)
Wsd_code: 460-0817-439-616
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 093M/02-55/04-126/44
Elev: 823
Drainage: Babine
In_out: 2-1
Survey: Type_surve:
Surf_area: 71.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Honey (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Stewart
Dist_town: 65
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 65
Location: 103P/11-55/40-129/01
Elev: 792
Drainage: Nass
In_out: 0-0
Survey: Type_surve:
Surf_area: 55.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hoodoo (G)
Wsd_code: 500-2019-241
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Nass Camp
Dist_town: 14
Dist_pave: Dist_grav: 12
Dist_4x4: Dist_walk: 2
Dist_air:
Location: 103P/07-55/23-128/57
Elev: 457
Drainage: Nass
In_out: 1-1
Survey: Type_survey:
Surf_area: 55.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Horist (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Nass Camp
Dist_town: 4
Dist_pave: Dist_grav: 3
Dist_4x4: Dist_walk: 1
Dist_air:
Location: 103P/07-55/16-129/00
Elev: 305
Drainage: Nass
In_out: 0-0
Survey: Type_surve:
Surf_area: 1.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hospital (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 1
Dist_pave: Dist_grav: 1
Dist_4x4: Dist_walk:
Dist_air:
Location: 094M/05-55/15-128/15
Elev: 300
Drainage: Skeena
In_out: 0-0
Survey: 06/80 Type_surve: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max: 3
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: W.KILL-100 Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: No fish caught in overnight gill net setting.
Comment2: Request for stocking rejected - high risk of winter kill.
Comment3: Temp. very warm, approaching lethal limit for RB.
Comment4: No natural spawning areas.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Hughan (G)
Wsd_code: 500-3771-402-507
Lak_seq_no: 03
Last_entry: Jun85
Near_town: Aiyansh
Dist_town: 105
Dist_pave: ? Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/15-55/54-128/55
Elev: 457
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 25.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Access to this lake is not clear.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Irrigation (A)
Wsd_code:
Lak_seq_no:
Last_entry:
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location:
Elev:
Drainage:
In_out:
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: See Dunalter Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Jacks (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Terrace
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 103P/02-55/01-128/51
Elev: 792
Drainage: Skeena
In_out: 0-1
Survey: Type_surve:
Surf_area: 7.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:
Constraint:
Structure:
Effort:
Enhance:

Regs:
Facilities:
Cpue:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Jade (G)
Wsd_code: 540-7125
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Stewart
Dist_town: 43
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 43
Location: 103P/11-55/59-129/24
Elev: 810
Drainage: Nass
In_out: 4-1
Survey: 88/10 Type_survey:
Surf_area: 137 Litt_area: 18.8
Perim: 8600
Depth_mean: 21.8 Depth_max: 42
Tds: 18 Ph: 7.0

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: L Prod. Regs: No
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: Gill net set for only 3 hours caught no fish.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Janze (G)
Wsd_code: 480-0137-486
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 100
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 100
Location: 093M/12-55/38-127/32
Elev: 1250
Drainage: Babine
In_out: 1-1
Survey: Type_surve:
Surf_area: 38.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Jean (G)
Wsd_code: 480-9936-709-386
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Burns Lake
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 093K/02-54/14-124/52
Elev: 1006
Drainage: Babine
In_out: 1-1
Survey: Type_surve:
Surf_area: 63.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Jenny (G)
Wsd_code: 480-9936-187-799
Lak_seq_no: 03
Last_entry: Jun85
Near_town: Ft.St.James
Dist_town: 30
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 30
Location: 093K/07-54/27-124/40
Elev: 1006
Drainage: Babine
In_out: 0-0
Survey: Type_surve:
Surf_area: 38.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Jigsaw (G)
Wsd_code: 500-3771-402
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Stewart
Dist_town: 72
Dist_pave: 113 Dist_grav: 11
Dist_4x4: Dist_walk:
Dist_air: 72
Location: 103P/15-55/50-128/50
Elev: 357
Drainage: Nass
In_out: 4-1
Survey: 87/08 Type_surve: RS
Surf_area: 81.7 Litt_area: 38.8
Perim: 9,200
Depth_mean: 8.2 Depth_max: 27
Tds: 30 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Beaver Regs: No
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: Boating access to shore hazardous - shoals, snags, deadheads
Comment2: Overland access to lake virtually impossible - dense veg.
Comment3: 1 unofficial campground at end of access road.
Comment4: Clearcut logging to North of lake. Gillnet set for 6 hours.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Johanson (G)
Wsd_code: 490-8516
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Smithers
Dist_town: 410
Dist_pave: 200 Dist_grav: 210
Dist_4x4: Dist_walk:
Dist_air: 210
Location: 094D/09-56/36-126/11
Elev: 1444
Drainage: Sustut
In_out: 5-1
Survey: 86/09 Type_surve: RS/PM
Surf_area: 143.1 Litt_area: 29.4
Perim: 11250
Depth_mean: 16 Depth_max: 52
Tds: 28 Ph: 7.2.

Rb: Y Lt: Y Ct: U
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: CH/SK/CO/CAS/

Rehab:
Constraint: MINE Regs: YES
Structure: Facilities: PC
Effort: Cpue:
Enhance:

Comment1: DFO survey. Alsor raod access from Fort St. James.
Comment2: Old fuel barrels and trailer at lake. Some signs of beavers.
Comment3: Lots of mining exploration based out of this lake.
Comment4: Abandoned air strip at lake.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Johnson (A)
Wsd_code:
Lak_seq_no:
Last_entry:
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location:
Elev:
Drainage:
In_out:
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

1 Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: See Vallee Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Johnston (G)
Wsd_code: 400-0165-500
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Prince Rup.
Dist_town: 74
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 74
Location: 103H/14-53/52-129/27
Elev: 18
Drainage: Skeena
In_out: 7-1
Survey: 85/06 Type_surve: HQ
Surf_area: 185.6 Litt_area: 15.8
Perim: 8,700
Depth_mean: 48 Depth_max: 80
Tds: 14 Ph: 6.5

Rb: U Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: PK/SK/CH/CO/CM/CAS/TSB

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Seal present in lake at time of survey.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kathlyn (G)
Wsd_code: 460-3454-267
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 8
Dist_pave: 7
Dist_4x4: Dist_grav: 1
Dist_walk: Dist_walk:
Dist_air:
Location: 093L/14-54/48-127/15
Elev: 471
Drainage: Bulkley
In_out: 1-1
Survey: 68/08 Type_surve:
Surf_area: 170.0 Litt_area:
Perim: 6115
Depth_mean: 5 Depth_max: 9
Tds: 40 Ph: 6.9

Rb: U Lt: U Ct: Y
Dv: U St: Y Gr: U
W : U Ko: U Np: U
Other_spp: WSU/NSC/PCC/CAS/FS

Rehab:
Constraint: RECREA Regs:
Structure: Beaver Facilities: PC
Effort: Cpue:
Enhance: ST_RB

Comment1: Lake is highly developed, causes increased weed growth.
Comment2: Considered diverting part of Toboggan C to flusg lake.
Comment3: Some water from inlet diverted for hatchery use.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Keynton (G)
Wsd_code: 400-4145-077
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 17
Dist_pave: Dist_grav: 17
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/04-55/12-127/46
Elev: 396
Drainage: Skeena
In_out: 2-1
Survey: 74/09 Type_surve: HQ
Surf_area: 56.2 Litt_area: 21.8
Perim: 4602
Depth_mean: 5 Depth_max: 8
Tds: 60 Ph: 6.9

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CSU/RSC/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Some logs and debris in lake from past logging activity.
Comment2: Inlet stream is probably main spawning area.
Comment3: CO and PK reported in Burdick C below lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Khatada (G)
Wsd_code: 400-0593
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Prince Rup.
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 103I/04-54/08-129/28
Elev: 116
Drainage: Skeena
In_out: 7-1
Survey: 85/08 Type_surve: HQ/AN
Surf_area: 651.2 Litt_area: 47.5
Perim: 21,800
Depth_mean: 66 Depth_max: 158
Tds: 12 Ph: 6.7

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: Y Np: U
Other_spp:

Rehab:
Constraint: L. Prod Regs:
Structure: Debris Facilities: PC 2
Effort: Cpue:
Enhance:

Comment1: Reportedly had RB to 6 kg - largest fish netted was ca. 0.5.
Comment2: Scale sample analysis indicates that lake has large, old RB.
Comment3: Net was caught on underwater snag, and only partly retrieved
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kidprice (G)
Wsd_code: 460-6006-644
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 100
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 100
Location: 093E/14-54/00-127/30
Elev: 914
Drainage: Bulkley
In_out: 4-1
Survey: 75/10 Type_surve:
Surf_area: 700.0 Litt_area:
Perim:
Depth_mean: 29 Depth_max: 47
Tds: 41 Ph: 7.2

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: Regs:
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: Flows into Morice River. Fish sampled by DFO.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kinskuch (G)
Wsd_code: 520
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Stewart
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 103P/11-53/40-129/22
Elev: 1117
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 894.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kitsequecla (G)
Wsd_code: 450-7022
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 30
Dist_pave: Dist_grav: 30
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/13-54/55-128/15
Elev: 731
Drainage: Skeena
In_out: 3-1
Survey: 74/08 Type_surve: PM/RS
Surf_area: 66.8 Litt_area:
Perim: 4078
Depth_mean: 8 Depth_max: 15
Tds: 58 Ph: 8.5

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: RSC/LKC/

Rehab:
Constraint: Regs:
Structure: Facilities: FS 1; BL
Effort: Cpue:
Enhance:

Comment1: Outlet area is choked with weeds. No significant tribs.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kitsumkalum (G)
Wsd_code: 430
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Terrace
Dist_town: 29
Dist_pave: Dist_grav: 29
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/10-54/45-128/47
Elev: 122
Drainage: Kitsumkalum
In_out: 3-1
Survey: 72/07 Type_surve: HQ
Surf_area: 1969.2 Litt_area: 1729.6
Perim: 35771
Depth_mean: 75 Depth_max: 139
Tds: 30 Ph: 7.0

Rb: Y Lt: U Ct: U
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: SK/CAS/PCC/

Rehab:
Constraint: Regs:
Structure: Facilities: PC 12; BL
Effort: Cpue:
Enhance:

Comment1: SK beach spawning at North end of lake.
Comment2: Two boat launching sites, one at each end of lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kitwanga (G)
Wsd_code: 400-3649
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Kitwanga
Dist_town: 30
Dist_pave: Dist_grav: 30
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/08-55/23-128/07
Elev: 376
Drainage: Skeena
In_out: 5-1
Survey: 72/08 Type_surve: HQ
Surf_area: 799.2 Litt_area: 529.5
Perim: 23829
Depth_mean: 7 Depth_max: 15
Tds: 81 Ph: 8.5

Rb: Y Lt: U Ct: Y
Dv: Y St: Y Gr: U
W : YM Ko: Y Np: U
Other_spp: CH/CM/PK/CO/SK/NSC/LSU/RSC

Rehab:
Constraint: RESERV Regs:
Structure: Facilities: FS; BL
Effort: 521 Cpue: 2.3
Enhance:

Comment1: CAS and PCC also present. Scenic Lake.
Comment2: Lack of adequate spawning grounds.
Comment3: Heavy use based from a campstie at north end.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kitwanga Mill(A)
Wsd_code: 400-3649-086
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Kitwanga
Dist_town: 0
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/01-55/06-128/02
Elev: 210
Drainage: Skeena
In_out: 0-0
Survey: 77/?? Type_surve: HQ/RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max: 12
Tds: Ph: 8.5

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: W.KILL-100 Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: No fish caught in gill net set for 7 hours.
Comment2: Mill at mill pond constantly pushing debris into mill pond.
Comment3: Fished stocked in 78 appeared to have died in 78/79-(W.kill)
Comment4: Attempted to establish kids fishery for RB.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Klate (G)
Wsd_code: 460-6006-239-712
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Houston
Dist_town: 47
Dist_pave: Dist_grav: 43
Dist_4x4: Dist_walk: 4
Dist_air:
Location: 093L/02-54/05-126/47
Elev: 914
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 10.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kleanza (G)
Wsd_code: 400-2318
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Terrace
Dist_town: 35
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 35
Location: 103I/09-54/34-128/03
Elev: 762
Drainage: Skeena
In_out: 17-1
Survey: 74/10 Type_surve: HQ
Surf_area: 25.0 Litt_area: 13.7
Perim: 2926
Depth_mean: 7 Depth_max: 18
Tds: 34 Ph: 6.3

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: SK/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: There may now be road access from logging in vicinity.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kline (G)
Wsd_code: 470-2901
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Hazelton
Dist_town: 42
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk: 2
Dist_air:
Location: 093M/12-53/35-127/58
Elev: 366
Drainage: Kispiox
In_out: 0-1
Survey: Type_surve:
Surf_area: 30.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Klinger (G)
Wsd_code: 460-6006-027
Lak_seq_no: 01
Last_entry: FEB87
Near_town: Houston
Dist_town: 10
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/07-54/25-126/50
Elev: 610
Drainage: Bulkley
In_out: 0-0
Survey: 6/85 Type_surve: RS
Surf_area: 46.1 Litt_area: 37.2
Perim: 3000
Depth_mean: 3 Depth_max: 8.5
Tds: 68 Ph: 8.3

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: EB/

Rehab:
Constraint: W.KILL Regs:
Structure: Facilities: PC(1)
Effort: Cpue:
Enhance: ST_EB

Comment1: Overnight gill net set before stocking - lake was barren.
Comment2: Abundance fo freshwater shrimp and rapid growth by EB.
Comment3: Dissolved oxygen levels are low.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kluatantan (G)
Wsd_code: 400-8986-209
Lak_seq_no: ?
Last_entry: Mar85
Near_town: Smithers
Dist_town: 140
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 140
Location: 104H/16-56/56-128/06
Elev: 1006
Drainage: Skeena
In_out: 5-1
Survey: 08/75 Type_survey: RS/AN
Surf_area: 61.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U	Lt: U	Ct: U
Dv: U	St: U	Gr: U
W : U	Ko: U	Np: U
Other_spp: SK/		

Rehab:	
Constraint:	Regs:
Structure:	Facilities:
Effort:	Cpue:
Enhance:	

Comment1: Good spawning and rearing habitat.
Comment2: Salmon carcasses near lake. Salmon spawning in lake (DFO)
Comment3: There are 6 lakes in chain called Kluatantan lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kluayaz (G)
Wsd_code: 400-8986-362
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Iskut
Dist_town: 140
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 140
Location: 104H/01-57/01-128/12
Elev: 1036
Drainage: Skeena
In_out: 3-1
Survey: 08/75 Type_surve: RS
Surf_area: 144.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: Y St: Y Gr: U
W : U Ko: U Np: U
Other_spp: SK/

Rehab:
Constraint: Regs:
Structure: Facilities: RE 1
Effort: Cpue:
Enhance:

Comment1: Surveyed by BC forest sevice. Hunting lodge at lake.
Comment2: Collingwoods operate a lodge on this lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kluck (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Smithers
Dist_town: 66
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 66
Location: 093L/05-54/17-127/33
Elev: 1000
Drainage: Bulkley
In_out: 3-1
Survey: 75/08 Type_surve: HQ
Surf_area: 95.0 Litt_area:
Perim: 5610
Depth_mean: 9 Depth_max: 17
Tds: 22 Ph: 7.2

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: Regs:
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: Some beaver activity in large inlet stream.
Comment2: Steelhead spawn in outlet downstream of the falls.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Knipple (G)
Wsd_code: 560-2086
Lak_seq_no: 02
Last_entry: Jan86
Near_town: Stewart
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 104A/05-56/24-129/59
Elev: 460
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 155.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kwinageese (G)
Wsd_code: 500-5719-636
Lak_seq_no: 02
Last_entry: Nov85
Near_town: Stewart
Dist_town: 75
Dist_pave: Dist_grav:
Dist_4x4: ? Dist_walk:
Dist_air: 75
Location: 104A/02-56/03-128/50
Elev: 640
Drainage: Nass
In_out: 3-1
Survey: Type_surve:
Surf_area: 259.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/SK/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kwinamuck (G)
Wsd_code: 500-2321
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Stewart
Dist_town: 82
Dist_pave: 174 Dist_grav: 30
Dist_4x4: Dist_walk:
Dist_air: 82
Location: 103P/06-55/22-129/05
Elev: 144
Drainage: Nass
In_out: 4-1
Survey: 88/10 Type_survey: RS
Surf_area: 180 Litt_area: 180
Perim: 7450
Depth_mean: 3.5 Depth_max: 6
Tds: 56 Ph: 7.0

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/TSB/

Rehab:
Constraint: Beaver Regs: No
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Outlet provides good fish habitat, but falls 2 km from Nass.
Comment2: TSB are unarmoured or weakly spined.
Comment3: Rough camp on Kwinamuck C.
Comment4: Logging in area had a severe negative impact on 3 of inlets.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Kwinatahl (A)
Wsd_code:
Lak_seq_no:
Last_entry: Dec93
Near_town: Alice Arm
Dist_town: 13
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk: 0.1
Dist_air:
Location: 103P/16-55/27-129/17
Elev: 732
Drainage: Nass
In_out: 2-1
Survey: 07/87 Type_surve: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max: 18
Tds: 26 Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Falls Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: No fish caught during 87 (overnight gill net and traps).
Comment2: Steep gradient inlet stream. Lots of underwater log debris.
Comment3: Impassable falls in outlet. Outlet provides no gravel.
Comment4: Lake stocked with RB in 1988.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lachballach (A)
Wsd_code: Not listed in WSC
Lak_seq_no:
Last_entry: Jun85
Near_town: Terrace
Dist_town: 75
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 75
Location: 103I/13-53/48-129/40
Elev: 457
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 38.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lakelse (G)
Wsd_code: 420
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Terrace
Dist_town: 10
Dist_pave: 10 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/07-54/30-128/49
Elev: 72
Drainage: Lakelse
In_out: 13-1
Survey: 78/07 Type_surve: HQ/RS/AN
Surf_area: 1416.4 Litt_area:
Perim: 26870
Depth_mean: 9 Depth_max: 32
Tds: 50 Ph: 7.2

Rb: Y Lt: U Ct: Y
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: PK/CO/CM/SK/CAS/LSU/BL/TSB

Rehab:
Constraint: RESID Regs:
Structure: Facilities: GS PC
Effort: Cpue:
Enhance:

Comment1: RSC and NSC also present. 8.5 pound DV caught ice fishing.
Comment2: Summer use of lake has been id. as major source of nutrients
Comment3: 2 leases between M.o.E and Nature Trust are registered.
Comment4: Lake also surveyed by DFO

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lamprey (G)
Wsd_code: 460-6006-364
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Houston
Dist_town: 58
Dist_pave: Dist_grav: 58
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/03-54/01-127/15
Elev: 1067
Drainage: Bulkley
In_out: 4-1
Survey: 74/08 Type_surve:
Surf_area: 91.1 Litt_area: 44.9
Perim: 7708
Depth_mean: 7 Depth_max: 21
Tds: 36 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LKC/

Rehab:
Constraint: Regs:
Structure: Facilities: FS
Effort: Cpue:
Enhance:

Comment1: Start of lake chain for canoeing.
Comment2: Lots of logging around lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lars (G)
Wsd_code: 460-7020-545
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Burns Lake
Dist_town: 54
Dist_pave: 42 Dist_grav:
Dist_4x4: ?-12 Dist_walk:
Dist_air:
Location: 093L/08-54/25-126/22
Elev: 792
Drainage: Bulkley
In_out: 2-1
Survey: 10/93 Type_surve: RS
Surf_area: 22.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/PCC

Rehab:
Constraint: Beaver Regs:
Structure: Culvert Facilities:
Effort: Cpue:
Enhance:

Comment1: Inlets with good spawning areas - Logging had neg. impact.
Comment2: Necessary to walk along road from Swans lake to Lars Lake.
Comment3: No gill net set in lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lava (G)
Wsd_code: 500-1857
Lak_seq_no: 08
Last_entry: Mar85
Near_town: Terrace
Dist_town: 68
Dist_pave: Dist_grav: 68
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/02-55/30-129/00
Elev: 172
Drainage: Nass
In_out: 2-1
Survey: 72/08 Type_survey: HQ
Surf_area: 563.4 Litt_area: 395.8
Perim: 41352
Depth_mean: 19 Depth_max: 56
Tds: 40 Ph: 7.0

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : YM Ko: Y Np: U
Other_spp: LSU/CAS/PCC

Rehab:
Constraint: Regs:
Structure: Facilities: FS
Effort: Cpue:
Enhance:

Comment1: Alder C is an important spawning stream.
Comment2: Tseax inlet and outlet are very silty.
Comment3: Very good esthetic value.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Leech (G)
Wsd_code: 480-9936-635
Lak_seq_no: 02
Last_entry: FEB87
Near_town: Endako
Dist_town: 27
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 27
Location: 093K/06-54/20-125/01
Elev: 1280
Drainage: Babine
In_out: 2-1
Survey: 10/74 Type_surve: HQ
Surf_area: 35.6 Litt_area: 5.7
Perim:
Depth_mean: 3 Depth_max: 15
Tds: 53 Ph: 6.8

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Falls Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: No fish caught in gill net set.
Comment2: Fall located 10 km d/s probably limits fish access.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lennac (G)
Wsd_code: 480-6972-123-327
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 49
Dist_pave: Dist_grav: 45
Dist_4x4: Dist_walk: ? 4
Dist_air:
Location: 093L/09-54/43-126/20
Elev: 1006
Drainage: Babine
In_out: 0-1
Survey: Type_surve:
Surf_area: 17.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Ling (G)
Wsd_code: 480-9277-667-960
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 18
Dist_pave: Dist_grav: 18
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05-54/21-125/34
Elev: 945
Drainage: Babine
In_out: 1-1
Survey: 74/08 Type_survey: HQ/RS
Surf_area: 69.2 Litt_area:
Perim: 5303
Depth_mean: 2 Depth_max: 4
Tds: 54 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: WSU/LSU/LKC/CSU/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Little Fish (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 68
Dist_pave: Dist_grav: 68
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/00-128/00
Elev: 420
Drainage: Kispiox
In_out: 1-1
Survey: 06/83 Type_surve: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: YA
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/SU/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Surveyed by contractor (N.E.E.D. program).
Comment2: Lake appears to have abundant CT.
Comment3: CO are able to get over beaver dam into the lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Llama Lake
Wsd_code:
Lak_seq_no:
Last_entry:
Near_town: Telkwa
Dist_town: 15
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 93L/15-54/46-126/54
Elev: 884
Drainage: Bulkley
In_out:
Survey: 07/91 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max: 2.5
Tds: Ph:

Rb: N Lt: N Ct: Y
Dv: N St: N Gr: N
W : N Ko: N Np: N
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_CT

Comment1: Barren Lake. Beautiful mountain scenery.
Comment2: Currently lacks road access.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Louise (G)
Wsd_code: 440-7411
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 093L/13-54/52-127/36
Elev: 1036
Drainage: Zymoetz
In_out: 4-1
Survey: 48.3 Type_survey: PM
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph: 4.8

Rb: Y Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: PC
Effort: Cpue:
Enhance:

Comment1: Provincial Museum survey. Trail from McDonnell Lake.
Comment2: Mining exploration in area.
Comment3: Excellent sport fishing for CT.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lower Ecstall(A)
Wsd_code: 400-0165-620-071
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Prince Rupert
Dist_town: 84
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 84
Location: 103H/14-53/46-129/26
Elev: 50
Drainage: Skeena
In_out: 2-1
Survey: 85/06 Type_surve: HQ
Surf_area: 36.8 Litt_area: 12.5
Perim: 3,250
Depth_mean: 13 Depth_max: 32
Tds: 22 Ph: 6.6

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/TSB/

Rehab:
Constraint: Water Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Lu (G)
Wsd_code: 460-9243-315-760
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Houston
Dist_town: 47
Dist_pave: Dist_grav: 47
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/01-54/12-126/18
Elev: 1280
Drainage: Bulkley
In_out: 4-1
Survey: 74/10 Type_surve:
Surf_area: 16.1 Litt_area: 1.8
Perim: 2073
Depth_mean: 3 Depth_max: 9
Tds: 36 Ph: 6.9

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: MINE Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Equity silver mines has constructed a fish ladder at outlet.
Comment2: Ladder may not be functioning well. Fairly good fishing.
Comment3: Fish caught up to 14 pounds. Lots of shrimp in lake.
Comment4: Outlet stream diverted around mine tailings pond.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Madeline (G)
Wsd_code: 400-0165-220
Lak_seq_no: 02
Last_entry: Feb86
Near_town: Prince Rup.
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 103H/13-53/55-129/50
Elev: 244
Drainage: Skeena
In_out: 2-1
Survey: Type_survey:
Surf_area: 277.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Impassable falls 3.2 km from mouth.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Madely (G)
Wsd_code: 500-5322
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Stewart
Dist_town: 65
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 65
Location: 104A/02-56/06-128/59
Elev: 1097
Drainage: Nass
In_out: 4-1
Survey: Type_surve:
Surf_area: 45.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Mathews (G)
Wsd_code: 460-5939
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 5
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 5
Location: 093L/07-54/26-126/43
Elev: 853
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 7.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Maxan (G)
Wsd_code: 460-9243
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Burns Lake
Dist_town: 40
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/08-54/18-126/05
Elev: 762
Drainage: Bulkley
In_out: 2-1
Survey: 73/09 Type_survey: HQ
Surf_area: 638.0 Litt_area: 531.7
Perim: 16386
Depth_mean: 15 Depth_max: 25
Tds: 77 Ph: 7.5

Rb: Y Lt: Y Ct: U
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp: CO/SK/BB/RSC/NSC/CAS/CSU

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: PC 2FS
Effort: Cpue:
Enhance:

Comment1: The road has been upgraded to this lake s
Comment2: LSU also present.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: McBride (G)
Wsd_code: 460-6006-632
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Houston
Dist_town: 56
Dist_pave: Dist_grav: 56
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/03-54/04-127/18
Elev: 914
Drainage: Bulkley
In_out: 10-1
Survey: 74/08 Type_survey: HQ
Surf_area: 778.6 Litt_area: 542.3
Perim: 62400
Depth_mean: 11 Depth_max: 27
Tds: 42 Ph: 6.9

Rb: U Lt: Y Ct: Y
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: CO/MW/CSU/LSU/CAS/BB/RSC/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: PCC also present. Extensive beaver dams on McBride C.
Comment2: Limited CO access to lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Mehan (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Stewart
Dist_town: 156
Dist_pave: Dist_grav: 156
Dist_4x4: Dist_walk:
Dist_air:
Location: 104A/12-56/43-129/47
Elev: 579
Drainage: Nass
In_out: 0-1
Survey: 72/09 Type_survey:
Surf_area: 46.1 Litt_area: 23.2
Perim: 6175
Depth_mean: 6 Depth_max: 11
Tds: 30 Ph: 6.0

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: Regs:
Structure: Logs Facilities:
Effort: Cpue:
Enhance:

Comment1: Also called Hodder Lake. Very scenic Lake.
Comment2: Small outlet blocked by fallen trees in many places.
Comment3: Productivity appears high, although TDS is very low.
Comment4: Swimming float anchored in lake. Possible to launch cartopper

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Meziadin (G)
Wsd_code: 550
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Stewart
Dist_town: 60
Dist_pave: Dist_grav: 60
Dist_4x4: Dist_walk:
Dist_air:
Location: 104A/03-56/05-129/20
Elev: 245
Drainage: Nass
In_out: 4-1
Survey: 72/08 Type_surve: HQ/RS
Surf_area: 3320.8 Litt_area: 3191.4
Perim: 48737
Depth_mean: 66 Depth_max: 134
Tds: 78 Ph: 9.0

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : YR Ko: U Np: U
Other_spp: MW/SK/CO/PCC/RSC/LSU/CSU/

Rehab:
Constraint: Regs:
Structure: Fishway Facilities: PC GS
Effort: 588 Cpue: 0.6
Enhance:

Comment1: Very important SK system. Fishway on Meziadin River.
Comment2: Beaver dam at one of inlets.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Minerva (G)
Wsd_code: 400-0182
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 25
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 25
Location: 103I/05-54/17-129/58
Elev: 244
Drainage: Skeena
In_out: 0-1
Survey: Type_surve:
Surf_area: 160.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Mitt (G)
Wsd_code: 400-0165-374
Lak_seq_no: 02
Last_entry: Jan86
Near_town: Prince Rup.
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 103H/13-53/53-129/43
Elev: 30
Drainage: Skeena
In_out: 5-1
Survey: Type_surve:
Surf_area: 73.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Mitten (G)
Wsd_code: 470-3648
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 60
Dist_pave: Dist_grav: 60
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/00-128/00
Elev: 405
Drainage: Kisplox
In_out: 1-1
Survey: 70/08 Type_surve: RS/HQ
Surf_area: 46.1 Litt_area:
Perim: 3566
Depth_mean: 3 Depth_max: 10
Tds: 68 Ph: 7.5

Rb: U Lt: U Ct: YA
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Survey done by contractory June 1983 (N.E.E.D. program).
Comment2: Heavily sport fished year around. Overwhelming CT abundance.
Comment3: Logging has occured to lake edge.
Comment4: Fish sampling done in winter.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Moonlight (G)
Wsd_code: 500-5719-207-182
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Stewart
Dist_town: 80
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 80
Location: 104A/02-56/08-128/43
Elev: 488
Drainage: Nass
In_out: 5-1
Survey: Type_surve:
Surf_area: 40.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Mooseskin Jo. (G)
Wsd_code: 460-4227-357-549-156
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 093L/06-54/20-128/40
Elev: 975
Drainage: Bulkley
In_out: 1-1
Survey: 70/08 Type_surve:
Surf_area: 93.5 Litt_area:
Perim: 5788
Depth_mean: 1 Depth_max: 2
Tds: 36 Ph: 8.5

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: PCC/

Rehab:
Constraint: W.KILL Regs:
Structure: Facilities: RE 1
Effort: Cpue:
Enhance:

Comment1: CT are small to medium sized. Road is very rough.
Comment2: Very shallow and fish may overwinter in outlet pools.
Comment3: Special strain of "pure" CT in lake. Winterkills in some yrs
Comment4: Shallow - fish may overwinter in outlet pools.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Morice (G)
Wsd_code: 460-6006
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Houston
Dist_town: 130
Dist_pave: Dist_grav: 130
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/04-54/00-127/40
Elev: 797
Drainage: Bulkley
In_out: 20-1
Survey: Type_surve:
Surf_area: 10360.0 Litt_area:
Perim: 112000
Depth_mean: 100 Depth_max: 236
Tds: 24 Ph: 7.5

Rb: Y Lt: Y Ct: Y
Dv: Y St: Y Gr: U
W : YP Ko: Y Np: U
Other_spp: MW/CH/PK/CO/SK/LSU/CAS/NSC/

Rehab:
Constraint: L.PROD Regs:
Structure: Facilities: FS
Effort: 1183 Cpue: 0.8
Enhance:

Comment1: WSU, BB, CSU, LNC also present. Fish sampled by DFO.
Comment2: Information on Kemano Completion in DFO & Alcan reports.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Morrison (G)
Wsd_code: 480-5988
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 80
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 80
Location: 093M/01-55/15-126/20
Elev: 733
Drainage: Babine
In_out: 2-1
Survey: Type_surve: AN/RS
Surf_area: Litt_area:
Perim:
Depth_mean: 20 Depth_max: 60
Tds: Ph:

Rb: Y Lt: Y Ct: Y
Dv: U St: U Gr: U
W : YL Ko: Y Np: U
Other_spp: MW/CO/SK/BB/NSC/PCC

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Good fishing for LT and KO in lake (angling guide)
Comment2: Survey by DFO. Logging activity in past few years.
Comment3: Dave Hooper guides in area.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Mosquito (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Smithers
Dist_town: 30
Dist_pave: Dist_grav: 30
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/11-54/45-127/30
Elev:
Drainage: Bulkley
In_out: 1-1
Survey: Type_surve:
Surf_area: 1.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Angled, but no fish captured.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Motase (G)
Wsd_code: 400-7456-817
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 100
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 100
Location: 094D/03-56/02-127/03
Elev: 1021
Drainage: Skeena
In_out: 4-1
Survey: 75/08 Type_survey: RS/HQ
Surf_area: 1403.5 Litt_area: 1057.0
Perim: 16740
Depth_mean: 13 Depth_max: 32
Tds: 19 Ph: 6.3

Rb: U Lt: U Ct: U
Dv: Y St: U Gr: U
W : YP Ko: U Np: U
Other_spp: MW/CO/SK/LSU/FS

Rehab:
Constraint: SPAWN Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: BC forest service survey. Skeena guides have cabin on lake.
Comment2: SK beach spawning occurs in lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Muddy (A)
Wsd_code: 400-0165-374?
Lak_seq_no: 03?
Last_entry: Mar85
Near_town: Pr. Rupert
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk: 2
Dist_air: 48
Location: 103H/13-53/55-129/42
Elev:
Drainage: Skeena
In_out: 2-1
Survey: 05/68 Type_survey: HQ
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: High recreational sport fishing potential.
Comment2: This is actually 2 lakes with short stream between.
Comment3: CT up to 4 pounds.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Munro (G)
Wsd_code: 500-3771-402-507
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Stewart
Dist_town: 73
Dist_pave: 113 Dist_grav: 24
Dist_4x4: Dist_walk:
Dist_air: 73
Location: 103P/15-55/54-128/49
Elev: 661
Drainage: Nass
In_out: 3-1
Survey: 87/08 Type_surve: RS
Surf_area: 64 Litt_area: 15.9
Perim: 7,500
Depth_mean: 16 Depth_max: 50
Tds: 34 Ph: 7.0

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs: No
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Dead falls & occasional shoal - only fair boating.
Comment2: Primitive campsite at access point.
Comment3: Logging in area.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: MacLure (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Smithers
Dist_town: 10
Dist_pave: 10 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/11-54/43-127/02
Elev: 550
Drainage: Bulkley
In_out: 2-1
Survey: 75/08 Type_surve:
Surf_area: 317.7 Litt_area:
Perim: 9754
Depth_mean: 11 Depth_max: 22
Tds: 172 Ph: 8.5

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : YP Ko: U Np: U
Other_spp: LSU/CAS/RSC/NSC/PCC

Rehab:
Constraint: RECREA Regs:
Structure: Beaver Facilities: GS PC
Effort: Cpue:
Enhance:

Comment1: See Tyhee Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Macmillan (G)
Wsd_code: 400-0041
Lak_seq_no: 03
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 103J/01-54/11-130/08
Elev: 30
Drainage: Skeena
In_out: 1-1
Survey: Type_surve:
Surf_area: 5.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: McBrierie (G)
Wsd_code: 460-7020-520
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Burns Lake
Dist_town: 55
Dist_pave: 42 Dist_grav:
Dist_4x4: ?-12 Dist_walk: 1
Dist_air:
Location: 093L/08-54/23-126/24
Elev: 792
Drainage: Bulkley
In_out: 0-0
Survey: Type_surve:
Surf_area: 5.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: McDonell (G)
Wsd_code: 440
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Smithers
Dist_town: 48
Dist_pave: Dist_grav: 48
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/13-54/48-127/38
Elev: 834
Drainage: Zymoetz
In_out: 2-1
Survey: 68/08 Type_survey: RS
Surf_area: 223.0 Litt_area:
Perim: 10753
Depth_mean: 8 Depth_max: 15
Tds: 45 Ph: 7.4

Rb: U Lt: U Ct: Y
Dv: Y St: Y Gr: U
W : U Ko: U Np: U
Other_spp: SK/CO/LSU/CAS/PCC

Rehab:
Constraint: SPAWN Regs: YES
Structure: Facilities: RE 1PC 2
Effort: Cpue:
Enhance: SG_ST

Comment1: Spawning gravel placement in outlet for ST. ST release.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: McDowell (G)
Wsd_code: 460-4353
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 26
Dist_pave: Dist_grav: 26
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/10-54/43-126/56
Elev: 939
Drainage: Bulkley
In_out: 0-1
Survey: 82/08 Type_surve: HQ
Surf_area: 36.3 Litt_area: 21.7
Perim: 3531
Depth_mean: 6 Depth_max: 17
Tds: 72 Ph: 6.0

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: ACCESS Regs:
Structure: Debris Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: No fish caught in gill net set.
Comment2: Considered for stocking, but public access too difficult.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: McKilligan (G)
Wsd_code: 460-6692
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 8
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 8
Location: 093L/07-54/23-126/31
Elev: 853
Drainage: Bulkley
In_out: 1-1
Survey: Type_surve:
Surf_area: 2.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: McKnight (G)
Wsd_code: 500-2744-174
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Kitwanga
Dist_town: 51
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/10-55/37-128/31
Elev: 335
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 22.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: McQuarrie (G)
Wsd_code: 460-7449
Lak_seq_no: 03
Last_entry: Nov93
Near_town: Houston
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 093L/10-54/38-126/46
Elev: 1061
Drainage: Bulkley
In_out: 3-1
Survey: 83/09 Type_surve:
Surf_area: 216.0 Litt_area: 146.2
Perim: 13238
Depth_mean: 5 Depth_max: 11
Tds: 62 Ph: 7.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: SPAWN Regs:
Structure: Debris Facilities:
Effort: Cpue:
Enhance:

Comment1: Muscle and liver samples taken for metal analysis.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nangeese (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 82
Dist_pave: Dist_grav: 82
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/00-128/00
Elev: 510
Drainage: Kispiox
In_out: 0-1
Survey: 06/83 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Survey conducted by contractor (N.E.E.D. program).
Comment2: Lake supports moderate sport fishery.
Comment3: CO captured in outlet stream.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nanika (G)
Wsd_code: 460-6006-644
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Smithers
Dist_town: 110
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 110
Location: 093E/13-53/45-127/30
Elev: 935
Drainage: Bulkley
In_out: 14-1
Survey: 75/10 Type_surve:
Surf_area: 3100.0 Litt_area:
Perim:
Depth_mean: 81 Depth_max: 222
Tds: 46 Ph: 7.3

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: L.PROD Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nass (G)
Wsd_code: 500
Lak_seq_no: 02
Last_entry: FEB87
Near_town: Iskut
Dist_town: 80
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 80
Location: 104H/03-57/12-129/05
Elev: 1061
Drainage: Nass
In_out: 3-1
Survey: 9/84 Type_surve: HQ
Surf_area: 123 Litt_area: 55.3
Perim: 9160
Depth_mean: 6.1 Depth_max: 12
Tds: 58 Ph: 7.5

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Gulf Canada coalmine proposal. Several rough campsites.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nellian (G)
Wsd_code: 480-9277-667-185
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Burns Lake
Dist_town: 29
Dist_pave: 16 Dist_grav: 12
Dist_4x4: 1 Dist_walk:
Dist_air:
Location: 093K/05-54/24-125/45
Elev: 1060
Drainage: Babine
In_out: 1-1
Survey: 84/07 Type_survey: RS
Surf_area: 65.2 Litt_area: 65.2
Perim: 5170
Depth_mean: 2 Depth_max: 5
Tds: 56 Ph: 7.4

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: Regs:
Structure: Debris Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Poor inlet stream.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Neuch (G)
Wsd_code: 460-6006-239-956
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Houston
Dist_town: 44
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk: 4
Dist_air:
Location: 093L/02-54/07-126/40
Elev: 1158
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 25.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nez (G)
Wsd_code: 460-7882
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Topley
Dist_town: 13
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 13
Location: 093L/09-54/34-126/09
Elev: 1250
Drainage: Bulkley
In_out: 2-1
Survey: 74/08 Type_surve:
Surf_area: 181.3 Litt_area: 95.5
Perim: 13441
Depth_mean: 7 Depth_max: 17
Tds: 38 Ph: 6.8

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/LKC/

Rehab:
Constraint: Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nilkitkwa (G)
Wsd_code: 480
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Smithers
Dist_town: 80
Dist_pave: Dist_grav: 80
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/07-55/15-126/45
Elev: 712
Drainage: Babine
In_out: 13-1
Survey: 06/68 Type_survey: HQ
Surf_area: 1416.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: Y Ct: U
Dv: Y St: Y Gr: U
W : YL Ko: U Np: U
Other_spp: CH/SK/CO/

Rehab:
Constraint: RESERV Regs: YES
Structure: Facilities: PC
Effort: Cpue:
Enhance:

Comment1: Excellent spawning facilities for salmon and trout.
Comment2: High recreational use of this lake. Fly fishing.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nine (G)
Wsd_code: 500-3771-402-131
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Stewart
Dist_town: 68
Dist_pave: Dist_grav: 100
Dist_4x4: Dist_walk:
Dist_air: 68
Location: 103P/15-55/52-128/54
Elev: 433
Drainage: Nass
In_out: 1-1
Survey: 87/08 Type_surve: RS
Surf_area: 30.1 Litt_area: 8.2
Perim: 4100
Depth_mean: 13.1 Depth_max: 31
Tds: 30 Ph: 7.4

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: L. Prod. Regs: No
Structure: Debris Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Niska (West) (G)
Wsd_code: 520-6465
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Stewart
Dist_town: 52
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 52
Location: 103P/14-55/47-129/10
Elev: 527
Drainage: Nass
In_out: 7-1
Survey: 88/10 Type_surve:
Surf_area: 230 Litt_area: 47
Perim: 8,500
Depth_mean: 17 Depth_max: 33
Tds: 18 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: L. Prod. Regs: No
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: Two lakes. No road or trails in area. Rough campsite.
Comment2: Logging development proceeding in general area.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: North (G)
Wsd_code: 460-7449-858
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Houston
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 093L/10-54/34-126/43
Elev: 1433
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 12.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Nuphar (G)
Wsd_code: 480-9277-677-960
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 18
Dist_pave: Dist_grav: 18
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05
Elev: 945
Drainage: Babine
In_out: 1-1
Survey: 75/08 Type_surve: HQ
Surf_area: 11.8 Litt_area: 5.7
Perim: 1402
Depth_mean: 6 Depth_max: 16
Tds: 50 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: CSU/LSU/LC/

Rehab:
Constraint: Regs:
Structure: Facilities: PC
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Octopus (A)
Wsd_code:
Lak_seq_no:
Last_entry: Dec93
Near_town: Kitwanga
Dist_town: 67
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 67
Location: 103P/09-55/40-128/23
Elev: 637
Drainage: Nass
In_out: 1-1
Survey: 87/06 Type_survey: RS
Surf_area: 68.6 Litt_area:
Perim:
Depth_mean: Depth_max: 23
Tds: 68 Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Spawn Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Found to be barren in survey & subsequently stocked with RB.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Ogston (G)
Wsd_code: 480-9936-187
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Ft.St.James
Dist_town: 37
Dist_pave: Dist_grav: 37
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/10-54/32-124/49
Elev: 942
Drainage: Babine
In_out: 4-1
Survey: 74/07 Type_survey:
Surf_area: 148.1 Litt_area: 53.4
Perim: 887
Depth_mean: 5 Depth_max: 15
Tds: 126 Ph: 8.0

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Logging in vicinity of lake.
Comment2: Inlet streams do not appear to be important.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Old Man (G)
Wsd_code: 460-7020
Lak_seq_no: 04
Last_entry: Jun85
Near_town: Burns Lake
Dist_town: 55
Dist_pave: 42 Dist_grav:
Dist_4x4: ?-12 Dist_walk: 1
Dist_air:
Location: 093L/08-54/24-126/24
Elev: 792
Drainage: Bulkley
In_out: 1-1
Survey: 10/93 Type_survey: RS
Surf_area: 15.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: W. Kill Regs:
Structure: Dam Facilities:
Effort: Cpue:
Enhance:

Comment1: Likely to winter kill. Supports nesting swans.
Comment2: Ducks unlimited dam at Aitken Creek.
Comment3: No fish caught in minnow traps - not set overnight.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Old Woman (G)
Wsd_code: 460
Lak_seq_no: 04
Last_entry: Jun85
Near_town: Houston
Dist_town: 30
Dist_pave: 29 Dist_grav:
Dist_4x4: Dist_walk: 1
Dist_air:
Location: 093L/08-54/25-126/07
Elev: 762
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve: AN
Surf_area: 28.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: W. Kill Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Anecdotal information indicates that this lake winter kills.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Oliver (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Prince Rup.
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103J/01-54/00-130/00
Elev: 76
Drainage: Skeena
In_out: 1-1
Survey: 52/07 Type_surve:
Surf_area: 3.0 Litt_area:
Perim: 760
Depth_mean: 1 Depth_max: 2
Tds: 47 Ph:

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Onerka (G)
Wsd_code: 480-3602
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 90
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 90
Location: 093M/15-55/58-126/59
Elev: 1200
Drainage: Babine
In_out: 5-1
Survey: 75/08 Type_surve:
Surf_area: 39.8 Litt_area: 23.4
Perim: 1957
Depth_mean: 7 Depth_max: 17
Tds: 28 Ph: 6.6

Rb: U Lt: U Ct: U
Dv: Y St: U Gr: U
W : YM Ko: U Np: U
Other_spp: CO/SK/FS

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Outlet has spawning potential.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Onion (G)
Wsd_code: 420-7590-591
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Terrace
Dist_town: 29
Dist_pave: 29 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/07-54/18-128/34
Elev: 183
Drainage: Lakelse
In_out: 0-0
Survey: 72/07 Type_survey: RS/HQ
Surf_area: 15.0 Litt_area:
Perim: 1006
Depth_mean: 8 Depth_max: 20
Tds: 20 Ph: 6.3

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: Y Np: U
Other_spp: TSB/

Rehab:
Constraint: SPAWN Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Closed system. Early planting of RB.
Comment2: Rotenone applied to the lake (1959 memo).
Comment3: Boat launching area at lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Oweegee (G)
Wsd_code: 560-4724
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Stewart
Dist_town: 146
Dist_pave: Dist_grav: 146
Dist_4x4: Dist_walk:
Dist_air:
Location: 104A/12-56/39-129/43
Elev: 549
Drainage: Nass
In_out: 1-1
Survey: 72/09 Type_surve: HQ
Surf_area: 51.3 Litt_area: 0.0
Perim: 6337
Depth_mean: 2 Depth_max: 3
Tds: 170 Ph: 6.4

Rb: Y Lt: U Ct: U
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: CO/SK/CH/CSU/LSU/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: ST reported in salmon catalogue. Cartop launching possible.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Owen (G)
Wsd_code: 460-6006-239
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Houston
Dist_town: 40
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/02-54/10-126/45
Elev: 762
Drainage: Bulkley
In_out: 3-1
Survey: 68/08 Type_surve: RS
Surf_area: 296.6 Litt_area:
Perim: 16368
Depth_mean: 16 Depth_max: 37
Tds: 56 Ph: 7.1

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : YP Ko: U Np: U
Other_spp: MW/RSC/NSC/BB/CSU/PCC

Rehab:
Constraint: Beaver Regs:
Structure: Dam Facilities: GS RE
Effort: Cpue:
Enhance: ST_RB

Comment1: Outlet has been damed (about 10 c.f.s.).
Comment2: CO used to get inot Owen Lake.
Comment3: ST come to within a few km of lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Packrat (G)
Wsd_code: 480-9277-677-960
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 16
Dist_pave: Dist_grav: 16
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05-54/20-125/35
Elev: 975
Drainage: Babine
In_out: 2-1
Survey: 74/08 Type_surve: HQ
Surf_area: 96.3 Litt_area: 46.1
Perim: 4618
Depth_mean: 6 Depth_max: 13
Tds: 60 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: WSU/LSU/BB/FS

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Old sawmill site on lake. Some spawning potential in outlet
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Panorama (G)
Wsd_code: 500-8409
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Iskut
Dist_town: 150
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 150
Location: 104A/16-56/47-128/29
Elev: 1158
Drainage: Nass
In_out: 0-1
Survey: Type_survey: AN
Surf_area: 43.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Beaver Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Lake survey from BC forest service division - little infor.
Comment2: Fishing quite good in 50's, but reported as poor now.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Paw (G)
Wsd_code: 500-3975-557
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Stewart
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 103P/14-55/53-129/07
Elev: 366
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 63.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Peck (G)
Wsd_code: 400-0041-649
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Prince Rup.
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 103J/01-54/10-130/08
Elev: 122
Drainage: Skeena
In_out: 2-1
Survey: Type_surve:
Surf_area: 35.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Pendleton (G)
Wsd_code: 480-8164-269
Lak_seq_no: 01
Last_entry: Jun85
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/12-54/30-125/51
Elev:
Drainage: Babine
In_out:
Survey: Type_survey:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Pentz (G)
Wsd_code: 470-1916
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 40
Dist_pave: Dist_grav: 40
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/12-55/31-127/51
Elev: 315
Drainage: Kispiox
In_out: 1-1
Survey: 06/83 Type_survey: RS
Surf_area: 25.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: SU/NSC/

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Survey done by contractor (N.E.E.D. program).
Comment2: SU not identified to species.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Phipps (G)
Wsd_code: 460-6006-364-889
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 90
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 90
Location: 093L/03-54/00-127/16
Elev: 975
Drainage: Bulkley
In_out: 0-1
Survey: Type_surve:
Surf_area: 55.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Pine (G)
Wsd_code: 400-1842-170-166
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Terrace
Dist_town: 14
Dist_pave: Dist_grav: 14
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/01-54/37-128/43
Elev: 213
Drainage: Skeena
In_out: 2-1
Survey: 74/10 Type_surve:
Surf_area: 34.4 Litt_area: 8.1
Perim: 6157
Depth_mean: 4 Depth_max: 14
Tds: 28 Ph: 5.7

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: TSB/

Rehab:
Constraint: Beaver Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Possible to launch a trailered boat at the lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Pinetree (G)
Wsd_code: 480-6972-334-555
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Smithers
Dist_town: 60
Dist_pave: 6 Dist_grav: 54
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/15-54/59-126/36
Elev: 908
Drainage: Babine
In_out: 1-1
Survey: 82/08 Type_surve: HQ
Surf_area: 46.5 Litt_area: 42.8
Perim: 3497
Depth_mean: 3 Depth_max: 8
Tds: 67 Ph: 6.0

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: NSC/RSC/CAS/PCC/LSU/

Rehab:
Constraint: Regs:
Structure: Facilities: FS
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Pinkut (G)
Wsd_code: 480-9277-677
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 19
Dist_pave: Dist_grav: 19
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05-54/23-125/40
Elev: 914
Drainage: Babine
In_out: 13-1
Survey: 74/10 Type_surve: HQ
Surf_area: 574.7 Litt_area: 345.2
Perim: 20117
Depth_mean: 10 Depth_max: 32
Tds: 64 Ph: 6.7

Rb: Y Lt: Y Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: CSU/LSU/BB/LKC/FS

Rehab:
Constraint: Regs:
Structure: Facilities: GS PC 3
Effort: Cpue:
Enhance:

Comment1: Ethel F. Wilson provincial park on lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Pinpoint (A)
Wsd_code:
Lak_seq_no:
Last_entry: Nov85
Near_town: Hazelton
Dist_town: 70
Dist_pave: Dist_grav: 70
Dist_4x4: Dist_walk: X
Dist_air:
Location: 103P/09-55/00-128/00
Elev: 420
Drainage: Kispiox
In_out: 1-1
Survey: 06/83 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: NSC/SU/RSC/

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Survey conducted by contractor (N.E.E.D. program).
Comment2: Beaver dams in outlet. RSC caught in outlet.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Pothole Lake (A)
Wsd_code: not on NTS map
Lak_seq_no:
Last_entry: 03/94
Near_town: Burns Lake
Dist_town: 16
Dist_pave: 16
Dist_4x4:
Dist_air:
Location: 93K
Elev:
Drainage: Babine
In_out:
Survey:
Surf_area:
Perim:
Depth_mean:
Tds:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint:
Structure:
Effort:
Enhance: ST_RB

Comment1:
Comment2:
Comment3:
Comment4:

Dist_grav:
Dist_walk:

Type_surve:
Litt_area:

Depth_max:
Ph:

Regs:
Facilities:
Cpue:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Rae
Wsd_code: 400-0165-374
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Prince Rup.
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 103H/13-53/54-129/41
Elev: 30
Drainage: Skeena
In_out: 3-1
Survey: Type_surve:
Surf_area: 111.8 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Falls Facilities:
Effort: Cpue:
Enhance:

Comment1: Impassable falls 3.2 km from mouth of Muddy C.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Record (G)
Wsd_code: 500-2019-241-426-683
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Nass Camp
Dist_town: 37
Dist_pave: Dist_grav: 36
Dist_4x4: Dist_walk: 1
Dist_air:
Location: 103P/07-55/25-128/52
Elev: 518
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 2.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Red Sand (G)
Wsd_code: 430
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Terrace
Dist_town: 26
Dist_pave: Dist_grav: 26
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/10-54/42-128/46
Elev: 122
Drainage: Kitsumkalum
In_out: 1-1
Survey: 72/08 Type_surve: HQ
Surf_area: 38.7 Litt_area: 14.6
Perim: 3786
Depth_mean: 5 Depth_max: 15
Tds: 33 Ph: 6.9

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp: SK/PCC/

Rehab:
Constraint: Regs:
Structure: Facilities: GS; BL
Effort: Cpue:
Enhance:

Comment1: Boat launching, campsite, picnic area.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Rob (G)
Wsd_code: 500-2321-263
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Stewart
Dist_town: 85
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 85
Location: 103P/06-55/22-129/05
Elev: 183
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 5.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Robinson (G)
Wsd_code: 460-0176
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 10
Dist_pave: Dist_grav: 10
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/05-55/15-127/45
Elev: 610
Drainage: Kispiox
In_out: 0-1
Survey: 70/08 Type_survey: RS/HQ
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: 176 Ph: 8.5

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Good fishing for CT up to 2 pounds.
Comment2: Survey did not include fish or physical data.
Comment3: Former attempts to establish a quarry at lake over-ruled.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Rose (A)
Wsd_code:
Lak_seq_no:
Last_entry: FEB87
Near_town: Burns Lake
Dist_town: 22
Dist_pave: 22 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/08-54/23-126/02
Elev: 701
Drainage: Bulkley
In_out: 1-1
Survey: 6/86 Type_surve: AN
Surf_area: 28.0 Litt_area: 28.6
Perim:
Depth_mean: 2.8 Depth_max: 5.9
Tds: 68 Ph: 7.7

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: RSU/LSU

Rehab:
Constraint: W. Kill Regs:
Structure: Facilities: RE(1)PC(3)
Effort: Cpue:
Enhance:

Comment1: Notes on Rose lake in Bedore Lake file (Nechako).
Comment2: Ed Dilly said that there were trout present in lake.
Comment3: Sawmill on north shore of lake.
Comment4: Coarse fish taken in lake.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Ross (A)
Wsd_code: 460-0486
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 10
Dist_pave: 9 Dist_grav: 1
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/05-55/15-127/31
Elev: 427
Drainage: Bulkley
In_out:
Survey: 0-0 Type_surve:
Surf_area: 33.2 Litt_area:
Perim: 3109
Depth_mean: 4 Depth_max: 8
Tds: 54 Ph: 6.8

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: EB/RSC/

Rehab:
Constraint: SPAWN
Structure:
Effort:
Enhance:

Regs:
Facilities: GS
Cpue:

Comment1: see Six Mile Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Ross (G)
Wsd_code: 500-1857-421
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Terrace
Dist_town: 80
Dist_pave: Dist_grav: 80
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/02-55/07-128/58
Elev: 183
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 5.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb:	Lt:	Ct:
Dv:	St:	Gr:
W :	Ko:	Np:
Other_spp:		

Rehab:	Regs:
Constraint:	Facilities:
Structure:	Cpue:
Effort:	
Enhance:	

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Rossvale (G)
Wsd_code: 460-0363-240
Lak_seq_no: 01
Last_entry: Nov85
Near_town: New Hazelto
Dist_town: 5
Dist_pave: 5 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/04-55/14-127/30
Elev: 427
Drainage: Bulkley
In_out: 0-1
Survey: 07/74 Type_surve: PM/AN
Surf_area: 7.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LKC

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: No fish in this lake according to locals.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Round (G)
Wsd_code: 460-4726
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Smithers
Dist_town: 21
Dist_pave: Dist_grav: 21
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/10-54/39-126/55
Elev: 580
Drainage: Bulkley
In_out: 0-1
Survey: 75/09 Type_surve: RS/HQ/AN
Surf_area: 182.1 Litt_area:
Perim: 5334
Depth_mean: 10 Depth_max: 20
Tds: 154 Ph: 8.4

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/BB/CAS/RSC/NSC/PCC/FS

Rehab:
Constraint: SPAWN Regs:
Structure: Weeds Facilities: PC
Effort: Cpue:
Enhance: ST_RB; SG

Comment1: Many areas of inlet to lake were clogged with debris.
Comment2: Considered coarse fish barrier & chemical treatment.
Comment3: Inlet runs dry early - mid July. Irrigation dam on lake.
Comment4: Anecdotal info. indicates that large RB taken from lake.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Saiya (G)
Wsd_code: 490-3988
Lak_seq_no: 01
Last_entry: Jun85
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 094D/07-56/17-126/42
Elev:
Drainage: Sustut
In_out:
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sammon (G)
Wsd_code: 470-1610-165
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 37
Dist_pave: Dist_grav: 36.9
Dist_4x4: Dist_walk: 0.1
Dist_air:
Location: 093M/12-55/31-127/49
Elev: 345
Drainage: Kispiox
In_out: 1-1
Survey: 06/83 Type_survey: RS
Surf_area: 30.5 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: NSC/SU/

Rehab:
Constraint: Spawn Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Survey done by contractor (N.E.E.D. program).
Comment2: Warm water temp. in summer.
Comment3: Inlet has poor, intermittent seasonal flow.
Comment4: No spawning habitat in outlet. Suggested stream improvement.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sand (G)
Wsd_code: 500-1857
Lak_seq_no: 10
Last_entry: Mar85
Near_town: Terrace
Dist_town: 90
Dist_pave: Dist_grav: 90
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/15-54/58-128/58
Elev: 305
Drainage: Nass
In_out: 0-1
Survey: 72/07 Type_surve: HQ
Surf_area: 155.0 Litt_area:
Perim: 8077
Depth_mean: 5 Depth_max: 14
Tds: 50 Ph: 7.0

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: Y Np: U
Other_spp: NSC/CSU/TSB/CAS/PCC/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Logged shoreline. Otherwise good esthetic value.
Comment2: Recreational fishery has developd with people from Terrace.
Comment3: Kitimat fishing lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sand (G)
Wsd_code: 500-1857
Lak_seq_no: 10
Last_entry: Jun85
Near_town: Terrace
Dist_town: 65
Dist_pave: Dist_grav: 65
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/15-54/58-128/58
Elev: 213
Drainage: Nass
In_out: 6-1
Survey: Type_surve:
Surf_area: 160.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sandal (A)
Wsd_code:
Lak_seq_no:
Last_entry: Jun85
Near_town: Stewart
Dist_town: 70
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 70
Location: 103P/11-55/37-129/02
Elev: 305
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 20.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sandpiper (G)
Wsd_code: 440-2569-597-834
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 55
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 55
Location: 093L/05-54/23-127/42
Elev: 1158
Drainage: Zymoetz
In_out: 2-1
Survey: Type_surve:
Surf_area: 25.4 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sandstone (G)
Wsd_code: 440-7670
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 45
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 45
Location: 093L/13-54/30-127/38
Elev: 1036
Drainage: Zymoetz
In_out: 2-1
Survey: Type_survey: PM
Surf_area: 73.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph: 5.1

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities: PC 1
Effort: Cpue:
Enhance:

Comment1: Also reached by trail from McDonnell Lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Saturday (G)
Wsd_code: 480-6972-190
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Smithers
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 093L/16-54/52-126/25
Elev: 911
Drainage: Babine
In_out: 0-1
Survey: Type_surve:
Surf_area: 14.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Scrub (G)
Wsd_code: 500-3975
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Stewart
Dist_town: 55
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 55
Location: 103P/14-55/49-129/10
Elev: 823
Drainage: Nass
In_out: 4-1
Survey: Type_surve:
Surf_area: 71.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Scultreau (A)
Wsd_code: 500-2719-160
Lak_seq_no: 02
Last_entry: Dec93
Near_town: Alice Arm
Dist_town: 30
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 30
Location: 103P/11-55/34-129/02
Elev: 255
Drainage: Nass
In_out: 1-1
Survey: 87/07 Type_surve: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: 89 Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Spawn Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Lots of loggig activity in area.
Comment2: Inlet and outlet streams almost dry.
Comment3: No fish caught in overnight gillnet.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Seeley (G)
Wsd_code: 400-4259-262
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 6
Dist_pave: 6 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/04-55/12-127/40
Elev: 335
Drainage: Skeena
In_out: 0-1
Survey: 61/07 Type_surve: RS/HQ
Surf_area: 19.8 Litt_area:
Perim: 3246
Depth_mean: 2 Depth_max: 3
Tds: 93 Ph:

Rb: U Lt: U Ct: Y
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Beaver Regs:
Structure: Culvert Facilities: GS 20; BL
Effort: 25.5 Cpue: 0.46
Enhance: SG

Comment1: Effort & CPUE in catch/angler hour for ice fishing.
Comment2: Large campsite on lake. Angling during summer and winter.
Comment3: Problem with poaching of spawning CT in area in spring.
Comment4: Culvert problems at CNR.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Seymour (G)
Wsd_code: 460-3738
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Smithers
Dist_town: 4
Dist_pave: 1 Dist_grav: 3
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/11-54/44-127/09
Elev: 533
Drainage: Bulkley
In_out: 1-1
Survey: 83/09 Type_survey: RS/HQ
Surf_area: 80.1 Litt_area: 49.3
Perim: 3930
Depth_mean: 5 Depth_max: 8
Tds: 79 Ph: 7.9

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: PCC/RCC/NSC/CSU/CAS/LSU/

Rehab:
Constraint: C.FISH Regs: YES
Structure: Beaver Facilities: PC 20
Effort:
Enhance: Cpue:

Comment1: Man made dam on outlet. No motorboats.
Comment2: Considered for chemical treatment, but rejected by public.
Comment3: ST holding facility.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Shandilla (A)
Wsd_code:
Lak_seq_no:
Last_entry: Nov85
Near_town: Kitimat
Dist_town: 3
Dist_pave: Dist_grav: .5
Dist_4x4: Dist_walk: 3
Dist_air:
Location: 103P/01-55/04-128/01
Elev: 305
Drainage: Skeena
In_out: 1-1
Survey: Type_survey:
Surf_area: 22.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Considered to have a high potential for hiking.
Comment2: Improvements could be made to trail and casting areas.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Shass (G)
Wsd_code: 480-9936-187-799
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Ft.St.James
Dist_town: 37
Dist_pave: Dist_grav: 36
Dist_4x4: 1 Dist_walk:
Dist_air:
Location: 093K/10-54/30-124/50
Elev: 975
Drainage: Babine
In_out:
Survey: 74/07 Type_survey: HQ
Surf_area: 19.8 Litt_area: 1.8
Perim: 2377
Depth_mean: 3 Depth_max: 8
Tds: 58 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Can be reached by boat from Grassham lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Shishilabet (G)
Wsd_code: 500-2719
Lak_seq_no: 01?
Last_entry: Jun85
Near_town: Stewart
Dist_town: 70
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 70
Location: 103P/11-55/32-129/14
Elev: 792
Drainage: Nass
In_out: 4-1
Survey: Type_surve:
Surf_area: 73.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sicintine (G)
Wsd_code: 400-6362
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 129
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 129
Location: 093M/14-55/58-126/22
Elev: 1000
Drainage: Skeena
In_out: 4-1
Survey: 75/08 Type_surve: HQ
Surf_area: 71.8 Litt_area:
Perim: 4410
Depth_mean: 2 Depth_max: 4
Tds: 35 Ph: 7.0

Rb: U Lt: U Ct: U
Dv: Y St: U Gr: U
W : YM Ko: U Np: U
Other_spp: SK/

Rehab:
Constraint: BEAVER
Structure: Regs:
Effort: Facilities: PC 1
Enhance: Cpue:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sideslip (G)
Wsd_code: 500-3429
Lak_seq_no: 01
Last_entry: Nov85
Near_town: Aiyansh
Dist_town: 29
Dist_pave: Dist_grav: 29
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/10-55/39-128/45
Elev:
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y	Lt: U	Ct: U
Dv: U	St: U	Gr: U
W : U	Ko: U	Np: U
Other_spp:		

Rehab:
Constraint: SPAWN
Structure: Falls
Effort:
Enhance:
Regs:
Facilities: BL
Cpue:

Comment1: Small lake beside the Stewart-Cassiar Hwy.
Comment2: Poor potential to support fishery. Good esthetics.
Comment3: Boat ramp - easy access for boat trailer.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Silvern (G)
Wsd_code: 440-9553
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Smithers
Dist_town: 15
Dist_pave: Dist_grav:
Dist_4x4: 14 Dist_walk: 1
Dist_air:
Location: 093L/14-54/45-127/30
Elev:
Drainage: Zymoetz
In_out: 2-1
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U	Lt: U	Ct: U
Dv: Y	St: U	Gr: U
W : U	Ko: U	Np: U
Other_spp:		

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Spawning DV observed in inlet stream at NE and NW ends.
Comment2: Largest fish observed were 20 cm.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Silverstandard
Wsd_code:
Lak_seq_no:
Last_entry: Nov85
Near_town: Hazelton
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/05-55/21-127/30
Elev:
Drainage: Skeena
In_out:
Survey: 06/80 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Access from Nine Mile mountain road.
Comment2: Can't find this lake on mapsheet ?
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Silverthorne (A)
Wsd_code:
Lak_seq_no:
Last_entry: FEB87
Near_town: HOUSTON
Dist_town: 9
Dist_pave: Dist_grav: 9
Dist_4x4: Dist_walk:
Dist_air:
Location: 93L/7-54/19-126/40
Elev: 884
Drainage: BULKLEY
In_out: 0-1
Survey: 7/86 Type_survey:
Surf_area: 35.6 Litt_area: 31.56
Perim:
Depth_mean: 3 Depth_max: 9.1
Tds: 77 Ph: 6.8

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Simila (G)
Wsd_code: 440-0919=966
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Terrace
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 103I/09-54/33-128/19
Elev: 1158
Drainage: Zymoetz
In_out: 0-0
Survey: Type_surve:
Surf_area: 12.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Six Mile (G)
Wsd_code: 460-0486
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 10
Dist_pave: 9 Dist_grav: 1
Dist_4x4: Dist_walk:
Dist_air:
Location: 93M/05-55/15-127/31
Elev: 427
Drainage: Bulkley
In_out: 0-0
Survey: Type_survey: RS/HQ
Surf_area: 33.2 Litt_area:
Perim: 3109
Depth_mean: 4 Depth_max: 8
Tds: 54 Ph: 6.8

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: EB/RSC/PDC

Rehab:
Constraint: Spawn Regs:
Structure: Facilities: GS BL
Effort: Cpue:
Enhance: ST_RB&EB

Comment1: Fish kill in 1981. Located in Ross Lake park.
Comment2: Populaf for fishing. No spawning in lake.
Comment3: Recently discovered RSC in lake. Also called Ross Lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Skunsnat (G)
Wsd_code: 470-4343
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 60
Dist_pave: Dist_grav: 60
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/39-128/10
Elev: 427
Drainage: Kisplox
In_out: 0-1
Survey: 08/72 Type_surve: HQ
Surf_area: 22.9 Litt_area:
Perim:
Depth_mean: Depth_max: 11
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Fairly good fishing reported.
Comment2: Difficult to access in wet weather.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Slamgeesh (G)
Wsd_code: 400-7053-422
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Hazelton
Dist_town: 130
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 130
Location: 094D/05-56/24-127/56
Elev:
Drainage: Skeena
In_out:
Survey: Type_surve:
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/SK/CH/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Trout present in lake. ST present in system.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Smokee (G)
Wsd_code: 400-6166
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 125
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 125
Location: 093M/13-55/22-127/50
Elev: 823
Drainage: Skeena
In_out: 0-1
Survey: Type_surve:
Surf_area: 35.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: South (G)
Wsd_code: 460-7449-858
Lak_seq_no: 02
Last_entry: Jan86
Near_town: Houston
Dist_town: 20
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 20
Location: 093L/10-54/33-126/42
Elev: 1433
Drainage: Bulkley
In_out: 0-0
Survey: Type_survey:
Surf_area: 8.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sponge (G)
Wsd_code: 480-9277-677-960-412
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 16
Dist_pave: Dist_grav: 16
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05-54/21-125/36
Elev: 975
Drainage: Babine
In_out: 1-1
Survey: 74/08 Type_survey:
Surf_area: 17.8 Litt_area:
Perim: 2164
Depth_mean: 3 Depth_max: 8
Tds: 66 Ph: 6.9

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/LKC/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Stephens (G)
Wsd_code: 470-6572
Lak_seq_no: 01
Last_entry: Feb86
Near_town: Stewart
Dist_town: 80
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 80
Location: 103P/15-55/46-128/34
Elev: 524
Drainage: Kispiox
In_out: 3-1
Survey: 45/?? Type_survey: HQ
Surf_area: 205.9 Litt_area:
Perim:
Depth_mean: Depth_max: 20
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: SK/CO/CH/LSU/LW/CAS/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Surveyed by DFO. ST reported spawning in outlet area.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Stepp (G)
Wsd_code: 460-6006-644-370
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Houston
Dist_town: 64
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 64
Location: 093E/14-53/57-127/20
Elev: 945
Drainage: Bulkley
In_out: 15-1
Survey: 74/10 Type_surve: HQ
Surf_area: 592.5 Litt_area: 504.7
Perim: 18581
Depth_mean: 18 Depth_max: 32
Tds: 26 Ph: 6.8

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/FS

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Part of chain of lakes used by canoeists.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sucker (G)
Wsd_code: 480-3602-127
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Smithers
Dist_town: 80
Dist_pave: 20 Dist_grav: 60
Dist_4x4: Dist_walk:
Dist_air:
Location: 093M/10-55/30-126/35
Elev: 856
Drainage: Babine
In_out: 6-1
Survey: 83/09 Type_surve: RS
Surf_area: 95.0 Litt_area: 62.3
Perim: 7530
Depth_mean: 5 Depth_max: 14
Tds: 54 Ph: 7.0

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LKC/LSU/

Rehab:
Constraint: C. fish Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Poorly developed picnic site and dock.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Summit (G)
Wsd_code: 460-6728
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Houston
Dist_town:
Dist_pave: Dist_grav: X
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/07-54/30-126/30
Elev: 853
Drainage: Bulkley
In_out:
Survey: 70/08 Type_survey: RS
Surf_area: 31.2 Litt_area:
Perim: 2798
Depth_mean: 7 Depth_max: 14
Tds: 81 Ph: 8.5

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: Regs:
Structure: Weeds Facilities:
Effort: Cpue:
Enhance:

Comment1: Rough road in. Lots of weeds. Campsite area on lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sunday (G)
Wsd_code: 470-1239
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Hazelton
Dist_town: 29
Dist_pave: Dist_grav: 25
Dist_4x4: Dist_walk: ? 4
Dist_air:
Location: 093M/05-55/27-127/48
Elev: 335
Drainage: Kispiox
In_out: 0-0
Survey: Type_survey:
Surf_area: 10.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sunset (G)
Wsd_code: 460-8344
Lak_seq_no: 01
Last_entry: Mar94
Near_town: Topley
Dist_town: 6
Dist_pave: 5 Dist_grav: 1
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/08-54/30-126/20
Elev: 866
Drainage: Bulkley
In_out: 1-1
Survey: 10/93 Type_surve: RS
Surf_area: 125.0 Litt_area:
Perim: 6538
Depth_mean: 10 Depth_max: 26
Tds: 70 Ph: 8.5

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : YL Ko: U Np: U
Other_spp: NSC/PCC/BB/LSU/CSU/MW/LKC

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities: PC 1;BL;FS
Effort: Cpue:
Enhance:

Comment1: Beaver dam at outlet may restrict access to spawning habitat
Comment2: Culvert at outlet does not pose a barrier to migration.
Comment3: Small campsite on lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sustut (G)
Wsd_code: 490
Lak_seq_no: 02
Last_entry: Nov93
Near_town: Smithers
Dist_town: 195
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 195
Location: 094D/09-56/34-126/27
Elev: 1301
Drainage: Sustut
In_out: 9-1
Survey: 86/09 Type_surve: RS
Surf_area: 257 Litt_area: 139
Perim: 13,200
Depth_mean: 5.8 Depth_max: 19.6
Tds: 44 Ph: 7.4

Rb: U Lt: U Ct: U
Dv: Y St: Y Gr: U
W : YM Ko: Y Np: U
Other_spp: CH/SK/CO/BB/LKC/RSC

Rehab:
Constraint: Regs: Yes
Structure: Beaver Facilities: PC 2
Effort: Cpue:
Enhance:

Comment1: Road access from Fort St. James to within 6 miles for Lake.
Comment2: CO & CH reported in outlet. Fish & Wildlife cabin at lake.
Comment3: No fishing in Sustut Lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Sutherland (G)
Wsd_code: 480-9936
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Ft.St.James
Dist_town: 30
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 30
Location: 093K/07-54/16-124/32
Elev: 1039
Drainage: Babine
In_out: 0-0
Survey: Type_survey:
Surf_area: 12.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Swan (G)
Wsd_code: 470-6572
Lak_seq_no: 05
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 80
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 80
Location: 103P/15-55/44-128/37
Elev: 524
Drainage: Kispiox
In_out: 8-1
Survey: 74/06 Type_survey: PM
Surf_area: 2797.0 Litt_area:
Perim: 55000
Depth_mean: 23 Depth_max: 64
Tds: 23 Ph: 7.8

Rb: Y Lt: Y Ct: U
Dv: Y St: U Gr: U
W : YM Ko: Y Np: U
Other_spp: SK/CH/CO/LSU

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Abundant wildlife - diverse number of species.
Comment2: Also surveyed by DFO. Lots of islands in lake.
Comment3: No information on inlet streams.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Swans (G)
Wsd_code: 460-7020
Lak_seq_no: 05
Last_entry: Jun85
Near_town: Burns Lake
Dist_town: 52
Dist_pave: 42 Dist_grav: 9.5
Dist_4x4: 3.5 Dist_walk:
Dist_air:
Location: 093L/08-54/25-126/20
Elev: 792
Drainage: Bulkley
In_out: 3-1
Survey: 10/93 Type_survey: RS
Surf_area: 177.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CSU/LSU/LKC/PCC

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Only one permanent inlet to lake.
Comment2: RB appeared to be abundant, but in poor condition.
Comment3: Repeated findings of dead suckers in lake (1989 & 1993).
Comment4: Rough campsite and boat launch.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Swordgrass (G)
Wsd_code: 470-6041
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 65
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/44-128/26
Elev: 488
Drainage: Kispiox
In_out: 0-1
Survey: Type_surve:
Surf_area: 48.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U	Lt: U	Ct: U
Dv: Y	St: U	Gr: U
W : Y	Ko: U	Np: U

Other_spp:

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tadpole
Wsd_code: 480-9936-635
Lak_seq_no: 01
Last_entry: FEB87
Near_town: Burns Lake
Dist_town: 50
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 50
Location: 093K/06-54/21-125/00
Elev: 1250
Drainage: Babine
In_out: 0-1
Survey: Type_surve:
Surf_area: 5.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tahlo (G)
Wsd_code: 480-5988-991
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 75
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 75
Location: 093M/08-55/20-125/28
Elev: 88
Drainage: Babine
In_out: 1-1
Survey: 75/08 Type_survey: HQ
Surf_area: 152.2 Litt_area: 81.6
Perim: 7000
Depth_mean: 7 Depth_max: 19
Tds: 55 Ph: 6.9

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : YL Ko: Y Np: U
Other_spp: MW/CO/SK/LSU/CAS/NSC

Rehab:
Constraint: Regs:
Structure: Beaver Facilities: PC
Effort: Cpue:
Enhance:

Comment1: Spawning in inlet and outlet to Morrison Lake.
Comment2: Lots of beaver activity in system.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Taltapin (G)
Wsd_code: 480-9277
Lak_seq_no: 03
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 32
Dist_pave: Dist_grav: 32
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/06-54/19-125/20
Elev: 884
Drainage: Babine
In_out: 13-1
Survey: 74/08 Type_survey: HQ
Surf_area: 2109.7 Litt_area: 1932.4
Perim: 39502
Depth_mean: 40 Depth_max: 96
Tds: 102 Ph: 7.5

Rb: Y Lt: Y Ct: U
Dv: U St: U Gr: U
W : YP Ko: Y Np: U
Other_spp: LW/CSU/WSU/LSU/BB/LKC/FS

Rehab:
Constraint: Regs:
Structure: Dam Facilities: FS
Effort: Cpue:
Enhance:

Comment1: Dam at outlet controls flow through spawning channles.
Comment2: Dam has raised lake approximately 6 feet.
Comment3: (spawning channels are at Pinkut)
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Taltzen (G)
Wsd_code: 460-2413-646
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 30
Dist_pave: Dist_grav: 30
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/13-54/50-128/15
Elev: 701
Drainage: Bulkley
In_out: 0-1
Survey: 70/08 Type_surve: RS
Surf_area: 10.1 Litt_area:
Perim: 1253
Depth_mean: 2 Depth_max: 4
Tds: 74 Ph: 6.5

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Fish sampling not done. Files do not indicate fish presence
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tanglechain (G)
Wsd_code: 480-6972-334
Lak_seq_no: 02
Last_entry: Mar85
Near_town: Smithers
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/15-55/00-126/30
Elev: 823
Drainage: Babine
In_out: 1-1
Survey: 70/08 Type_surve: RS
Surf_area: 101.1 Litt_area:
Perim: 5294
Depth_mean: 3 Depth_max: 7
Tds: 43 Ph:

Rb: Y Lt: U Ct: Y
Dv: Y St: U Gr: U
W : YM Ko: U Np: U
Other_spp: PCC/CSU/LSU/NSC/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: 1 hybrid between CT and DV caught and preserved.
Comment2: Outlet chocked by weeds. Lots of beaver activity.
Comment3: Inlet comes from Doris Lake.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tauw (G)
Wsd_code: 440-3417
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 43
Dist_pave: Dist_grav:
Dist_4x4: 43 Dist_walk:
Dist_air:
Location: 093L/12-54/33-127/46
Elev: 823
Drainage: Zymoetz
In_out: 1-1
Survey: Type_surve:
Surf_area: 15.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: U
Dv: Y St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Taylor (G)
Wsd_code: 500-2540-073-490
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Terrace
Dist_town: 110
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 110
Location: 103P/06-55/28-129/00
Elev: 213
Drainage: Nass
In_out: 0-1
Survey: Type_surve:
Surf_area: 43.2 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Teigen (G)
Wsd_code: 560-5821-776
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Stewart
Dist_town: 90
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 90
Location: 104B/09-56/45-130/10
Elev: 988
Drainage: Nass
In_out: 2-1
Survey: 82/09 Type_surve:
Surf_area: 210.0 Litt_area: 40.4
Perim: 2685
Depth_mean: 21 Depth_max: 39
Tds: 212 Ph: 6.0

Rb: Y Lt: U Ct: U
Dv: Y St: U Gr: U
W : YM Ko: U Np: U
Other_spp: CH/LSU/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: CH spawn in lake outlet. Excellent boating over entire lake.
Comment2: No road access. Good spawning and rearing habitat.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Toboggan (G)
Wsd_code: 460-2429-515
Lak_seq_no: 01
Last_entry: Nov93
Near_town: Smithers
Dist_town: 10
Dist_pave: 10
Dist_4x4: Dist_grav:
Dist_walk:
Dist_air:
Location: 093L/14-54/47-127/15
Elev: 482
Drainage: Bulkley
In_out: 1-1
Survey: 82/10 Type_survey:
Surf_area: 14.9 Litt_area: 14.9
Perim: 2700
Depth_mean: 1 Depth_max: 2
Tds: 30 Ph: 6.5

Rb: U Lt: U Ct: U
Dv: Y St: Y Gr: U
W : YM Ko: U Np: U
Other_spp: CO/CC/LSU/

Rehab:
Constraint:
Structure: Culvert
Effort:
Enhance:
Regs:
Facilities: PC 2; BL
Cpue:

Comment1: Lake has private access and is on private property.
Comment2: ST & PK in Toboggan C. S.E.P. facility on this lake.
Comment3: 5 houses at lake. Thick macrophyte growth impedes boats.
Comment4: Need permission to fish, boat etc.- lake is crown granted.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Todedada (G)
Wsd_code: 560-4099-384-713
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Stewart
Dist_town: 65
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 65
Location: 104A/05-56/28-129/45
Elev: 671
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 28.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Top (G)
Wsd_code: 440-3417
Lak_seq_no: 03
Last_entry: Jun85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: 40 Dist_walk:
Dist_air:
Location: 093L/12-54/34-127/43
Elev: 853
Drainage: Zymoetz
In_out: 1-1
Survey: Type_surve:
Surf_area: 35.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Top (G)
Wsd_code: 480-9936-709
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Ft.Fraser
Dist_town: 27
Dist_pave: Dist_grav: 27
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/02-54/15-125/10
Elev:
Drainage: Babine
In_out: 1-1
Survey: 69/07 Type_survey:
Surf_area: 25.0 Litt_area:
Perim: 2103
Depth_mean: 4 Depth_max: 7
Tds: 75 Ph: 6.8

Rb: Y Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: FS/LKC

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities: FS RE 1
Effort: Cpue:
Enhance:

Comment1: Deterioration in RB fishing may be due to beaver activity.
Comment2: Beavers blocking stream. - Rehabilitation ?
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Torkelson (G)
Wsd_code: 460-0817-616
Lak_seq_no: 03
Last_entry: Jun85
Near_town: Smithers
Dist_town: 45
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 45
Location: 093M/02-55/05-126/42
Elev: 823
Drainage: Babine
In_out: 3-1
Survey: Type_surve:
Surf_area: 144.9 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Touhy (G)
Wsd_code: 460-0817-439-459-253-808
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 32
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 32
Location: 093M/03-55/12-127/04
Elev: 1006
Drainage: Bulkley
In_out:
Survey: 07.74 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : YP Ko: U Np: U
Other_spp: CAS/

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Beach seine set for 2-3 hours. Incomplete PM survey.
Comment2: This lake is in Suskwa watershed.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tremblay (G)
Wsd_code: 500-3771-402
Lak_seq_no: 04
Last_entry: Jun85
Near_town: Aiyansh
Dist_town: 105
Dist_pave: ? Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/15-55/54-128/51
Elev: 640
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 63.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Not clear whether road actually goes to this lake.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Treston (G)
Wsd_code: 430
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Terrace
Dist_town: 24
Dist_pave: Dist_grav: 24
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/10-54/42-128/46
Elev: 122
Drainage: Kitsumkalum
In_out: 1-1
Survey: 72/08 Type_surve: HQ
Surf_area: 90.4 Litt_area: 44.1
Perim: 4279
Depth_mean: 9 Depth_max: 34
Tds: 31 Ph: 6.9

Rb: U Lt: U Ct: Y
Dv: U St: U Gr: U
W : YM Ko: U Np: U
Other_spp: SK/PK/

Rehab:
Constraint: Regs:
Structure: Facilities: BL
Effort: Cpue:
Enhance:

Comment1: Lots of floating debris in lake.
Comment2: 2 boat launching areas on South end of lake.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tsalitpn (G)
Wsd_code: 460-6006-239-433
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Houston
Dist_town: 35
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 35
Location: 093L/02-54/07-126/52
Elev: 1036
Drainage: Bulkley
In_out: 0-1
Survey: 07/74 Type_surve: PM
Surf_area: 63.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp: LSU

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Twin (upper) (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar94
Near_town: hazelton
Dist_town: 61
Dist_pave: 61 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/04
Elev: 390
Drainage: Kisplox
In_out: 0-1
Survey: 06/83 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: W. Kill Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Lake surveyed y contractor (N.E.E.D. program).
Comment2: Seldom sport fished due to lack of fish. No fish caught.
Comment3: Upper lake has no fish - low oxygen in winter.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Twin (Lower) (A)
Wsd_code:
Lak_seq_no:
Last_entry: Mar85
Near_town: Hazelton
Dist_town: 61
Dist_pave: Dist_grav: 61
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/09-55/00-128/00
Elev: 390
Drainage: Kispiox
In_out: 1-1
Survey: 83/06 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U Lt: U Ct: YA
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: CO/SU/

Rehab:
Constraint: Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: Lower lake is quite productive.
Comment2: Surveyed by contracotr (N.E.E.D. program)
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tyhee (G)
Wsd_code: 460-4309
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Smithers
Dist_town: 10
Dist_pave: 10 Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 93L/11-54/43-127/02
Elev: 550
Drainage: Bulkley
In_out: 2-1
Survey: 75/08 Type_surve: RS/HQ/PM
Surf_area: 317.7 Litt_area:
Perim: 9753
Depth_mean: 11 Depth_max: 22
Tds: 172 Ph: 8.5

Rb: Y Lt: U Ct: Y
Dv: U St: U Gr: U
W : YP Ko: U Np: U
Other_spp: CO/LSU/CAS/RSC/NSC/PCC/BB

Rehab:

Constraint: Recrea. Regs:
Structure: Beaver Facilities: GS 1; PC 1
Effort: Cpue:
Enhance: ST_RB&CO

Comment1: 1 of only 2 lake in world with giant pygmy whitefish.
Comment2: Heavily used and extensive development around lake. Also ca
Comment3: CO transplanted into lake (1978). No permanent inlet.
Comment4: Also called McLure lake. Culvert under Hwy a barrier.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Tzahny (G)
Wsd_code: 400-8721-250
Lak_seq_no: 01
Last_entry: Jan86
Near_town: Iskut
Dist_town: 150
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 150
Location: 104A/16-56/58-128/01
Elev: 1006
Drainage: Skeena
In_out: 1-1
Survey: Type_surve:
Surf_area: 81.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Umma (G)
Wsd_code: 500-5719-007-400
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Stewart
Dist_town: 85
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 85
Location: 104A/02-56/10-128/44
Elev: 466
Drainage: Nass
In_out: 2-1
Survey: Type_surve:
Surf_area: 28.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Unnamed
Wsd_code: Not in WSC dictionary
Lak_seq_no:
Last_entry:
Near_town: Houston
Dist_town: 25
Dist_pave: 10 Dist_grav: 15
Dist_4x4: Dist_walk:
Dist_air:
Location: 93L/08-54/24-126/25
Elev:
Drainage: Bulkley
In_out: 1-1
Survey: 10/93 Type_surve: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp: CSU/LKC

Rehab:
Constraint: C. Fish Regs: Beaver
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Lake near McBrierie Lake, drains into Old Man Lake.
Comment2: Scenic value fairly high considering proximity to logging.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Unnamed
Wsd_code: 470-5446-126
Lak_seq_no: 01
Last_entry:
Near_town: Hazelton
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/9W
Elev:
Drainage:
In_out: 1-1
Survey: 06/87 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp: CO/RSC

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Drains into Nangeese River. No road access.
Comment2: Shallow lake with little fisheries potential.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Unnamed
Wsd_code: 500-3429-?
Lak_seq_no: 01
Last_entry:
Near_town: Stewart
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103P/10
Elev:
Drainage: Nass
In_out: 1-1
Survey: Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Y Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Falls Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Lake is located 10 km N of Sideslip Lake.
Comment2: Lake apparently not very productive.
Comment3: No potential to produce/support good fishery.
Comment4: Outlet has falls & steep gradient. Old beaver signs at inlet

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Vallee (G)
Wsd_code: 460-5280
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Houston
Dist_town: 14
Dist_pave: 13 Dist_grav: 1
Dist_4x4: Dist_walk:
Dist_air:
Location: 093L/07-54/30-126/45
Elev: 808
Drainage: Bulkley
In_out: 1-1
Survey: 82/08 Type_survey: RS/HQ/AN
Surf_area: 15.5 Litt_area: 15.5
Perim: 1908
Depth_mean: 2 Depth_max: 4
Tds: 98 Ph: 6.3

Rb: Y Lt: U Ct: YL
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LSU/

Rehab:
Constraint: SPAWN Regs:
Structure: Beaver Facilities: RE 1
Effort: Cpue:
Enhance: ST_RB

Comment1: Gill net set for 4.5 hours caught no fish.
Comment2: Reports of possible winter kill. 3-4 pound CT in lake.
Comment3: Considered for rehabilitation work, including aeration.
Comment4: Also called Johnson Lake.

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Wan
Wsd_code: 460-0817-439-459-307
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Smithers
Dist_town: 40
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 40
Location: 093M/02-55/07-126/53
Elev: 947
Drainage: Babine
In_out: 1-1
Survey: Type_survey:
Surf_area: 28.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Watson (A)
Wsd_code:
Lak_seq_no:
Last_entry:
Near_town:
Dist_town:
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air:
Location: 103I/16W-54/54-128/21
Elev: 400
Drainage: Skeena
In_out:
Survey: 06/84 Type_survey: RS
Surf_area: Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: 136 Ph:

Rb: Y Lt: N Ct: N
Dv: N St: N Gr: N
W : N Ko: N Np: N
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance: ST_RB

Comment1: Barren until stocked with RB in 1988.
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Watson (G)
Wsd_code: 460-8829
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Burns Lake
Dist_town: 54
Dist_pave: 42 Dist_grav:
Dist_4x4: ?-10 Dist_walk: 2
Dist_air:
Location: 093L/08-54/26-126/16
Elev: 853
Drainage: Bulkley
In_out: 0-1
Survey: 10/93 Type_surve: RS
Surf_area: 28.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Spawn Regs:
Structure: Beaver Facilities:
Effort: Cpue:
Enhance:

Comment1: No fish caught in overnight minnow traps.
Comment2: Ne gill net was set. Clearcut to edge of lake on SE shore.
Comment3: Not used by general public.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Wes (G)
Wsd_code: 480-9936-323
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Burns Lake
Dist_town: 60
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 60
Location: 093K/07-54/27-124/56
Elev: 1494
Drainage: Babine
In_out: 0-1
Survey: Type_surve:
Surf_area: 7.6 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Williams (G)
Wsd_code: 470-7654
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Stewart
Dist_town: 70
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 70
Location: 103P/15-55/55-128/42
Elev: 610
Drainage: Kispiox
In_out: 2-1
Survey: Type_surve:
Surf_area: 38.1 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Wilson (A)
Wsd_code:
Lak_seq_no:
Last_entry: FEB87
Near_town: Houston
Dist_town: 14
Dist_pave: Dist_grav:
Dist_4x4: 14 Dist_walk:
Dist_air:
Location: 093L/07-54/29-126/36
Elev: 975
Drainage: Bulkley
In_out: 0-1
Survey: 86/7 Type_surve:
Surf_area: 25.9 Litt_area:
Perim:
Depth_mean: Depth_max: 13.5
Tds: 109 Ph: 7.1

Rb: YL Lt: U Ct: U
Dv: U St: U Gr: U
W : U Ko: U Np: U
Other_spp: LKC/

Rehab:
Constraint: Spawn Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Accessible by road in dry weather only. Good fishing lake.
Comment2: Larger than average RB.
Comment3: Low fishing pressure and low recruitment.
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Wiminasiik (G)
Wsd_code: 580
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Smithers
Dist_town: 200
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 200
Location: 104A/08-56/28-128/05
Elev: 610
Drainage: Nass
In_out: 4-1
Survey: Type_survey:
Surf_area: 48.3 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Wort (G)
Wsd_code: 480-9277-426
Lak_seq_no: 01
Last_entry: Mar85
Near_town: Burns Lake
Dist_town: 19
Dist_pave: Dist_grav: 19
Dist_4x4: Dist_walk:
Dist_air:
Location: 093K/05-54/21-125/34
Elev: 975
Drainage: Babine
In_out: 0-0
Survey: 74/08 Type_survey: HQ
Surf_area: 7.8 Litt_area:
Perim: 1676
Depth_mean: 1 Depth_max: 3
Tds: 30 Ph: 6.8

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: No fish caught in overnight gill net set.
Comment2: No inlets or outlets found.
Comment3:
Comment4:

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Name: Yaakin (G)
Wsd_code: 550-0368-341
Lak_seq_no: 01
Last_entry: Jun85
Near_town: Stewart
Dist_town: 55
Dist_pave: Dist_grav: ?
Dist_4x4: Dist_walk:
Dist_air: ?
Location: 104A/03-56/01-129/10
Elev: 274
Drainage: Nass
In_out: 1-1
Survey: Type_surve:
Surf_area: 12.7 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: Lt: Ct:
Dv: St: Gr:
W : Ko: Np:
Other_spp:

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1:
Comment2:
Comment3:
Comment4:

03/24/94

SKEENA REGION LAKES DATABASE
SKEENA MANAGEMENT UNIT

Page 2

Name: Yellen (G)
Wsd_code: 500-5719-007
Lak_seq_no: 02
Last_entry: Jun85
Near_town: Stewart
Dist_town: 85
Dist_pave: Dist_grav:
Dist_4x4: Dist_walk:
Dist_air: 85
Location: 104A/02-56/10-128/45
Elev: 457
Drainage: Nass
In_out: 3-1
Survey: Type_surve:
Surf_area: 33.0 Litt_area:
Perim:
Depth_mean: Depth_max:
Tds: Ph:

Rb: U	Lt: U	Ct: U
Dv: U	St: U	Gr: U
W : U	Ko: Y	Np: U
Other_spp:		

Rehab:
Constraint: Regs:
Structure: Facilities:
Effort: Cpue:
Enhance:

Comment1: Fish had red stripe along side.
Comment2: Survey done by BC forest service - very little information.
Comment3:
Comment4: